

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Issuing Date 28-Jan-2021

Revision Date: 21-Oct-2021

Revision Number: 1

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name	AURA WATERBORNE INTERIOR PAINT - MATTE BASE 3
Product Code	N5223X
Alternate Product Code	N5223X
Product Class	Water thinned paint
Color	All
Recommended use	Paint
Restrictions on use	No information available

Manufacturer
Benjamin Moore & Co.
101 Paragon Drive
Montvale, NJ 07645
Phone: 1-866-708-9180
www.benjaminmoore.com

Only Representative (OR)
Intertek Deutschland GmbH
Stangenstrasse 1
70771 Leinfelden-Echterdingen
Germany
Ph: +49-(0)-71127311152
e-mail: ies01.reach@intertek.com

Emergency Telephone
CHEMTREC:
+1-703-527-3887 (INTERNATIONAL)
1-800-424-9300 (NORTH AMERICA)

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin sensitization	Category 1A - (H317)
---------------------------	----------------------

2.2. Label elements

Product Identifier
Contains 1,2-Benzisothiazolin-3-one, 2-Methyl-4-isothiazolin-3-one



Signal word
Warning

Hazard statements

H317 - May cause an allergic skin reaction

EUH211 - Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P280 - Wear protective gloves

P321 - Specific treatment (see supplemental first aid instructions on this label)

P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other hazards

General Hazards

No information available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EINECS/ELINCS No.	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number
Kaolin, calcined	266-340-9	66402-68-4	>=10 - <15		Not available
Titanium dioxide	236-675-5 257-372-4	13463-67-7	>=5 - <10	Not available	01-2119489379-17-01 68
Silica amorphous	231-545-4	7631-86-9	>=1 - <5	Not available	01-2119379499-16-02 81
1,2-Benzisothiazolin-3-one	220-120-9	2634-33-5	>=0.05 - <0.1	Acute Tox 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)	Not available
2-Methyl-4-isothiazolin-3-one	220-239-6	2682-20-4	>=0.005 - <0.01	Skin Corr. 1B (H314) Eye Dam 1 (H318) Skin Sens. 1 (H317) Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 2 (H330) Acute Tox. 3 (H331) Aquatic Acute 1 (H400) Aquatic chronic 1 (H410)	Not available

Full text of H- and EUH-phrases: see section 16

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

Description of first aid measures

General Advice	No hazards which require special first aid measures.
Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Inhalation	Move to fresh air. If symptoms persist, call a physician.
Ingestion	Clean mouth with water and afterwards drink plenty of water. Consult a physician if necessary.

4.2. Most important symptoms and effects, both acute and delayed

Most Important Symptoms/Effects	May cause allergic skin reaction.
--	-----------------------------------

4.3. Indication of any immediate medical attention and special treatment needed

Notes To Physician	Treat symptomatically.
---------------------------	------------------------

Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable Extinguishing Media	No information available.

5.2. Special hazards arising from the substance or mixture

Specific Hazards Arising From The Chemical	Closed containers may rupture if exposed to fire or extreme heat.
Sensitivity to static discharge	No
Sensitivity to mechanical impact	No

5.3. Advice for firefighters

Protective equipment and precautions for firefighters	Wear self-contained breathing apparatus and protective suit.
--	--

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.

Other Information Observe all relevant local and international regulations.

6.2. Environmental precautions

Environmental precautions Prevent spreading of vapors through sewers, ventilation systems and confined areas.

6.3. Methods and material for containment and cleaning up

Methods for Containment Absorb with inert material and place in suitable container for disposal.

Methods for Cleaning Up Clean contaminated surface thoroughly.

6.4. Reference to other sections

Other information See Section 12 for additional information.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling Avoid contact with skin, eyes and clothing. Avoid breathing vapors, spray mists or sanding dust. In case of insufficient ventilation, wear suitable respiratory equipment.

Hygiene Measures Wash thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage Keep container tightly closed. Keep out of the reach of children.

7.3. Specific end use(s)

Specific Uses Architectural coating. Apply as directed. Refer to product label / literature for specific instructions.

Risk Management Methods (RMM) Not Applicable.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Chemical name	European Union	Belgium	Bulgaria	Cyprus	France	Ireland
Kaolin, calcined 66402-68-4	-	-	TWA: 0.05 mg/m ³ TWA: 1.0 mg/m ³	TWA: 0.2 mg/m ³ TWA: 0.05 mg/m ³	-	TWA: 5 mg/m ³ TWA: 0.2 mg/m ³ TWA: 0.05 mg/m ³ STEL: 10 mg/m ³

							STEL: 0.6 mg/m ³ STEL: 0.15 mg/m ³
Titanium dioxide 13463-67-7	-	TWA: 10 mg/m ³	TWA: 10.0 mg/m ³ TWA: 1.0 mg/m ³	-	TWA: 10 mg/m ³		TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 30 mg/m ³ STEL: 12 mg/m ³
Silica amorphous 7631-86-9	TWA: 0.1 mg/m ³	-	TWA: 0.07 mg/m ³	-	-		TWA: 6 mg/m ³ TWA: 2.4 mg/m ³ STEL: 18 mg/m ³ STEL: 7.2 mg/m ³
Chemical name	Germany	Greece	Hungary	Iceland	Italy	Latvia	
Kaolin, calcined 66402-68-4	TWA: 0.2 mg/m ³ TWA: 0.02 mg/m ³	TWA: 0.2 mg/m ³ TWA: 0.05 mg/m ³ TWA: 5 mg/m ³ STEL: 10 mg/m ³	-	-	-	-	TWA: 2 mg/m ³ TWA: 0.2 mg/m ³ TWA: 0.05 mg/m ³
Titanium dioxide 13463-67-7	-	TWA: 10 mg/m ³ TWA: 5 mg/m ³	-	6 mg/m ³ TWA	-	-	TWA: 10 mg/m ³
Silica amorphous 7631-86-9	TWA: 4 mg/m ³	-	-	-	-	-	TWA: 1 mg/m ³
Chemical name	Lithuania	Netherlands	Poland	Romania	Spain	Sweden	United Kingdom
Kaolin, calcined 66402-68-4	TWA: 0.2 mg/m ³ TWA: 0.05 mg/m ³	TWA: 0.2 mg/m ³ TWA: 0.05 mg/m ³	STEL: 10 mg/m ³ TWA: 5 mg/m ³ TWA: 0.2 mg/m ³ TWA: 0.05 mg/m ³	TWA: 0.2 mg/m ³ TWA: 0.05 mg/m ³ TWA: 5 mg/m ³ STEL: 10 mg/m ³	TWA: 5 mg/m ³ TWA: 0.2 mg/m ³ TWA: 0.05 mg/m ³ STEL: 10 mg/m ³	-	TWA: 5 mg/m ³ TWA: 0.2 mg/m ³ TWA: 0.05 mg/m ³
Titanium dioxide 13463-67-7	TWA: 5 mg/m ³	-	STEL: 30 mg/m ³ TWA: 10 mg/m ³	TWA: 10 mg/m ³ STEL: 15 mg/m ³	TWA: 10 mg/m ³	TLV: 5 mg/m ³	TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 30 mg/m ³ STEL: 12 mg/m ³
Silica amorphous 7631-86-9	-	TWA: 0.075 mg/m ³	-	-	-	-	TWA: 6 mg/m ³ TWA: 2.4 mg/m ³ TWA: 0.1 mg/m ³ STEL: 18 mg/m ³ STEL: 7.2 mg/m ³

8.2. Exposure controls

Occupational exposure controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Respiratory Protection

In case of insufficient ventilation wear suitable respiratory equipment.

Eye Protection

Safety glasses with side-shields.

Skin Protection

Lightweight protective clothing.

Hand protection

Impervious gloves.

Hygiene Measures

Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Wash thoroughly after handling.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance liquid
 Odor little or no odor
 Odor Threshold No information available

<u>Property</u>	<u>Values</u>	<u>Remarks/ Method</u>
Density (g/L)	1138 - 1186	None known
Relative Density	1.13 - 1.18	
pH	No information available	None known
Viscosity (cps)	No information available	None known
Solubility(ies)	No information available	None known
Water solubility	No information available	None known
Evaporation Rate	No information available	None known
Vapor pressure	No information available	None known
Vapor density	No information available	None known
Wt. % Solids	45 - 55	None known
Vol. % Solids	45 - 55	None known
Wt. % Volatiles	45 - 55	None known
Vol. % Volatiles	45 - 55	None known
Boiling Point (°C)	100	None known
Freezing Point (°C)	0	None known
Melting Point (°C)	No information available	None known
Pour Point	No information available	None known
Flash Point (°C)	Not applicable	None known
Flammability (solid, gas)	No information available	None known
Upper flammability limit:	No information available	None known
Lower flammability limit:	No information available	None known
Autoignition Temperature (°C)	No information available	None known
Decomposition Temperature (°C)	No information available	None known
Partition coefficient	No information available	None known
Explosive properties	No information available	None known
Oxidizing Properties	No information available	None known

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity Not Applicable.

10.2. Chemical stability

Chemical Stability Stable under normal conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal conditions of use.

10.4. Conditions to avoid

Conditions to avoid Prevent from freezing.

10.5. Incompatible materials

Incompatible Materials No materials to be especially mentioned.

10.6. Hazardous decomposition products

Hazardous Decomposition Products

None under normal conditions of use.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Product Information

Inhalation	There is no data available for this product.
Eye contact	There is no data available for this product.
Skin contact	Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.
Ingestion	There is no data available for this product.

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (dermal) 45,825.40 mg/kg

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Titanium dioxide 13463-67-7	> 10000 mg/kg (Rat)		
Silica amorphous 7631-86-9	= 7900 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 2.2 mg/L (Rat) 1 h
1,2-Benzisothiazolin-3-one 2634-33-5	= 1020 mg/kg (Rat)	> 2000 mg/kg (Rat)	
2-Methyl-4-isothiazolin-3-one 2682-20-4	232 - 249 mg/kg (Rat) = 120 mg/kg (Rat)	= 200 mg/kg (Rabbit)	

Skin corrosion/irritation	No information available.
Eye damage/irritation	No information available.
Sensitization	May cause an allergic skin reaction.
Mutagenic Effects	No information available.

Carcinogenic effects

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union	IARC
Titanium dioxide 13463-67-7		2B - Possible Human Carcinogen

• Although IARC has classified titanium dioxide as possibly carcinogenic to humans (2B), their summary concludes:

"No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as paint."

Legend

IARC - International Agency for Research on Cancer

NTP - National Toxicity Program

OSHA - Occupational Safety & Health Administration

Reproductive Effects	No information available.
Developmental Effects	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Neurological Effects	No information available.
Target organ effects	No information available.
Symptoms	No information available.
Aspiration Hazard	No information available.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

The environmental impact of this product has not been fully investigated

Chemical name	Algae/aquatic plants	Fish	Crustacea
Silica amorphous 7631-86-9	EC50: =440mg/L (72h, Pseudokirchneriella subcapitata)	LC50: =5000mg/L (96h, Brachydanio rerio)	EC50: =7600mg/L (48h, Ceriodaphnia dubia)

12.2. Persistence and degradability

Persistence / Degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation No information available.

Chemical name	Partition coefficient
1,2-Benzisothiazolin-3-one 2634-33-5	1.3

12.4. Mobility in soil

Mobility in soil No information available.

Mobility in Environmental Media No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

No information available.

Chemical name	PBT and vPvB assessment
Kaolin, calcined 66402-68-4	PBT assessment does not apply
Titanium dioxide 13463-67-7	The substance is not PBT / vPvB PBT assessment does not apply
Silica amorphous 7631-86-9	The substance is not PBT / vPvB PBT assessment does not apply
1,2-Benzisothiazolin-3-one 2634-33-5	The substance is not PBT / vPvB
2-Methyl-4-isothiazolin-3-one 2682-20-4	The substance is not PBT / vPvB

12.6. Other adverse effects

Other adverse effects

No information available

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused Products

Dispose of in accordance with the European Directives on waste and hazardous waste.

Contaminated Packaging

Empty containers should be taken for local recycling, recovery or waste disposal.

EWC waste disposal No

No information available

Other Information

Waste codes should be assigned by the user based on the application for which the product was used.

Section 14: TRANSPORT INFORMATION

IMDG

Not regulated

RID

Not regulated

ADR

Not regulated

ADN

Not regulated

IATA

Not regulated

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number
Silica amorphous 7631-86-9	RG 25
1,2-Benzisothiazolin-3-one 2634-33-5	RG 65

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

International Inventories

AICS - Australian AIIC Inventory	No - Not all of the components are listed.
DSL: Canada	No - Not all of the components are listed. One or more component is listed on NDSL.
EINECS: European Union Inventory of Existing Substances	No - Not all of the components are listed.
ENCS - Japan Existing and New Chemical Substances	No - Not all of the components are listed.
IECSC - China Inventory of Existing Substances	No - Not all of the components are listed.
KECL Korea Existing Chemicals Inventory (Annex 1)	No - Not all of the components are listed.
PICCS Philippines Inventory of Chemicals and Chemical Substances	No - Not all of the components are listed.
TSCA: United States	Yes - All components are listed or exempt.

Legend

- AICS** - Australian Inventory of Chemical Substances
- DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List
- IECSC** - China Inventory of Existing Chemical Substances
- EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
- ENCS** - Japan Existing and New Chemical Substances
- KECL** - Korean Existing and Evaluated Chemical Substances
- PICCS** - Philippines Inventory of Chemicals and Chemical Substances
- TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

15.2. Chemical safety assessment

Chemical Safety Report No information available

Section 16: OTHER INFORMATION

Full text of H-Statements referred to under section 3

- H301 - Toxic if swallowed
- H302 - Harmful if swallowed
- H314 - Causes severe skin burns and eye damage
- H315 - Causes skin irritation
- H317 - May cause an allergic skin reaction
- H318 - Causes serious eye damage
- H319 - Causes serious eye irritation
- H330 - Fatal if inhaled
- H331 - Toxic if inhaled
- H400 - Very toxic to aquatic life
- H410 - Very toxic to aquatic life with long lasting effects
- H411 - Toxic to aquatic life with long lasting effects

Classification procedure:	Expert judgment and weight of evidence determination
Key literature references and sources for data	Data from internal and external sources
Prepared By	Product Stewardship Department Benjamin Moore & Co. 101 Paragon Drive Montvale, NJ 07645 800-225-5554
Issuing Date	28-Jan-2021
Revision Date:	21-Oct-2021
Revision Summary	Initial Release

Disclaimer

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

End of Safety Data Sheet