

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Issuing Date 29-Jan-2021

Revision Date: 29-Jan-2021

Revision Number: 1

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name

Product Code Alternate Product Code Product Class Color Recommended use Restrictions on use

Manufacturer

Benjamin Moore & Co. 101 Paragon Drive Montvale, NJ 07645 Phone: 1-866-708-9180 www.benjaminmoore.com

REGAL SELECT PREMIUM INTERIOR PAINT & PRIMER, FLAT FINISH BASE 3

N5473X N5473X Water thinned paint All Paint No information available

Only Representative (OR) Intertek Deutschland GmBH Stangenstrasse 1 70771 Leinfeldan-Echterdingen Germany Ph: +49-(0)-71127311152 e-mail: ies01.reach@intertek.com

Emergency Telephone

CHEMTREC: +1-703-527-3887 (INTERNATIONAL) 1-800-424-9300 (NORTH AMERICA)

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008 Skin sensitization

Category 1A - (H317)

2.2. Label elements

Product Identifier Contains 2-Methyl-4-isothiazolin-3-one



Warning

Hazard statements

H317 - May cause an allergic skin reaction

EUH208 - Contains (1,2-Benzisothiazolin-3-one). May produce an allergic reaction

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P280 - Wear protective gloves

P321 - Specific treatment (see supplemental first aid instructions on this label)

P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other hazards

General Hazards

No information available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EINECS/ELINCS No.	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number
Limestone	215-279-6	1317-65-3	>=25 - <30	Not available	Not available
Titanium dioxide	236-675-5	13463-67-7	>=1 - <5	Not available	01-2119489379-17-01 68
Diatomaceous earth	-	61790-53-2	>=1 - <5	Not available	Not available
Barium sulfate	231-784-4	7727-43-7	>=1 - <5	Acute Tox. 4 (H302) Acute Tox. 4 (H332)	Not available
1,2-Benzisothiazolin-3-one	220-120-9	2634-33-5	>=0.01 - < 0.05	Acute Tox 4 (H302) Acute Tox 2 (H330) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)	Not available
2-Methyl-4-isothiazolin-3-one	220-239-6	2682-20-4	>=0.001 - <0.005	Skin Corr. 1B (H314) Eye Dam 1 (H318) Skin Sens. 1 (H317) Acute Tox. 3 (H301) Acute Tox. 2 (H330) Acute Tox. 3 (H331) Aquatic Acute 1 (H400) Aquatic chronic 1 (H410)	Not available

Full text of H- and EUH-phrases: see section 16

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures	
Description of first aid measures	
General Advice	No hazards which require special first aid measures.
Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Inhalation	Move to fresh air. If symptoms persist, call a physician.
Ingestion	Clean mouth with water and afterwards drink plenty of water. Consult a physician if necessary.
4.2. Most important symptoms and effects, both acut	e and delayed
Most Important Symptoms/Effects	May cause allergic skin reaction.
4.3. Indication of any immediate medical attention an needed	d special treatment
Notes To Physician	Treat symptomatically.

Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media	
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable Extinguishing Media	No information available.
5.2. Special hazards arising from the substance or mix	<u>kture</u>
Specific Hazards Arising From The Chemical	Closed containers may rupture if exposed to fire or extreme heat.
Sensitivity to static discharge	No
Sensitivity to mechanical impact	No
5.3. Advice for firefighters	
Protective equipment and precautions for firefighters	Wear self-contained breathing apparatus and protective suit.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions	Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.
Other Information	Observe all relevant local and international regulations.
6.2. Environmental precautions	
Environmental precautions	Prevent spreading of vapors through sewers, ventilation systems and confined areas.
6.3. Methods and material for containment and cleani	ng up
Methods for Containment	Absorb with inert material and place in suitable container for disposal.
Methods for Cleaning Up	Clean contaminated surface thoroughly.
6.4. Reference to other sections	
Other information	See Section 12 for additional information.
Section 7: HANDLING AND STORAGE	
Section 7. HANDLING AND STONAGE	
7.1. Precautions for safe handling	
	Avoid contact with skin, eyes and clothing. Avoid breathing vapors, spray mists or sanding dust. In case of insufficient ventilation, wear suitable respiratory equipment.
7.1. Precautions for safe handling	Avoid contact with skin, eyes and clothing. Avoid breathing vapors, spray mists or sanding dust. In case of insufficient
7.1. Precautions for safe handling Handling	Avoid contact with skin, eyes and clothing. Avoid breathing vapors, spray mists or sanding dust. In case of insufficient ventilation, wear suitable respiratory equipment. Wash thoroughly after handling.
7.1. Precautions for safe handling Handling Hygiene Measures	Avoid contact with skin, eyes and clothing. Avoid breathing vapors, spray mists or sanding dust. In case of insufficient ventilation, wear suitable respiratory equipment. Wash thoroughly after handling.
7.1. Precautions for safe handling Handling Hygiene Measures 7.2. Conditions for safe storage, including any incom	Avoid contact with skin, eyes and clothing. Avoid breathing vapors, spray mists or sanding dust. In case of insufficient ventilation, wear suitable respiratory equipment. Wash thoroughly after handling. patibilities Keep container tightly closed. Keep out of the reach of
 <u>7.1. Precautions for safe handling</u> Handling Hygiene Measures <u>7.2. Conditions for safe storage, including any incomp</u> Storage 	Avoid contact with skin, eyes and clothing. Avoid breathing vapors, spray mists or sanding dust. In case of insufficient ventilation, wear suitable respiratory equipment. Wash thoroughly after handling. patibilities Keep container tightly closed. Keep out of the reach of
7.1. Precautions for safe handling Handling Hygiene Measures 7.2. Conditions for safe storage, including any incomposition Storage 7.3. Specific end use(s)	Avoid contact with skin, eyes and clothing. Avoid breathing vapors, spray mists or sanding dust. In case of insufficient ventilation, wear suitable respiratory equipment. Wash thoroughly after handling. patibilities Keep container tightly closed. Keep out of the reach of children. Architectural coating. Apply as directed. Refer to product
 7.1. Precautions for safe handling Handling Hygiene Measures 7.2. Conditions for safe storage, including any incomposition of the storage Storage 7.3. Specific end use(s) Specific Uses 	Avoid contact with skin, eyes and clothing. Avoid breathing vapors, spray mists or sanding dust. In case of insufficient ventilation, wear suitable respiratory equipment. Wash thoroughly after handling. patibilities Keep container tightly closed. Keep out of the reach of children. Architectural coating. Apply as directed. Refer to product label / literature for specific instructions. Not Applicable.

8.1. Control parameters

Chemical name	European Union	Belgium	Bulgaria	Cyprus	France	Ireland
Limestone	-	TWA: 10 mg/m ³	TWA: 1.0 fiber/cm3	-	-	TWA: 10 mg/m ³
1317-65-3			TWA: 10 mg/m ³			TWA: 4 mg/m ³
						STEL: 30 mg/m ³

N5473X - REGAL SELECT PREMIUM INTERIOR PAINT & PRIMER, FLAT FINISH BASE 3

										STEL: 12 mg/m ³
Titanium dioxide	-	TWA: 10 mg	g/m ³	TWA: 10.0) mg/m ³		-	TW	A: 10 mg/m ³	TWA: 10 mg/m ³
13463-67-7			•	TWA: 1.0	mg/m ³				Ũ	TWA: 4 mg/m ³
					-					STEL: 30 mg/m ³
										STEL: 12 mg/m ³
Diatomaceous earth	-	TWA: 3 mg		TWA: 1.0	mg/m³		-		-	-
61790-53-2		TWA: 10 mg								
Barium sulfate	-	TWA: 5 mg	/m³	TWA: 10.0) mg/m³		-		-	TWA: 5 mg/m ³
7727-43-7										STEL: 15 mg/m ³
Chemical name	Germany	Greece		Hung		Ic	eland		Italy	Latvia
Limestone	-	TWA: 10 mg		TWA: 10	mg/m³		-		-	-
1317-65-3		TWA: 5 mg								
Titanium dioxide 13463-67-7	-	TWA: 10 mg TWA: 5 mg		-		6 mg/	/m³ TWA		-	TWA: 10 mg/m ³
Diatomaceous earth 61790-53-2	TWA: 4 mg/m ³	-		-			-		-	-
	Lithuania	Natharlanda		 Delevel	Dam		Cusiu		Cuucadam	United
Chemical name	Lithuania	Netherlands		Poland	Rom	ania	Spain		Sweden	Kingdom
Limestone	-	-		-	TWA: 1	0 mg/m ³	-		-	TWA: 10 mg/m ³
1317-65-3										TWA: 4 mg/m ³
										STEL: 30 mg/m ³
										STEL: 12 mg/m ³
Titanium dioxide	TWA: 5 mg/m ³	-		.: 30 mg/m ³				g/m ³	TLV: 5 mg/m ³	
13463-67-7			IIWA	: 10 mg/m ³	SIEL: 1	5 mg/m ³				TWA: 4 mg/m ³
										STEL: 30 mg/m ³
Diatomaceous earth			T\A/A	10 m m m m 3						STEL: 12 mg/m ³ TWA: 1.2 mg/m ³
61790-53-2	-	-		10 mg/m ³ A: 2 mg/m ³		-	-		-	STEL: 3.6 mg/m ³
Barium sulfate	_		1 1 1 1 1	¬. ∠ my/m°			TWA: 10 m	a/m3		TWA: 10 mg/m ³
7727-43-7	-	-		-		-	1 WA. 10 M	y/III°	-	TWA: 10 mg/m ³ TWA: 4 mg/m ³
1121-40-1										STEL: 30 mg/m ³
										STEL: 12 mg/m ³

8.2. Exposure controls

Occupational exposure controls

Engineering Measures

Personal Protective Equipment

Respiratory Protection

Eye Protection

Skin Protection

Hand protection

Hygiene Measures

Ensure adequate ventilation, especially in confined areas.

In case of insufficient ventilation wear suitable respiratory equipment.

Safety glasses with side-shields.

Lightweight protective clothing.

Impervious gloves.

Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Wash thoroughly after handling.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance
Odor

liquid little or no odor

Odor Threshold	No information available	
<u>Property</u>	<u>Values</u>	Remarks/ Method
Density (g/L)	1330 - 1342	None known
Relative Density pH Viscosity (cps)	1.33 - 1.35 No information available No information available	None known None known
Solubility(ies)	No information available	None known
Water solubility	No information available	None known
Evaporation Rate	No information available	None known
Vapor pressure	No information available	None known
Vapor density	No information available	None known
Wt. % Solids	50 - 60	None known
Vol. % Solids	30 - 40	None known
Wt. % Volatiles	40 - 50	None known
Vol. % Volatiles	60 - 70	None known
Boiling Point (°C) Freezing Point (°C)	100 0 No information available	None known None known None known
Melting Point (°C) Pour Point Flash Point (°C)	No information available Not applicable	None known None known
Flammability (solid, gas)	No information available	None known
Upper flammability limit:	No information available	None known
Lower flammability limit:	No information available	None known
Autoignition Temperature (°C)	No information available	None known
Decomposition Temperature (°C)	No information available	None known
Partition coefficient	No information available	None known
Explosive properties	No information available	None known
Oxidizing Properties	No information available	None known

Section 10: STABILITY AND REACTIVITY

<u>10.1. Reactivity</u> Reactivity	Not Applicable.
10.2. Chemical stability	
Chemical Stability	Stable under normal conditions.
10.3. Possibility of hazardous reactions	
Possibility of hazardous reactions	None under normal conditions of use.
10.4. Conditions to avoid	
Conditions to avoid	Prevent from freezing.
10.5. Incompatible materials	
Incompatible Materials	No materials to be especially mentioned.
10.6. Hazardous decomposition products	

Hazardous Decomposition Products

None under normal conditions of use.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Inhalation	There is no data available for this product.
Eye contact	There is no data available for this product.
Skin contact	Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.
Ingestion	There is no data available for this product.
auta Taulaitu	

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (inhalation-dust/mist) 68.30 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Titanium dioxide 13463-67-7	> 10000 mg/kg (Rat)		
Barium sulfate 7727-43-7	= 307000 mg/kg(Rat)		
1,2-Benzisothiazolin-3-one 2634-33-5	= 1020 mg/kg (Rat)		
2-Methyl-4-isothiazolin-3-one 2682-20-4	232 - 249 mg/kg (Rat) = 120 mg/kg (Rat)	= 200 mg/kg (Rabbit)	

Skin corrosion/irritation	No information available.
Eye damage/irritation	No information available.
Sensitization	May cause an allergic skin reaction.
Mutagenic Effects	No information available.

Carcinogenic effects

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union	IARC
Titanium dioxide		2B - Possible Human Carcinogen
13463-67-7		

• Although IARC has classified titanium dioxide as possibly carcinogenic to humans (2B), their summary concludes: "No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as paint."

Legend

IARC - International Agency for Research on Cancer

Reproductive Effects	No information available.
Developmental Effects	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Neurological Effects	No information available.
Target organ effects	No information available.
Symptoms	No information available.
Aspiration Hazard	No information available.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

The environmental impact of this product has not been fully investigated

Chemical name	Algae/aquatic plants	Fish	Crustacea
Diatomaceous earth		LC50 >10000 mg/L Cyprinus carpio	
61790-53-2		(72h)	

12.2. Persistence and degradability

Persistence / Degradability

No information available.

12.3. Bioaccumulative potential

Bioaccumulation

There is no data for this product.

Chemical name	Partition coefficient
1,2-Benzisothiazolin-3-one	1.3
2634-33-5	

12.4. Mobility in soil

Mobility in soil

Mobility in Environmental Media

No information available.

No information available.

No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

Chemical namePBT and vPvB assessmentTitanium dioxide
13463-67-7The substance is not PBT / vPvB PBT assessment
does not apply

Barium sulfate 7727-43-7	The substance is not PBT / vPvB PBT assessment does not apply
1,2-Benzisothiazolin-3-one 2634-33-5	The substance is not PBT / vPvB
2-Methyl-4-isothiazolin-3-one 2682-20-4	The substance is not PBT / vPvB

12.6. Other adverse effects

Other adverse effects

No information available

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused Products

Contaminated Packaging

EWC waste disposal No

Other Information

Dispose of in accordance with the European Directives on waste and hazardous waste.

Empty containers should be taken for local recycling, recovery or waste disposal.

No information available

Waste codes should be assigned by the user based on the application for which the product was used.

Section 14: TRANSPORT INFORMATION

IMDG	Not regulated
<u>RID</u>	Not regulated
ADR	Not regulated
ADN	Not regulated
ΙΑΤΑ	Not regulated

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number
Diatomaceous earth 61790-53-2	RG 25
1,2-Benzisothiazolin-3-one 2634-33-5	RG 65

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

International Inventories

AICS	No - Not all of the components are listed.
DSL: Canada	Yes - All components are listed or exempt.
EINECS: European Union	No - Not all of the components are listed.
ENCS	No - Not all of the components are listed.
IECSC	No - Not all of the components are listed.
KECL (Annex 1)	No - Not all of the components are listed.
PICCS	No - Not all of the components are listed.
TSCA: United States	Yes - All components are listed or exempt.

Legend

AICS - Australian Inventory of Chemical Substances
 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
 IECSC - China Inventory of Existing Chemical Substances
 EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
 ENCS - Japan Existing and New Chemical Substances
 KECL - Korean Existing and Evaluated Chemical Substances
 PICCS - Philippines Inventory of Chemicals and Chemical Substances
 TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

15.2. Chemical safety assessment

Chemical Safety Report

No information available

Section 16: OTHER INFORMATION

Full text of H-Statements referred to under section 3

- H301 Toxic if swallowed
- H302 Harmful if swallowed
- H314 Causes severe skin burns and eye damage
- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H330 Fatal if inhaled
- H331 Toxic if inhaled
- H332 Harmful if inhaled
- H400 Very toxic to aquatic life
- H410 Very toxic to aquatic life with long lasting effects
- H411 Toxic to aquatic life with long lasting effects

Classification procedure:

Key literature references and sources for data

Prepared By

Expert judgment and weight of evidence determination

Data from internal and external sources

Product Stewardship Department Benjamin Moore & Co. 101 Paragon Drive Montvale, NJ 07645 800-225-5554

Issuing Date	29-Jan-2021
Revision Date:	29-Jan-2021
Revision Summary	Initial Release

Disclaimer

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

End of Safety Data Sheet