

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Issuing Date No information available

Revision Date: 10/03/2023

Revision Number: 1

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name

Product Code

Alternate Product Code Product Class Colour Recommended use

Manufacturer

Benjamin Moore & Co. 101 Paragon Drive Montvale, NJ 07645 Phone: 1-866-708-9180 www.benjaminmoore.com

Emergency Telephone

REGAL SELECT WATERBORNE INTERIOR PAINT - EGGSHELL BASE 2 N5492X N5492X Water thinned paint All Paint

Only Representative (OR)

ITS Testing Services (ÙK) Ltd. Bainbridge House 86-90 London Road Manchester United Kingdom M1 2PW e-mail: ies01.reach@intertek.com

Supplier Benjamin Moore UK Ltd. 804 Oxford Avenue Slough SL1 4LN Ph: +44 (0) 1753 575756 www.benjaminmoorepaint.co.uk

CHEMTREC: +1-703-741-5970 CHEMTREC: (United Kingdom Local Number): +44-870-8200418 CHEMTREC: (London Local Number) +(44)-203-8073798

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin sensitisation

Category 1A - (H317)

2.2. Label elements

Product Identifier Contains 2-Methyl-4-isothiazolin-3-one



Warning

Hazard statements

H317 - May cause an allergic skin reaction

EUH208 - Contains Carbamic acid, butyl-, 3-iodo-2-propynyl ester, 1,2-Benzisothiazolin-3-one, 5-Chloro-2-methyl-3(2H)-isothiazolone mixture with 2-methyl-3(2H)-isothiazolone (3:1) May produce an allergic reaction

EUH211 - Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray

P280 - Wear protective gloves

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap

P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other hazards

General Hazards

No information available

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EINECS/ELINCS No.	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number	UK REACH Registration Number (DUIN)
Limestone	215-279-6	1317-65-3	>=20 - <25	Not available		
Titanium dioxide	236-675-5 257-372-4	13463-67-7	>=10 - <15	Not available	01-2119489379-17 -0168	UK-01-733619750 6-0-0011
Kaolin, calcined	266-340-9	66402-68-4	>=1 - <5	Not available		
Silica amorphous	231-545-4	7631-86-9	>=0.3 - <0.5	Not available	01-2119379499-16 -0281	UK-01-250993046 1-7-0005
Propylene glycol	200-338-0	57-55-6	>=0.3 - <0.5	Not available	01-2119456809-23 -0224	UK-01-670268793 9-4-0013
Aluminum hydroxide	244-492-7	21645-51-2	>=0.1 - <0.3	Not available		
Carbamic acid, butyl-, 3-iodo-2-propynyl ester	259-627-5	55406-53-6	>=0.05 - <0.1	Acute Tox. 4 (H302) Acute Tox. 3 (H331) Eye Dam. 1 (H318)		

				Skin Sens. 1	
				(H317)	
				STOT RE 1 (H372)	
				Aquatic Acute 1	
				(H400)	
				Aquatic Chronic 1	
				(H410)	
1,2-Benzisothiazolin-3-one	220-120-9	2634-33-5	>=0.01 - < 0.05	Acute Tox 4 (H302)	
				Skin Irrit. 2 (H315)	
				Eye Dam. 1 (H318)	
				Skin Sens. 1	
				(H317)	
				Aquatic Acute 1	
				(H400)	
				(11400)	
	000.000.0	0000.00.4	0.004 0.005		
2-Methyl-4-isothiazolin-3-o	220-239-6	2682-20-4	>=0.001 - <0.005	Skin Corr. 1B	
ne				(H314)	
				Eye Dam 1 (H318)	
				Skin Sens. 1A	
				(H317)	
				Acute Tox. 3	
				(H301)	
				Acute Tox. 3	
				(H311)	
				Acute Tox. 2	
				(H330)	
				Aquatic Acute 1	
				(H400)	
				Aquatic chronic 1	
				(H410)	
5-Chloro-2-methyl-3(2H)-is		55965-84-9	>=0.001 - <0.005	Acute Tox. 3	
othiazolone mixture with	220-239-6			(H301)	
2-methyl-3(2H)-isothiazolo				Acute Tox. 2	
ne (3:1)				(H310)	
				Acute Tox. 3	
				(H330)	
				Skin Corr. 1C	
				(H314)	
				Eye Dam 1 (H318)	
				Skin Sens. 1	
				(H317)	
				Aquatic Acute 1	
				(H400)	
				Aquatic Chronic 1	
				(H410)	

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

Description of first aid measures

General AdviceNo hazards which require special first aid measures.Eye ContactRinse thoroughly with plenty of water for at least 15
minutes and consult a physician.Skin ContactWash off immediately with soap and plenty of water while
removing all contaminated clothes and shoes.InhalationMove to fresh air. If symptoms persist, call a physician.

Ingestion

Clean mouth with water and afterwards drink plenty of water. Consult a physician if necessary.

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

4.2. Most important symptoms and effects, both acute and delayed

Most Important Symptoms/Effects

May cause allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Notes To Physician

Treat symptomatically.

No information available.

Section 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Unsuitable Extinguishing Media

5.2. Special hazards arising from the substance or mixture

Closed containers may rupture if exposed to fire or extreme heat.
No
No

5.3. Advice for firefighters

Protective equipment and precautions for firefighters Wear self-contained breathing apparatus and protective suit.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions	Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.
Other Information	Observe all relevant local and international regulations.
6.2. Environmental precautions	
Environmental precautions	Prevent spreading of vapours through sewers, ventilation systems and confined areas.
6.3. Methods and material for containment and cleaning up	

Methods for Containment

Absorb with inert material and place in suitable container for disposal.

Methods for Cleaning Up

Clean contaminated surface thoroughly.

6.4. Reference to other sections

Other information

See Section 12 for additional information.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling

vapors, spray mists or sanding dust. In case of insufficient ventilation, wear suitable respiratory equipment.

Avoid contact with skin, eyes and clothing. Avoid breathing

Hygiene Measures

Wash thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage

Keep container tightly closed. Keep out of the reach of children.

7.3. Specific end use(s)

Specific Uses

Architectural coating. Apply as directed. Refer to product label / literature for specific instructions.

Risk Management Methods (RMM)

Not Applicable.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Chemical name	European Union	Belgium	Bulgaria	Cyprus	France	Ireland
Limestone	-	TWA: 10 mg/m ³	TWA: 1.0 fiber/cm3	-	-	TWA: 10 mg/m ³
1317-65-3			TWA: 10 mg/m ³			TWA: 4 mg/m ³
						STEL: 30 mg/m ³
						STEL: 12 mg/m ³
Titanium dioxide	-	TWA: 10 mg/m ³	TWA: 10.0 mg/m ³	-	TWA: 10 mg/m ³	TWA: 10 mg/m ³
13463-67-7			TWA: 1.0 mg/m ³			TWA: 4 mg/m ³
						STEL: 30 mg/m ³
						STEL: 12 mg/m ³
Kaolin, calcined	-	-	TWA: 0.05 mg/m ³	TWA: 0.2 mg/m ³	-	TWA: 5 mg/m ³ TWA:
66402-68-4			TWA: 1.0 mg/m ³	TWA: 0.05 mg/m ³		0.2 mg/m ³
						TWA: 0.05 mg/m ³
						STEL: 10 mg/m ³
						STEL: 0.6 mg/m ³
						STEL: 0.15 mg/m ³
Chemical name	Germany TRGS	Greece	Hungary	Iceland	Italy MDLPS	Latvia
Limestone	-	TWA: 10 mg/m ³	TWA: 10 mg/m ³	-	-	-
1317-65-3		TWA: 5 mg/m ³				
Titanium dioxide	-	TWA: 10 mg/m ³	-	6 mg/m ³ TWA	-	TWA: 10 mg/m ³
13463-67-7		TWA: 5 mg/m ³				
Kaolin, calcined	TWA: 0.2 mg/m ³	TWA: 0.2 mg/m ³	-	-	-	TWA: 2 mg/m ³ TWA:
66402-68-4	TWA: 0.02 mg/m ³	TWA: 0.05 mg/m ³				0.2 mg/m ³
	-	TWA: 5 mg/m ³				TWA: 0.05 mg/m ³
		STEL: 10 mg/m ³				
Chemical name	Lithuania I	Netherlands I	Poland Rom	ania Spain	Sweden	United Kingdom

N5492X - REGAL SELECT WATERBORNE INTERIOR **PAINT - EGGSHELL BASE 2**

Limestone 1317-65-3	-	-	-	TWA: 10 mg/m ³	-	-	TWA: 10 mg/m ³ TWA: 4 mg/m ³
							STEL: 30 mg/m ³ STEL: 12 mg/m ³
Titanium dioxide 13463-67-7	TWA: 5 mg/m ³	-	STEL: 30 mg/m ³ TWA: 10 mg/m ³	TWA: 10 mg/m ³ STEL: 15 mg/m ³		TLV: 5 mg/m ³	TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 30 mg/m ³ STEL: 12 mg/m ³
Kaolin, calcined 66402-68-4	TWA: 0.2 mg/m ³ TWA: 0.05 mg/m ³	0	TWA: 5 mg/m ³ TWA: 0.2 mg/m ³	TWA: 0.05 mg/m ³ TWA: 5 mg/m ³		-	TWA: 5 mg/m ³ TWA: 0.2 mg/m ³ TWA: 0.05 mg/m ³ STEL: 10 mg/m ³ STEL: 0.6 mg/m ³ STEL: 0.15 mg/m ³

8.2. Exposure controls

Occupational exposure controls

Engineering Measures

Personal Protective Equipment

Respiratory Protection

Eye Protection

Skin Protection

Hand protection

Hygiene Measures

Ensure adequate ventilation, especially in confined areas.

In case of insufficient ventilation wear suitable respiratory equipment.

Safety glasses with side-shields.

Lightweight protective clothing.

Impervious gloves.

Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Wash thoroughly after handling.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance Odour **Odour Threshold**

Property Density (g/L) **Relative Density** Hα Viscosity (cps) Solubility(ies) Water solubility **Evaporation Rate** Vapour pressure @20 °C (kPa) **Relative vapour density** Wt. % Solids

Values

1294 - 1342 1.29 - 1.34 No information available 50 - 60

liauid

little or no odor

No information available

Remarks Method None known

None known None known None known None known None known None known None known

Vol. % Solids
Wt. % Volatiles
Vol. % Volatiles
Boiling Point (°C)
Freezing Point (°C)
Melting Point (°C)
Pour Point
Flash Point (°C)
Flammability (solid, gas)
Upper flammability limit:
Lower flammability limit
Autoignition Temperature (°C)
Decomposition Temperature (°C)
Partition coefficient
Explosive properties
Oxidising Properties

None known None known

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity Reactivity	Not Applicable.
10.2. Chemical stability	
Chemical Stability	Stable under normal conditions.
10.3. Possibility of hazardous reactions	
Possibility of hazardous reactions	None under normal conditions of use.
10.4. Conditions to avoid	
Conditions to avoid	Prevent from freezing.
10.5. Incompatible materials	
Incompatible Materials	No materials to be especially mentioned
10.6. Hazardous decomposition products	
Hazardous Decomposition Products	None under normal conditions of use.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Product Information

Inhalation	There is no data available for this product.
Eye contact	There is no data available for this product.

Skin contact

Component Information

Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.

There is no data available for this product.

Ingestion Acute Toxicity

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Titanium dioxide 13463-67-7	> 10000 mg/kg (Rat)		
Silica amorphous 7631-86-9	= 7900 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	
Propylene glycol 57-55-6	= 20 g/kg (Rat)	= 20800 mg/kg (Rabbit)	
Aluminum hydroxide 21645-51-2	> 5000 mg/kg (Rat)		
Carbamic acid, butyl-, 3-iodo-2-propynyl ester 55406-53-6	= 1470 mg/kg (Rat)	> 2000 mg/kg (Rat)	= 0.67 mg/L (Rat) 4 h = 0.63 mg/L (Rat) 4 h = 0.99 mg/L (Rat) 4 h
1,2-Benzisothiazolin-3-one 2634-33-5	= 1020 mg/kg (Rat)	> 2000 mg/kg (Rat)	
2-Methyl-4-isothiazolin-3-one 2682-20-4		= 200 mg/kg (Rabbit)	
5-Chloro-2-methyl-3(2H)-isothiazolo ne mixture with 2-methyl-3(2H)-isothiazolone (3:1) 55965-84-9	= 53 mg/kg (Rat) = 481 mg/kg (Rat) 232 - 249 mg/kg (Rat) = 120 mg/kg (Rat)	= 87.12 mg/kg (Rabbit) = 200 mg/kg (Rabbit)	= 1.23 mg/L (Rat)4 h = 0.11 mg/L (Rat)4 h

Caution - This mixture contains a substance not yet fully tested

Skin corrosion/irritation

Eye damage/irritation

Sensitisation

Mutagenic Effects

No information available.

No information available.

May cause an allergic skin reaction.

No information available.

Carcinogenic effects

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union	IARC
Titanium dioxide		2B - Possible Human Carcinogen
13463-67-7		

• Although IARC has classified titanium dioxide as possibly carcinogenic to humans (2B), their summary concludes: "No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as paint."

Legend

IARC - International Agency for Research on Cancer

Reproductive Effects

No information available.

Developmental Effects

No information available.

STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Neurological Effects	No information available.
Target organ effects	No information available.
Symptoms	No information available.
Aspiration Hazard	No information available.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

The environmental impact of this product has not been fully investigated

Chemical name	Algae/aquatic plants	Fish	Crustacea
Silica amorphous	EC50: =440mg/L (72h,	LC50: =5000mg/L (96h, Brachydanio	EC50: =7600mg/L (48h,
7631-86-9	Pseudokirchneriella subcapitata)	rerio)	Ceriodaphnia dubia)
Propylene glycol	EC50: =19000mg/L (96h,	LC50 41 - 47 mL/L Oncorhynchus	EC50 > 1000 mg/L (48 h)
57-55-6	Pseudokirchneriella subcapitata)	mykiss (96 h)	EC50 > 10000 mg/L (24 h)
		LC50 = 710 mg/L Pimephales	
		promelas (96 h)	
		LC50 = 51600 mg/L Oncorhynchus	
		mykiss (96 h)	
		LC50 = 51400 mg/L Pimephales	
		promelas (96 h)	
Carbamic acid, butyl-,		LC50: 0.049 - 0.079mg/L (96h,	
3-iodo-2-propynyl ester		Oncorhynchus mykiss) LC50: 0.05 -	
55406-53-6		0.089mg/L (96h, Oncorhynchus	
		mykiss) LC50: 0.14 - 0.32mg/L (96h,	
		Lepomis macrochirus) LC50: 0.18 -	
		0.23mg/L (96h, Pimephales	
		promelas)	
5-Chloro-2-methyl-3(2H)-isothiazolo	S ()	LC50: =1.6mg/L (96h, Oncorhynchus	EC50: =4.71mg/L (48h, Daphnia
ne mixture with	Pseudokirchneriella subcapitata)	mykiss)	magna)
2-methyl-3(2H)-isothiazolone (3:1)	EC50: 0.03 - 0.13mg/L (96h,		EC50: 0.12 - 0.3mg/L (48h, Daphnia
55965-84-9	Pseudokirchneriella subcapitata)		magna)
			EC50: 0.71 - 0.99mg/L (48h,
			Daphnia magna)

12.2. Persistence and degradability

Persistence / Degradability

No information available.

12.3. Bioaccumulative potential

Bioaccumulation

No information available.

Chemical name	Partition coefficient
1,2-Benzisothiazolin-3-one	1.3
2634-33-5	
5-Chloro-2-methyl-3(2H)-isothiazolone mixture with	-0.71 - 0.75
2-methyl-3(2H)-isothiazolone (3:1)	
55965-84-9	

12.4. Mobility in soil

Mobility in soil

Mobility in Environmental Media

No information available.

No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

No information available.

Chemical name	PBT and vPvB assessment
Titanium dioxide 13463-67-7	The substance is not PBT / vPvB PBT assessment
	does not apply
Kaolin, calcined 66402-68-4	PBT assessment does not apply
Silica amorphous	The substance is not PBT / vPvB PBT assessment
7631-86-9	does not apply
Propylene glycol	The substance is not PBT / vPvB PBT assessment
57-55-6	does not apply
Aluminum hydroxide 21645-51-2	The substance is not PBT / vPvB PBT assessment
	does not apply
Carbamic acid, butyl-, 3-iodo-2-propynyl ester 55406-53-6	The substance is not PBT / vPvB PBT assessment
	does not apply
1,2-Benzisothiazolin-3-one 2634-33-5	The substance is not PBT / vPvB
2-Methyl-4-isothiazolin-3-one 2682-20-4	The substance is not PBT / vPvB
5-Chloro-2-methyl-3(2H)-isothiazolone mixture with 2-methyl-3(2H)-isothiazolone	The substance is not PBT / vPvB
(3:1) 55965-84-9	
	<u> </u>

12.6. Other adverse effects

Other adverse effects

No information available

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused Products

Contaminated Packaging

EWC waste disposal No

Other Information

Dispose of in accordance with the European Directives on waste and hazardous waste.

Empty containers should be taken for local recycling, recovery or waste disposal.

No information available

Waste codes should be assigned by the user based on the application for which the product was used.

Section 14: TRANSPORT INFORMATION

IMDG

Not regulated

RID	Not regulated
ADR	Not regulated
ADN	Not regulated
IATA	Not regulated

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number
Silica amorphous	RG 25
7631-86-9	
Propylene glycol	RG 84
57-55-6	
1,2-Benzisothiazolin-3-one	RG 65
2634-33-5	

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

International Inventories

AIIC DSL: Canada	No - Not all of the components are listed. Yes - All components are listed or exempt.
EINECS: European Union Inventory of Existing	No - Not all of the components are listed.
Substances	
ENCS	No - Not all of the components are listed.
IECSC	No - Not all of the components are listed.
KECL	No - Not all of the components are listed.
PICCS	No - Not all of the components are listed.
TSCA: United States	Yes - All components are listed or exempt.

Legend

AICS - Australian Inventory of Chemical Substances
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
IECSC - China Inventory of Existing Chemical Substances
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

15.2. Chemical safety assessment

Chemical Safety Report

No information available

Section 16: OTHER INFORMATION

Full text of H-Statements referred to under section 3

- H301 Toxic if swallowed
- H302 Harmful if swallowed
- H310 Fatal in contact with skin
- H311 Toxic in contact with skin
- H314 Causes severe skin burns and eye damage
- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H330 Fatal if inhaled
- H331 Toxic if inhaled
- H372 Causes damage to organs through prolonged or repeated exposure
- H400 Very toxic to aquatic life
- H410 Very toxic to aquatic life with long lasting effects

Classification procedure:

Expert judgment and weight of evidence determination

Key literature references and sources for data

Prepared By

Data from internal and external sources

Product Stewardship Department Benjamin Moore & Co. 101 Paragon Drive Montvale, NJ 07645 800-225-5554

Revision Date:

Revision Summary

Initial Release

10/03/2023

Disclaimer

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

End of Safety Data Sheet