

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Issuing Date 09/02/2023

Revision Date: 09/02/2023

Revision Number: 1

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name Product Code

Alternate Product Code Product Class Colour Recommended use

Restrictions on use **Manufacturer** Benjamin Moore & Co. 101 Paragon Drive Montvale, NJ 07645 Phone: 1-866-708-9180 www.benjaminmoore.com

Emergency Telephone

WATERBORNE CEILING PAINT SUPER WHITE U50802 U50802 Water thinned paint White Paint

No information available **Only Representative (OR)** ITS Testing Services (UK) Ltd. Bainbridge House 86-90 London Road Manchester United Kingdom M1 2PW e-mail: ies01.reach@intertek.com

Supplier Benjamin Moore UK Ltd. 804 Oxford Avenue Slough SL1 4LN Ph: +44 (0) 1753 575756 www.benjaminmoorepaint.co.uk

CHEMTREC: +1-703-741-5970 CHEMTREC: (United Kingdom Local Number): +44-870-8200418 CHEMTREC: (London Local Number) +(44)-203-8073798

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008	
Skin sensitisation	Category 1A - (H317)

2.2. Label elements

Product Identifier Contains 2-Methyl-4-isothiazolin-3-one



Warning

Hazard statements

H317 - May cause an allergic skin reaction

EUH208 - Contains 1,2-Benzisothiazolin-3-one, 5-Chloro-2-methyl-3(2H)-isothiazolone mixture with 2-methyl-3(2H)-isothiazolone (3:1) May produce an allergic reaction EUH211 - Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand
P102 - Keep out of reach of children
P261 - Avoid breathing dust/fume/gas/mist/vapours/spray
P280 - Wear protective gloves
P302 + P352 - IF ON SKIN: Wash with plenty of water and soap
P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other hazards

Other hazards Harmful to aquatic life

General Hazards No information available

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EINECS/ELINCS No.	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number	UK REACH Registration Number (DUIN)
Titanium dioxide	236-675-5 257-372-4	13463-67-7	>=15 - <20	Not available	01-2119489379-17 -0168	UK-01-733619750 6-0-0011
Limestone	215-279-6	1317-65-3	>=5 - <10	Not available		
Diatomaceous earth		61790-53-2	>=1 - <5	Not available		
Silica amorphous	231-545-4	7631-86-9	>=1 - <5	Not available	01-2119379499-16 -0281	UK-01-250993046 1-7-0005
1,2-Benzisothiazolin-3-one	220-120-9	2634-33-5	>=0.01 - < 0.05	Acute Tox 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400)		
2-Methyl-4-isothiazolin-3-o ne	220-239-6	2682-20-4	>=0.001 - <0.005	Skin Corr. 1B (H314) Eye Dam 1 (H318) Skin Sens. 1A (H317) Acute Tox. 3 (H301) Acute Tox. 3 (H311)		

U50802 - WATERBORNE CEILING PAINT SUPER WHITE

				Acute Tox. 2 (H330) Aquatic Acute 1 (H400) Aquatic chronic 1 (H410)	
5-Chloro-2-methyl-3(2H)-is othiazolone mixture with 2-methyl-3(2H)-isothiazolo ne (3:1)	247-500-7 220-239-6	55965-84-9	>=0.001 - <0.005	Acute Tox. 3 (H301) Acute Tox. 2 (H310) Acute Tox. 3 (H330) Skin Corr. 1C (H314) Eye Dam 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	

4.1. Description of first aid measures

Description of first aid measures	
General Advice	No hazards which require special first aid measures.
Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Inhalation	Move to fresh air. If symptoms persist, call a physician.
Ingestion	Clean mouth with water and afterwards drink plenty of water. Consult a physician if necessary.
4.2. Most important symptoms and effects, both acute	and delayed
Most Important Symptoms/Effects	May cause allergic skin reaction.
4.3. Indication of any immediate medical attention and needed	special treatment
Notes To Physician	Treat symptomatically.
5.1. Extinguishing media	
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable Extinguishing Media	No information available.

5.2. Special hazards arising from the substance or mixture				
Specific Hazards Arising From The Chemical	Closed containers may rupture if exposed to fire or extreme heat.			
Sensitivity to static discharge	No			
Sensitivity to mechanical impact	No			
5.3. Advice for firefighters				
Protective equipment and precautions for firefighters	Wear self-contained breathing apparatus and protective suit.			
6.1. Personal precautions, protective equipment and	emergency procedures_			
Personal Precautions	Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.			
Other Information	Observe all relevant local and international regulations.			
6.2. Environmental precautions				
Environmental precautions	Prevent spreading of vapours through sewers, ventilation systems and confined areas.			
6.3. Methods and material for containment and cleani	ng up			
Methods for Containment	Absorb with inert material and place in suitable container for disposal.			
Methods for Cleaning Up	Clean contaminated surface thoroughly.			
6.4. Reference to other sections				
Other information	See Section 12 for additional information.			
7.1. Precautions for safe handling				
Handling	Avoid contact with skin, eyes and clothing. Avoid breathing vapors, spray mists or sanding dust. In case of insufficient ventilation, wear suitable respiratory equipment.			
Hygiene Measures	Wash thoroughly after handling.			
7.2. Conditions for safe storage, including any incom	patibilities			
Storage	Keep container tightly closed. Keep out of the reach of children.			
7.3. Specific end use(s)				
Specific Uses	Architectural coating. Apply as directed. Refer to product label / literature for specific instructions.			

Risk Management Methods (RMM)

Not Applicable.

8.1. Control parameters

Chemical name	European Unior			Bulga		C	/prus		France	Ireland
Titanium dioxide 13463-67-7	-	TWA: 10 mg	g/m³	TWA: 10.0 TWA: 1.0) mg/m ³ mg/m ³		-	TW	A: 10 mg/m ³	TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 30 mg/m ³ STEL: 12 mg/m ³
Limestone 1317-65-3	-	TWA: 10 mg		TWA: 1.0 f TWA: 10	mg/m ³		-		-	TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 30 mg/m ³ STEL: 12 mg/m ³
Diatomaceous earth 61790-53-2	-	TWA: 3 mg TWA: 10 mg		TWA: 1.0	mg/m³		-		-	-
Silica amorphous 7631-86-9	TWA: 0.1 mg/m³			TWA: 0.1 TWA: 1.0			-		-	TWA: 6 mg/m ³ TWA: 2.4 mg/m ³ STEL: 18 mg/m ³ STEL: 7.2 mg/m ³
Chemical name	Germany TRGS	Greece		Hung	ary	lce	eland	lta	aly MDLPS	Latvia
Titanium dioxide 13463-67-7	-	TWA: 10 mg TWA: 5 mg	/m³	-		6 mg/	/m³ TWA		-	TWA: 10 mg/m ³
Limestone 1317-65-3	-	TWA: 10 mg TWA: 5 mg		TWA: 10	mg/m³		-		-	-
Diatomaceous earth 61790-53-2	TWA: 4 mg/m ³	-		-			-		-	-
Silica amorphous 7631-86-9	TWA: 4 mg/m ³	-		-			-		-	TWA: 1 mg/m ³
Chemical name	Lithuania	Netherlands		Poland		ania	Spain		Sweden	United Kingdom
Titanium dioxide 13463-67-7	TWA: 5 mg/m ³	-		_: 30 mg/m ³ \: 10 mg/m ³	TWA: 1 STEL: 1		TWA: 10 m	ng/m³	TLV: 5 mg/m [:]	³ TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 30 mg/m ³ STEL: 12 mg/m ³
Limestone 1317-65-3	-	-		-	TWA: 1	0 mg/m³	-		-	TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 30 mg/m ³ STEL: 12 mg/m ³
Diatomaceous earth 61790-53-2	-	-		x: 10 mg/m ³ A: 2 mg/m ³		-	-		-	TWA: 1.2 mg/m ³ STEL: 3.6 mg/m ³
Silica amorphous 7631-86-9	-	TWA: 0.075 mg/m ³		-		-	-		-	TWA: 6 mg/m ³ TWA: 2.4 mg/m ³ TWA: 1.2 mg/m ³ TWA: 0.1 mg/m ³ STEL: 18 mg/m ³ STEL: 7.2 mg/m ³ STEL: 3.6 mg/m ³ STEL: 0.3 mg/m ³

8.2. Exposure controls

Occupational exposure controls

Engineering Measures

Personal Protective Equipment

Respiratory Protection

Eye Protection

Ensure adequate ventilation, especially in confined areas.

In case of insufficient ventilation wear suitable respiratory equipment.

Safety glasses with side-shields.

Skin Protection

Hand protection

Hygiene Measures

Lightweight protective clothing.

Impervious gloves.

Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Wash thoroughly after handling.

9.1. Information on basic physical and chemical properties

Appearance Odour **Odour Threshold**

liquid little or no odor No information available

Property
Density (g/L)
Relative Density
pH
Viscosity (cps)
Solubility(ies)
Water solubility
Evaporation Rate
Vapour pressure @20 °C (kPa)
Relative vapour density
Wt. % Solids
Vol. % Solids
Wt. % Volatiles
Vol. % Volatiles
Boiling Point (°C)
Freezing Point (°C)
Melting Point (°C)
Pour Point
Flash Point (°C)
Flammability (solid, gas)
Upper flammability limit:
Lower flammability limit
Autoignition Temperature (°C)
Decomposition Temperature (°C)
Partition coefficient
Explosive properties
Oxidising Properties

50 - 60

35 - 45

40 - 50

55 - 65

100

Values

1378 - 1414

No information available

1.37 - 1.41

Ω No information available No information available Not applicable No information available No information available

No information available

Remarks Method None known

None known None known

10.1. Reactivity Reactivity

10.2. Chemical stability

Chemical Stability

10.3. Possibility of hazardous reactions

Not Applicable.

Stable under normal conditions.

Possibility of hazardous reactions	None under normal conditions of use.
10.4. Conditions to avoid	
Conditions to avoid	Prevent from freezing.
10.5. Incompatible materials	
Incompatible Materials	No materials to be especially mentioned.
10.6. Hazardous decomposition products	
Hazardous Decomposition Products	None under normal conditions of use.
11.1. Information on toxicological effects Product Information	
Inhalation	There is no data available for this product.
Eye contact	There is no data available for this product.
Skin contact	Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.
Ingestion	There is no data available for this product.
Acute Toxicity	

Component Information

Caution - This mixture contains a substance not yet fully tested

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Titanium dioxide 13463-67-7	> 10000 mg/kg (Rat)		
Silica amorphous 7631-86-9	= 7900 mg/kg(Rat)	> 2000 mg/kg (Rabbit)	
1,2-Benzisothiazolin-3-one 2634-33-5	= 1020 mg/kg(Rat)	> 2000 mg/kg (Rat)	
2-Methyl-4-isothiazolin-3-one 2682-20-4		= 200 mg/kg (Rabbit)	
5-Chloro-2-methyl-3(2H)-isothiazolo ne mixture with 2-methyl-3(2H)-isothiazolone (3:1) 55965-84-9	= 53 mg/kg (Rat) = 481 mg/kg (Rat) 232 - 249 mg/kg (Rat) = 120 mg/kg (Rat)	= 87.12 mg/kg (Rabbit) = 200 mg/kg (Rabbit)	= 1.23 mg/L (Rat)4 h = 0.11 mg/L (Rat)4 h

Skin corrosion/irritation

Eye damage/irritation

Sensitisation

Mutagenic Effects

No information available.

No information available.

May cause an allergic skin reaction.

No information available.

Carcinogenic effects

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union	IARC
Titanium dioxide 13463-67-7		2B - Possible Human Carcinogen
Silica, crystalline 14808-60-7		1 - Human Carcinogen

Crystalline Silica has been determined to be carcinogenic to humans by IARC (1) when in respirable form. Risk of cancer depends on duration and level of inhalation exposure to spray mist or dust from sanding the dried paint.
Although IARC has classified titanium dioxide as possibly carcinogenic to humans (2B), their summary concludes: "No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as paint."

Legend

IARC - International Agency for Research on Cancer

Reproductive Effects	No information available.
Developmental Effects	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	Causes damage to organs through prolonged or repeated exposure if inhaled.
Neurological Effects	No information available.
Target organ effects	No information available.
Symptoms	No information available.
Aspiration Hazard	No information available.

12.1. Toxicity

The environmental impact of this product has not been fully investigated

Chemical name	Algae/aquatic plants	Fish	Crustacea
Diatomaceous earth		LC50 >10000 mg/L Cyprinus carpio	
61790-53-2		(72h)	
Silica amorphous	EC50: =440mg/L (72h,	LC50: =5000mg/L (96h, Brachydanio	EC50: =7600mg/L (48h,
7631-86-9	Pseudokirchneriella subcapitata)	rerio)	Ceriodaphnia dubia)
5-Chloro-2-methyl-3(2H)-isothiazolo	EC50: 0.11 - 0.16mg/L (72h,	LC50: =1.6mg/L (96h, Oncorhynchus	EC50: =4.71mg/L (48h, Daphnia
ne mixture with	Pseudokirchneriella subcapitata)	mykiss)	magna)
2-methyl-3(2H)-isothiazolone (3:1)	EC50: 0.03 - 0.13mg/L (96h,		EC50: 0.12 - 0.3mg/L (48h, Daphnia
55965-84-9	Pseudokirchneriella subcapitata)		magna)
			EC50: 0.71 - 0.99mg/L (48h,
			Daphnia magna)

12.2. Persistence and degradability

Persistence / Degradability

No information available.

12.3. Bioaccumulative potential

Bioaccumulation

There is no data for this product.

Chemical name	Partition coefficient
1,2-Benzisothiazolin-3-one	1.3
2634-33-5	
5-Chloro-2-methyl-3(2H)-isothiazolone mixture with	-0.71 - 0.75
2-methyl-3(2H)-isothiazolone (3:1)	
55965-84-9	

12.4. Mobility in soil

Mobility in soil

Mobility in Environmental Media

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

No information available.

No information available.

No information available.

Chemical name	PBT and vPvB assessment
Titanium dioxide 13463-67-7	The substance is not PBT / vPvB PBT assessment does not apply
Silica amorphous 7631-86-9	The substance is not PBT / vPvB PBT assessment does not apply
1,2-Benzisothiazolin-3-one 2634-33-5	The substance is not PBT / vPvB
2-Methyl-4-isothiazolin-3-one 2682-20-4	The substance is not PBT / vPvB
5-Chloro-2-methyl-3(2H)-isothiazolone mixture with 2-methyl-3(2H)-isothiazolone (3:1) 55965-84-9	The substance is not PBT / vPvB

12.6. Other adverse effects

Other adverse effects

No information available

13.1. Waste treatment methods

Waste from Residues/Unused Products	Dispose of in accordance with the European Directives on waste and hazardous waste.
Contaminated Packaging	Empty containers should be taken for local recycling, recovery or waste disposal.
EWC waste disposal No	No information available
Other Information	Waste codes should be assigned by the user based on the application for which the product was used.
IMDG	Not regulated

RID	Not regulated
ADR	Not regulated
ADN	Not regulated
IATA	Not regulated

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number
Diatomaceous earth 61790-53-2	RG 25
Silica amorphous 7631-86-9	RG 25
1,2-Benzisothiazolin-3-one 2634-33-5	RG 65

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

International Inventories

AIIC	No - Not all of the components are listed.
DSL: Canada	Yes - All components are listed or exempt.
EINECS: European Union Inventory of Existing	No - Not all of the components are listed.
Substances ENCS IECSC	No - Not all of the components are listed. No - Not all of the components are listed.
KECL	No - Not all of the components are listed.
PICCS	No - Not all of the components are listed.
TSCA: United States	Yes - All components are listed or exempt.

Legend

AICS - Australian Inventory of Chemical Substances DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List IECSC - China Inventory of Existing Chemical Substances EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

15.2. Chemical safety assessment

Chemical Safety Report

No information available

Full text of H-Statements referred to under section 3

 H301 - Toxic if swallowed H302 - Harmful if swallowed H310 - Fatal in contact with skin H311 - Toxic in contact with skin H314 - Causes severe skin burns and eye damage H315 - Causes skin irritation H317 - May cause an allergic skin reaction H318 - Causes serious eye damage H330 - Fatal if inhaled H400 - Very toxic to aquatic life H410 - Very toxic to aquatic life with long lasting effects 	
Classification procedure:	Expert judgment and weight of evidence determination
Key literature references and sources for data	Data from internal and external sources
Prepared By	Product Stewardship Department Benjamin Moore & Co. 101 Paragon Drive Montvale, NJ 07645 800-225-5554
Issuing Date	09/02/2023
Revision Date:	09/02/2023
Revision Summary	Initial Release
Disclaimer	

<u>Disclaimer</u>

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

End of Safety Data Sheet