

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Issuing Date 09-Sep-2015

Revision Date: 24-May-2018

Revision Number: 3

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name Product Code Alternate Product Code Product Class Color Recommended use Restrictions on use

Manufacturer

Benjamin Moore & Co. 101 Paragon Drive Montvale, NJ 07645 Phone: 1-866-708-9180 www.benjaminmoore.com

ADVANCE WATERBORNE INTERIOR ALKYD SATIN - BASE 3 7923X

7923X WATER THINNED PAINT All Paint No information available

Only Representative (OR)

ITS Testing Services (UK) Ltd. Bainbridge House 86-90 London Road Manchester United Kingdom M1 2PW e-mail: ies01.reach@intertek.com

Emergency Telephone

CHEMTREC: +1-703-527-3887 (INTERNATIONAL) 1-800-424-9300 (NORTH AMERICA)

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008 Not a hazardous substance or mixture according to the Globally Harmonized System (GHS)

2.2. Label elements

Product Identifier

Not a hazardous substance or mixture according to the Globally Harmonized System (GHS) EUH208 - Contains (Tetramethyl-5-decyne-4,7-diol, 2,4,7,9-, 1,2-Benzisothiazolin-3-one). May produce an allergic reaction

EUH210 - Safety data sheet available on request

2.3. Other hazards

General Hazards

No information available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

3.2 Mixtures

| Chemical name | EINECS/ELINCS No. | CAS No. | Weight-% | Classification according to Regulation (EC) No. 1272/2008 [CLP] | REACH registration number |
|---|-------------------|------------|-----------------|--|------------------------------|
| Limestone | 215-279-6 | 1317-65-3 | >=5 - <10 | | Not available |
| Kaolin | 310-194-1 | 1332-58-7 | >=5 - <10 | | Not available |
| Titanium dioxide | 236-675-5 | 13463-67-7 | >=1 - <5 | | 01-2119489379-17-01 68 |
| Tetramethyl-5-decyne-4,7-diol , 2,4,7,9- | 204-809-1 | 126-86-3 | >=0.1 - <0.3 | Eye Dam. 1 (H318) Skin Sens. 1 (H317) Chronic Aquatic 3 (H412) | Not available |
| 1,2-Benzisothiazolin-3-one | 220-120-9 | 2634-33-5 | >=0.01 - < 0.05 | Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) | Not available |

Full text of H- and EUH-phrases: see section 16

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

Description of first aid measures

| General Advice | No hazards which require special first aid measures. |
|----------------|---|
| Eye Contact | Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. |
| Skin Contact | Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. |
| Inhalation | Move to fresh air. If symptoms persist, call a physician. |
| Ingestion | Clean mouth with water and afterwards drink plenty of water. Consult a physician if necessary. |

4.2. Most important symptoms and effects, both acute and delayed

| Most Important Symptoms/Effects | May cause allergic skin reaction |
|---|----------------------------------|
| 4.3. Indication of any immediate medical attention and needed | special treatment |

Treat symptomatically.

Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media Suitable Extinguishing Media

Unsuitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

No information available.

5.2. Special hazards arising from the substance or mixture

| Specific Hazards Arising From The Chemical | Closed containers may rupture if exposed to fire or extreme heat. |
|--|---|
| Sensitivity To Static Discharge | No |
| Sensitivity To Mechanical Impact | No |
| 5.3. Advice for firefighters | |
| Protective Equipment And Precautions For Firefighters | Wear self-contained breathing apparatus and protective suit. |

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

| Personal Precautions | Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. | | | |
|---|---|--|--|--|
| Other Information | Observe all relevant local and international regulations. | | | |
| 6.2. Environmental precautions | | | | |
| Environmental precautions | Prevent spreading of vapors through sewers, ventilation systems and confined areas. | | | |
| 6.3. Methods and material for containment and cleaning up | | | | |
| Methods for Containment | Absorb with inert material and place in suitable container for disposal. | | | |
| Methods for Cleaning Up | Clean contaminated surface thoroughly. | | | |
| 6.4. Reference to other sections | | | | |
| Other information | See Section 12 for additional information. | | | |
| Section 7: HANDLING AND STORAGE | | | | |

7.1. Precautions for safe handling

Handling

Avoid contact with skin, eyes and clothing. Avoid breathing vapors, spray mists or sanding dust. In case of insufficient ventilation, wear suitable respiratory equipment.

Keep container tightly closed. Keep out of the reach of

Architectural coating. Apply as directed. Refer to product

Hygiene Measures

Wash thoroughly after handling.

label / literature for specific instructions.

7.2. Conditions for safe storage, including any incompatibilities

Storage

7.3. Specific end use(s)

Specific Uses

Risk Management Methods (RMM)

Not Applicable.

children.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

| Chemical name | European Union | United Kingdom | Belgium | Bulgaria | Cyprus | Greece |
|------------------|----------------|----------------------------|---------------------------|-----------------------------|--------|---------------------------|
| Limestone | | TWA: 10 mg/m ³ | TWA: 10 mg/m ³ | TWA: 1.0 fiber/cm3 | | TWA: 10 mg/m ³ |
| 1317-65-3 | | TWA: 4 mg/m ³ | _ | TWA: 10 mg/m ³ | | TWA: 5 mg/m ³ |
| | | STEL: 30 mg/m ³ | | _ | | _ |
| | | STEL: 12 mg/m ³ | | | | |
| Kaolin | | TWA: 2 mg/m ³ | TWA: 2 mg/m ³ | TWA: 3.0 mg/m ³ | | |
| 1332-58-7 | | STEL: 6 mg/m ³ | _ | TWA: 6.0 mg/m ³ | | |
| Titanium dioxide | | TWA: 10 mg/m ³ | TWA: 10 mg/m ³ | TWA: 10.0 mg/m ³ | | TWA: 10 mg/m ³ |
| 13463-67-7 | | TWA: 4 mg/m ³ | | TWA: 1.0 mg/m ³ | | TWA: 5 mg/m ³ |
| | | STEL: 30 mg/m ³ | | - | | |
| | | STEL: 12 mg/m ³ | | | | |

| Component | Ireland | Latvia | Lithuania | Poland | Romania | Spain |
|---|---|---------------------------|--------------|--|---------------------------|---------------------------|
| Limestone 1317-65-3(7.54939) | TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 30 mg/m ³ STEL: 12 mg/m ³ | | | | TWA: 10 mg/m ³ | |
| Kaolin 1332-58-7 (7.42084) | TWA: 2 mg/m ³ | | | TWA: 10.0 mg/m ³ | | TWA: 2 mg/m ³ |
| Titanium dioxide 13463-67-7(4.20939) | TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 30 mg/m ³ STEL: 12 mg/m ³ | TWA: 10 mg/m ³ | TWA: 5 mg/m³ | TWA: 10.0 mg/m ³ TWA: 10 mg/m ³ STEL: 30 mg/m ³ | TWA: 10 mg/m ³ | TWA: 10 mg/m ³ |

| Component | Italy | France | Netherlands | Germany | Sweden | Hungary | Iceland |
|----------------------|-------|---------------------------|-------------|---------|--------------------------|---------------------------|---------------------------|
| Limestone | | | | | | TWA: 10 mg/m ³ | |
| 1317-65-3 (7.54939) | | | | | | | |
| Kaolin | | TWA: 10 mg/m ³ | | | | | 2.0 mg/m ³ TWA |
| 1332-58-7 (7.42084) | | _ | | | | | - |
| Titanium dioxide | | TWA: 10 mg/m ³ | | | TLV: 5 mg/m ³ | | 6 mg/m ³ TWA |
| 13463-67-7 (4.20939) | | _ | | | _ | | - |

8.2. Exposure controls

Occupational exposure controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Respiratory Protection

Eye Protection

Skin Protection

Hand protection

Hygiene Measures

In case of insufficient ventilation wear suitable respiratory equipment.

Safety glasses with side-shields.

Lightweight protective clothing.

Impervious gloves.

Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Wash thoroughly after handling.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance Odor Odor Threshold

Property Density (g/L) **Relative Density** рΗ Viscosity (cps) Solubility(ies) Water solubility **Evaporation Rate** Vapor pressure @20 °C (kPa) Vapor density Wt. % Solids Vol. % Solids Wt. % Volatiles Vol. % Volatiles **Boiling Point (°C)** Freezing Point (°C) Melting Point (°C) Flash Point (°C) Flammability (solid, gas) Upper flammability limit: Lower flammability limit: Autoignition Temperature (°C) **Decomposition Temperature (°C)** Partition coefficient **Explosive properties Oxidizing Properties**

liquid little or no odor No information available

Values

1174 - 1210 1.17 - 1.21 No information available 40 - 50 30 - 40 50 - 60 60 - 70 100 0 No information available Not applicable No information available No information available

Remarks/ Method

None known

None known None known

Section 10: STABILITY AND REACTIVITY

| <u>10.1. Reactivity</u> Reactivity | Not Applicable. |
|--|--|
| 10.2. Chemical stability | |
| Chemical Stability | Stable under normal conditions. |
| 10.3. Possibility of hazardous reactions | |
| Possibility of hazardous reactions | None under normal conditions of use. |
| 10.4. Conditions to avoid | |
| Conditions to avoid | Prevent from freezing. |
| 10.5. Incompatible materials | |
| Incompatible Materials | No materials to be especially mentioned. |
| 10.6. Hazardous decomposition products | |
| Hazardous Decomposition Products | None under normal conditions of use. |

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

| Inhalation | Inhalation of vapors in high concentration may cause irritation of respiratory system. Avoid breathing vapors or mists. |
|----------------|---|
| Eye contact | There is no data available for this product. |
| Skin contact | Prolonged skin contact may cause skin irritation and/or dermatitis. May cause sensitization by skin contact. |
| Ingestion | There is no data available for this product. |
| Acute Toxicity | |

Component Information

Product Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---|---------------------|-------------|-----------------|
| Titanium dioxide 13463-67-7 | > 10000 mg/kg (Rat) | | |
| 1,2-Benzisothiazolin-3-one 2634-33-5 | = 1020 mg/kg (Rat) | | |

Skin corrosion/irritation

No information available.

Eye damage/irritation

Sensitization

No information available.

May cause sensitization of susceptible persons.

Mutagenic Effects

No information available.

Carcinogenic effects

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical name | European Union | IARC |
|------------------|----------------|--------------------------------|
| Titanium dioxide | | 2B - Possible Human Carcinogen |
| 13463-67-7 | | |

• Although IARC has classified titanium dioxide as possibly carcinogenic to humans (2B), their summary concludes: "No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as paint."

Legend

IARC - International Agency for Research on Cancer

| Reproductive Effects | No information available. |
|--------------------------|---------------------------|
| Developmental Effects | No information available. |
| STOT - single exposure | No information available. |
| STOT - repeated exposure | No information available. |
| Neurological Effects | No information available. |
| Target organ effects | No information available. |
| Symptoms | No information available. |
| Aspiration Hazard | No information available. |

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

The environmental impact of this product has not been fully investigated

12.2. Persistence and degradability

Persistence / Degradability

No information available.

12.3. Bioaccumulative potential

Bioaccumulation

No information available.

| Chemical name | Partition coefficient |
|----------------------------|-----------------------|
| 1,2-Benzisothiazolin-3-one | 1.3 |
| 2634-33-5 | |

| 12.4. Mobility in soil | |
|--|---------------------------|
| Mobility in soil | No information available. |
| Mobility in Environmental Media | No information available. |
| 12.5. Results of PBT and vPvB assessment | |
| PBT and vPvB assessment | No information available. |
| 12.6. Other adverse effects | |
| Other adverse effects | No information available |

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused Products

Contaminated Packaging

EWC waste disposal No

Other Information

Dispose of in accordance with the European Directives on waste and hazardous waste.

Empty containers should be taken for local recycling, recovery or waste disposal.

No information available

Waste codes should be assigned by the user based on the application for which the product was used.

Section 14: TRANSPORT INFORMATION

| IMDG | Not regulated |
|-------------|---------------|
| <u>RID</u> | Not regulated |
| ADR | Not regulated |
| ADN | Not regulated |
| <u>IATA</u> | Not regulated |

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Occupational Illnesses (R-463-3, France)

| Chemical name | French RG number |
|----------------------------|------------------|
| 1,2-Benzisothiazolin-3-one | RG 65 |
| 2634-33-5 | |

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

International Inventories

| AICS DSL: Canada | No - Not all of the components are listed. No - Not all of the components are listed. One or more component is listed on NDSL. |
|------------------------|--|
| EINECS: European Union | No - Not all of the components are listed. |
| ENCS | No - Not all of the components are listed. |
| IECSC | No - Not all of the components are listed. |
| KECL | No - Not all of the components are listed. |
| PICCS | No - Not all of the components are listed. |
| TSCA: United States | Yes - All components are listed or exempt. |

Legend

AICS - Australian Inventory of Chemical Substances
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
IECSC - China Inventory of Existing Chemical Substances
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

15.2. Chemical safety assessment

Chemical Safety Report

No information available

Expert judgment and weight of evidence determination

Section 16: OTHER INFORMATION

Full text of H-Statements referred to under section 3

H302 - Harmful if swallowed

- H315 Causes skin irritation
- H317 May cause an allergic skin reaction

H318 - Causes serious eye damage

H400 - Very toxic to aquatic life

Classification procedure:

H412 - Harmful to aquatic life with long lasting effects

| Key literature references and sources for data | Data from internal and external sources |
|--|---|
| Prepared By | Product Stewardship Department Benjamin Moore & Co. 101 Paragon Drive Montvale, NJ 07645 800-225-5554 |
| Issuing Date | 09-Sep-2015 |
| Revision Date: | 24-May-2018 |

Revision Summary

Change to Format

Disclaimer

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

End of Safety Data Sheet