

SAFETY DATA SHEET

Issuing Date 13-Aug-2015

Revision Date: 14-Aug-2015

Revision Number: 1

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name Product Code Product List Product Class Color Recommended use Restrictions on use

ULTRA SPEC 500 INTERIOR GLOSS FINISH - BASE 2

N5402X N5402X B2;N5402X B2S WATER THINNED PAINT All Paint No information available

Manufacturer

Benjamin Moore & Co. 101 Paragon Drive Montvale, NJ 07645 Phone: 855-724-6802 www.benjaminmoore.com

Only Representative (OR)

ITS Testing Services (UK) Ltd. Bainbridge House 86-90 London Road Manchester United Kingdom M1 2PW e-mail: ies01.reach@intertek.com

Emergency Telephone Number(s)

CHEMTREC: +1-703-527-3887 (INTERNATIONAL)

1-800-424-9300 (NORTH AMERICA)

Section 2: HAZARDS IDENTIFICATION

<u>2.1.</u>

REGULATION (EC) No 1272/2008

Skin sensitization

Category 1 - (H317)

<u>2.2.</u>

Product Identifier

Contains 2-Methyl-4-isothiazolin-3-one



Hazard statements

H317 - May cause an allergic skin reaction

Precautionary Statements - EU (§28, 1272/2008)

P280 - Wear protective gloves/protective clothing/eye protection/face protection P302 + P352 - IF ON SKIN: Wash with plenty of soap and water P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

2.3.

General Hazards

No information available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable

3.2 Mixtures

Chemical Name	EINECS/ELINCS No.	CAS-No	Weight % (max)	EU - GHS Substance Classification	REACH No.
Titanium dioxide	236-675-5	13463-67-7	15		Not available
Kaolin	310-194-1	1332-58-7	5		Not available
Limestone	215-279-6	1317-65-3	5		Not available
2-Methyl-4-isothiazolin-3-one	220-239-6	2682-20-4	0.005	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Skin Corr. 1B (H314) Skin Sens. 1 (H317) Eye Dam. 1 (H318) STOT SE 3 (H335) Aquatic Acute 1 (H400)	Not available

Full text of H- and EUH-phrases: see section 16

Section 4: FIRST AID MEASURES

<u>4.1.</u>

Description of first aid measures

General Advice	No hazards which require special first aid measures.
Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
Skin Contact	Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes.
Inhalation	Move to fresh air. If symptoms persist, call a physician.
Ingestion	Clean mouth with water and afterwards drink plenty of water. Consult a physician if necessary.

<u>4.2.</u>

Most important symptoms and effects, both acute and delayed

Most Important Symptoms/Effects

May cause allergic skin reaction

<u>4.3.</u>

Indication of any immediate medical attention and special treatment needed

Notes To Physician

Treat symptomatically.

Section 5: FIRE FIGHTING MEASURES

<u>5.1.</u>

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable Extinguishing Media	No information available.
<u>5.2.</u>	
Specific Hazards Arising From The Chemical	Closed containers may rupture if exposed to fire or extreme heat.
Sensitivity To Static Discharge	No.
Sensitivity To Mechanical Impact	No.
<u>5.3.</u>	
Protective Equipment And Precautions For Firefighters	Wear self-contained breathing apparatus and protective suit.

Section 6: ACCIDENTAL RELEASE MEASURES

<u>6.1.</u>	
Personal Precautions	Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.
Other Information	Observe all relevant local and international regulations.
<u>6.2.</u>	
Environmental Precautions	Prevent further leakage or spillage if safe to do so.
<u>6.3.</u>	
Methods For Containment	Absorb with inert material and place in suitable container for disposal.
Methods For Clean-Up	Clean contaminated surface thoroughly.
<u>6.4.</u>	

Other information

See Section 12 for additional information.

Section 7: HANDLING AND STORAGE

<u>7.1.</u>

Handling

Avoid contact with skin, eyes and clothing. Avoid breathing vapors, spray mists or sanding dust. In case of insufficient ventilation, wear suitable respiratory equipment.

Keep container tightly closed. Keep out of the reach of

Architectural coating. Apply as directed. Refer to product

Hygiene Measures

<u>7.2.</u>

Storage

<u>7.3.</u>

Specific Uses

label / literature for specific instructions.

Wash thoroughly after handling.

Risk Management Methods (RMM)

Not Applicable.

children.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

<u>8.1.</u>

Exposure limits

Chemical Name	EU	United Kingdom	Belgium	Bulgaria	Cyprus	Greece
Titanium dioxide 13463-67-7		TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 30 mg/m ³ STEL: 12 mg/m ³	TWA: 10 mg/m ³	TWA: 10.0 mg/m ³		TWA: 10 mg/m ³ TWA: 5 mg/m ³
Kaolin 1332-58-7		TWA: 2 mg/m ³ STEL: 6 mg/m ³	TWA: 2 mg/m ³	TWA: 3.0 mg/m ³ TWA: 6.0 mg/m ³		
Limestone 1317-65-3		TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 12 mg/m ³ STEL: 30 mg/m ³	TWA: 10 mg/m ³	TWA: 1.0 f/cm3 TWA: 10.0 mg/m ³		TWA: 10 mg/m ³ TWA: 5 mg/m ³

Component	Ireland	Latvia	Lithuania	Poland	Romania	Spain
Titanium dioxide 13463-67-7 (10.9999)	TWA: 10 mg/m ³ TWA: 4 mg/m ³	TWA: 10 mg/m ³	TWA: 5 mg/m ³	TWA: 10.0 mg/m ³ STEL: 30 mg/m ³	TWA: 10 mg/m ³ STEL: 15 mg/m ³	TWA: 10 mg/m ³
Kaolin 1332-58-7(2.95858)	TWA: 2 mg/m ³			NDS: 10.0 mg/m ³	TWA: 2 mg/m ³	VLA-ED: 2 mg/m ³
Limestone 1317-65-3 (2.50819)	TWA: 10 mg/m ³ TWA: 4 mg/m ³					

<u>8.2.</u>

Occupational exposure controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

None known

Respiratory Protection

Eye Protection

Skin Protection

Hand protection

Hygiene Measures

In case of insufficient ventilation wear suitable respiratory equipment.

Safety glasses with side-shields.

Lightweight protective clothing.

Impervious gloves.

Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Wash thoroughly after handling.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1.

Appearance Odor **Odor Threshold** Property Density (g/L) **Relative Density** pН Viscosity (cps) Solubility Water Solubility **Evaporation Rate Vapor Pressure** Vapor Density Wt. % Solids Vol. % Solids Wt. % Volatiles Vol. % Volatiles VOC Regulatory Limit (g/L) Boiling Point (°C) Freezing Point (°C) Melting Point (°C) Flash Point (°C) Flammability (solid, gas) **Upper Explosion Limit** Lower Explosion Limit Autoignition Temperature (°C) **Decomposition Temperature (°C)** Partition Coefficient (n-octanol/water) **Explosive properties Oxidizing Properties**

liquid little or no odor No information available

1162 - 1210None known1.16 - 1.21None knownNo information availableNone knownNo information availableNone known
No information available None known
No information available None known
No information available None known
40 - 50 None known
30 - 40 None known
50 - 60 None known
60 - 70 None known
0 None known
100 None known
0 None known
No information available None known
Not applicable None known
No information available None known
No information available None known
No information available None known
No information available None known
No information available None known
No information available None known
No information available None known

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Not Applicable.

No information available

10.2.

Chemical Stability	Stable under normal conditions.	
<u>10.3.</u>		
Possibility Of Hazardous Reactions	None under normal conditions of use.	
<u>10.4.</u>		
Conditions To Avoid	Prevent from freezing.	
<u>10.5.</u>		
Incompatible Materials	No materials to be especially mentioned.	
<u>10.6.</u>		
Hazardous Decomposition Products	None under normal use.	

Section 11: TOXICOLOGICAL INFORMATION

<u>11.1.</u>

Product Information

Inhalation	There is no data available for this product.
Eye contact	There is no data available for this product.
Skin contact	Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.
Ingestion	There is no data available for this product.
Acute Toxicity	

Component

Chemical Name	LD50 Oral:	LD50 Dermal:	LC50 Inhalation:	
Titanium dioxide 13463-67-7	> 10000 mg/kg (Rat)			
Skin corrosion/irritation		No information available.		
Eye damage/irritation No information available.				
Sensitization:		May cause sensitization by skin contact.		
Mutagenic Effects		No information available.		

Carcinogenic effects The table below indicates whether each agency has listed any ingredient as a carcinogen.

N5402X - ULTRA SPEC 500 INTERIOR GLOSS FINISH - BASE 2

Chemical Name	EU Annex I Carcinogen Information	IARC
Titanium dioxide		2B - Possible Human Carcinogen
13463-67-7		

• Although IARC has classified titanium dioxide as possibly carcinogenic to humans (2B), their summary concludes: "No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as paint."

IARC - International Agency for Research on Cancer

Reproductive Effects	No information available.
Developmental Effects	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Neurological Effects	No information available.
Target Organ Effects	Skin.
Symptoms	No information available.
Aspiration Hazard	No information available.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

The environmental impact of this product has not been fully investigated

12.2.	
Persistence / Degradability	No information available.
<u>12.3.</u>	
Bioaccumulation / Accumulation	No information available.
12.4.	
Mobility in soil	No information available.
•	No information available.
Mobility in Environmental Media	No information available.
<u>12.5.</u>	
PBT and vPvB assessment	No information available.

<u>12.6.</u>

Other adverse effects

No information available

Section 13: DISPOSAL CONSIDERATIONS

<u>13.1.</u>

Waste from Residues/Unused Products

Contaminated Packaging

EWC waste disposal No

Other Information

Dispose of in accordance with the European Directives on waste and hazardous waste.

Empty containers should be taken for local recycling, recovery or waste disposal.

No information available

Waste codes should be assigned by the user based on the application for which the product was used.

Section 14: TRANSPORT INFORMATION

IMDG / IMO	Not regulated
RID	Not regulated
ADR	Not regulated
ADN	Not regulated
ΙΑΤΑ	Not regulated

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Occupational Illnesses (R-463-3, France)

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

International Inventories

AICS: Australia DSL: Canada

EINECS: European Union ENCS : Japan IECS : China KECL: South Korea PICCS: Philippines No - Not all of the components are listed. Yes - All components are listed or exempt. One or more component is listed on NDSL. No - Not all of the components are listed. No - Not all of the components are listed. No - Not all of the components are listed. No - Not all of the components are listed. No - Not all of the components are listed. No - Not all of the components are listed.

TSCA: United States

Yes - All components are listed or exempt.

Legend

AICS - Australian Inventory of Chemical Substances DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List IECSC - China Inventory of Existing Chemical Substances EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

<u>15.2.</u>

Chemical Safety Report

No information available

Section 16: OTHER INFORMATION

Full text of H-Statements referred to under section 3

H301 - Toxic if swallowed

H311 - Toxic in contact with skin

H318 - Causes serious eye damage

H317 - May cause an allergic skin reaction

H314 - Causes severe skin burns and eye damage

H335 - May cause respiratory irritation

H400 - Very toxic to aquatic life

Classification procedure:	Expert judgment and weight of evidence determination
Key literature references and sources for data	Data from internal and external sources
Prepared By	Product Stewardship Department Benjamin Moore & Co. 101 Paragon Drive Montvale, NJ 07645 855-724-6802
Issuing Date	13-Aug-2015
Revision Date:	14-Aug-2015
Revision Summary	Change to Format

<u>Disclaimer</u>

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

End of Safety Data Sheet