

# **SAFETY DATA SHEET**

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Issuing Date 02/03/2023 Revision Date: 02/03/2023 Revision Number: 1

# SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name REGAL SELECT WATERBORNE INTERIOR PAINT -

SATIN/PEARL BASE 1

Product Code N5501X
Alternate Product Code N5501X

Product Class Water thinned paint

Colour All Recommended use Paint

Manufacturer Only Representative (OR) Supplier

Benjamin Moore & Co.

ITS Testing Services (UK) Ltd.

Benjamin Moore UK Ltd.

Benjamin Moore UK Ltd.

804 Oxford Avenue

804 Oxford Avenue

805 Slough SL1 4LN

Phone: 1-866-708-9180

Manchester

Ph: +44 (0) 1753 575756

www.benjaminmoore.com United Kingdom

M1 2PW

e-mail: ies01.reach@intertek.com

Emergency Telephone CHEMTREC: +1-703-741-5970

CHEMTREC: (United Kingdom Local Number): +44-870-8200418

www.benjaminmoorepaint.co.uk

CHEMTREC: (London Local Number) +(44)-203-8073798

# Section 2: HAZARDS IDENTIFICATION

## 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin sensitisation Category 1A - (H317)

### 2.2. Label elements

# **Product Identifier**

Contains 5-Chloro-2-methyl-3(2H)-isothiazolone mixture with 2-methyl-3(2H)-isothiazolone (3:1), 2-Methyl-4-isothiazolin-3-one

**Revision Date:** 02/03/2023



## **Hazard statements**

H317 - May cause an allergic skin reaction

EUH208 - Contains Carbamic acid, butyl-, 3-iodo-2-propynyl ester, 1,2-Benzisothiazolin-3-one May produce an allergic reaction

EUH211 - Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist

# Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray

P280 - Wear protective gloves

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap

P501 - Dispose of contents/ container to an approved waste disposal plant

## 2.3. Other hazards

General Hazards No information available

# **SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS**

## 3.1 Substances

Not applicable

### 3.2 Mixtures

Chemical name	EINECS/ELINCS No.	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number	UK REACH Registration Number (DUIN)
Titanium dioxide	236-675-5 257-372-4	13463-67-7	>=15 - <20	Not available	01-2119489379-17 -0168	UK-01-733619750 6-0-0011
Propylene glycol	200-338-0	57-55-6	>=0.5 - <1	Not available	01-2119456809-23 -0224	UK-01-670268793 9-4-0013
Silica amorphous	231-545-4	7631-86-9	>=0.5 - <1	Not available	01-2119379499-16 -0281	UK-01-250993046 1-7-0005
Aluminum hydroxide	244-492-7	21645-51-2	>=0.3 - <0.5	Not available		
Carbamic acid, butyl-, 3-iodo-2-propynyl ester	259-627-5	55406-53-6	>=0.05 - <0.1	Acute Tox. 4 (H302) Acute Tox. 3 (H331) Eye Dam. 1 (H318) Skin Sens. 1 (H317) STOT RE 1 (H372) Aquatic Acute 1		

**Revision Date:** 02/03/2023

1,2-Benzisothiazolin-3-one	220-120-9	2634-33-5	>=0.01 - < 0.05	(H400) Aquatic Chronic 1 (H410) Acute Tox 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400)	
2-Methyl-4-isothiazolin-3-o ne	220-239-6	2682-20-4	>=0.005 - <0.01	Skin Corr. 1B (H314) Eye Dam 1 (H318) Skin Sens. 1A (H317) Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 2 (H330) Aquatic Acute 1 (H400) Aquatic chronic 1 (H410)	
5-Chloro-2-methyl-3(2H)-is othiazolone mixture with 2-methyl-3(2H)-isothiazolo ne (3:1)	247-500-7 220-239-6	55965-84-9	>=0.001 - <0.005	` ′	

# **Section 4: FIRST AID MEASURES**

## 4.1. Description of first aid measures

Description of first aid measures

General Advice No hazards which require special first aid measures.

**Eye Contact**Rinse thoroughly with plenty of water for at least 15

minutes and consult a physician.

Skin Contact Wash off immediately with soap and plenty of water while

removing all contaminated clothes and shoes.

**Inhalation** Move to fresh air. If symptoms persist, call a physician.

Ingestion Clean mouth with water and afterwards drink plenty of

water. Consult a physician if necessary.

### 4.2. Most important symptoms and effects, both acute and delayed

Most Important Symptoms/Effects

May cause allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment

<u>needed</u>

Notes To Physician Treat symptomatically.

# Section 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

**Revision Date:** 02/03/2023

Unsuitable Extinguishing Media No information available.

5.2. Special hazards arising from the substance or mixture

Specific Hazards Arising From The Chemical Closed containers may rupture if exposed to fire or

extreme heat.

Sensitivity to static discharge No

Sensitivity to mechanical impact No

5.3. Advice for firefighters

Protective equipment and precautions for firefighters Wear self-contained breathing apparatus and protective

suit.

# Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with skin, eyes and clothing. Ensure

adequate ventilation.

Other Information Observe all relevant local and international regulations.

6.2. Environmental precautions

Environmental precautions Prevent spreading of vapours through sewers, ventilation

systems and confined areas.

6.3. Methods and material for containment and cleaning up

Methods for Containment Absorb with inert material and place in suitable container

for disposal.

Methods for Cleaning Up Clean contaminated surface thoroughly.

### 6.4. Reference to other sections

Other information See Section 12 for additional information.

# Section 7: HANDLING AND STORAGE

# 7.1. Precautions for safe handling

Handling Avoid contact with skin, eyes and clothing. Avoid breathing

vapors, spray mists or sanding dust. In case of insufficient

**Revision Date:** 02/03/2023

ventilation, wear suitable respiratory equipment.

**Hygiene Measures** Wash thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage Keep container tightly closed. Keep out of the reach of

children.

7.3. Specific end use(s)

Specific Uses Architectural coating. Apply as directed. Refer to product

label / literature for specific instructions.

Risk Management Methods (RMM) Not Applicable.

# SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Chemical name	European Union	Belgium		Bulga	ria	Cy	/prus		France	Ireland
Titanium dioxide	-	TWA: 10 mg	g/m³	TWA: 10.0	) mg/m³		-	TW	A: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>
13463-67-7				TWA: 1.0	mg/m³					TWA: 4 mg/m <sup>3</sup>
										STEL: 30 mg/m <sup>3</sup>
										STEL: 12 mg/m <sup>3</sup>
Chemical name	Germany TRGS	Greece		Hung	ary	Ice	eland	lta	lly MDLPS	Latvia
Titanium dioxide	-	TWA: 10 mg	J/m³	-		6 mg/	m³ TWA		-	TWA: 10 mg/m <sup>3</sup>
13463-67-7		TWA: 5 mg	/m³			_				
Chemical name	Lithuania	Netherlands	F	Poland	Rom	ania	Spain		Sweden	United Kingdom
Titanium dioxide	TWA: 5 mg/m <sup>3</sup>	-	STEL	_: 30 mg/m <sup>3</sup>	TWA: 10	0 mg/m <sup>3</sup>	TWA: 10 m	ng/m³	TLV: 5 mg/m <sup>3</sup>	<sup>3</sup> TWA: 10 mg/m <sup>3</sup>
13463-67-7			TWA	: 10 mg/m <sup>3</sup>	STEL: 1	5 mg/m <sup>3</sup>		_		TWA: 4 mg/m <sup>3</sup>
						-				STEL: 30 mg/m <sup>3</sup>
										STEL: 12 mg/m <sup>3</sup>

### 8.2. Exposure controls

Occupational exposure controls

**Engineering Measures** Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Respiratory Protection In case of insufficient ventilation wear suitable respiratory

equipment.

**Eye Protection** Safety glasses with side-shields.

**Skin Protection** Lightweight protective clothing.

Hand protection Impervious gloves.

Hygiene Measures Avoid contact with skin, eyes and clothing. Remove and

wash contaminated clothing before re-use. Wash

**Revision Date:** 02/03/2023

thoroughly after handling.

# Section 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Appearance liquid

**Odour** little or no odor

Odour Threshold No information available

Values\_ Property Remarks Method Density (g/L) 1210 - 1258 None known **Relative Density** 1.21 - 1.26 Hq No information available Viscosity (cps) No information available None known Solubility(ies) No information available None known Water solubility No information available None known **Evaporation Rate** No information available None known Vapour pressure @20 °C (kPa) No information available None known Relative vapour density No information available None known Wt. % Solids 45 - 55 None known 35 - 45 Vol. % Solids None known Wt. % Volatiles 45 - 55 None known Vol. % Volatiles 55 - 65 None known **Boiling Point (°C)** 100 None known Freezing Point (°C) None known Melting Point (°C) No information available None known **Pour Point** No information available None known Not applicable Flash Point (°C) None known Flammability (solid, gas) No information available None known **Upper flammability limit:** No information available None known Lower flammability limit No information available None known **Autoignition Temperature (°C)** No information available None known **Decomposition Temperature (°C)** No information available None known **Partition coefficient** No information available None known **Explosive properties** No information available None known **Oxidising Properties** No information available None known

# **Section 10: STABILITY AND REACTIVITY**

10.1. Reactivity

Reactivity Not Applicable.

10.2. Chemical stability

Chemical Stability Stable under normal conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal conditions of use.

10.4. Conditions to avoid

Conditions to avoid Prevent from freezing.

10.5. Incompatible materials

Incompatible Materials No materials to be especially mentioned.

10.6. Hazardous decomposition products

Hazardous Decomposition Products

None under normal conditions of use.

# Section 11: TOXICOLOGICAL INFORMATION

## 11.1. Information on toxicological effects

## **Product Information**

**Inhalation** There is no data available for this product.

**Eye contact**There is no data available for this product.

**Skin contact** Repeated or prolonged skin contact may cause allergic

reactions with susceptible persons.

**Revision Date:** 02/03/2023

**Ingestion** There is no data available for this product.

**Acute Toxicity** 

### Component Information Caution - This mixture contains a substance not yet fully tested

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Titanium dioxide 13463-67-7	> 10000 mg/kg (Rat)		
Propylene glycol 57-55-6	= 20 g/kg (Rat)	= 20800 mg/kg ( Rabbit )	
Silica amorphous 7631-86-9	= 7900 mg/kg (Rat)	> 2000 mg/kg ( Rabbit )	
Aluminum hydroxide 21645-51-2	> 5000 mg/kg (Rat)		
Carbamic acid, butyl-, 3-iodo-2-propynyl ester 55406-53-6	= 1470 mg/kg(Rat)	> 2000 mg/kg (Rat)	= 0.67 mg/L (Rat) 4 h = 0.63 mg/L (Rat) 4 h = 0.99 mg/L (Rat) 4 h
1,2-Benzisothiazolin-3-one 2634-33-5	= 1020 mg/kg(Rat)	> 2000 mg/kg (Rat)	
2-Methyl-4-isothiazolin-3-one 2682-20-4		= 200 mg/kg(Rabbit)	
5-Chloro-2-methyl-3(2H)-isothiazolo ne mixture with	= 53 mg/kg (Rat) = 481 mg/kg (Rat)	= 87.12 mg/kg (Rabbit) = 200 mg/kg (Rabbit)	= 1.23 mg/L (Rat) 4 h = 0.11 mg/L (Rat) 4 h

**Revision Date:** 02/03/2023

2-methyl-3(2H)-isothiazolone (3:1) 55965-84-9	232 - 249 mg/kg (Rat) = 120 mg/kg (Rat)		
--	--	--	--

**Skin corrosion/irritation**No information available.

Eye damage/irritation No information available.

**Sensitisation** May cause an allergic skin reaction.

Mutagenic Effects No information available.

## Carcinogenic effects

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union	IARC
Titanium dioxide		2B - Possible Human Carcinogen
13463-67-7		

<sup>•</sup> Although IARC has classified titanium dioxide as possibly carcinogenic to humans (2B), their summary concludes: "No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as paint."

### Legend

IARC - International Agency for Research on Cancer

Reproductive Effects No information available.

**Developmental Effects**No information available.

STOT - single exposure No information available.

**STOT - repeated exposure**No information available.

**Neurological Effects**No information available.

Target organ effects No information available.

**Symptoms** No information available.

Aspiration Hazard No information available.

# Section 12: ECOLOGICAL INFORMATION

## 12.1. Toxicity

The environmental impact of this product has not been fully investigated

	Chemical name	Algae/aquatic plants	Fish	Crustacea
Г	Propylene glycol	EC50: =19000mg/L (96h,	LC50 41 - 47 mL/L Oncorhynchus	EC50 > 1000 mg/L (48 h)
	57-55-6	Pseudokirchneriella subcapitata)	mykiss (96 h)	EC50 > 10000 mg/L (24 h)
			LC50 = 710 mg/L Pimephales	
			promelas (96 h)	
			LC50 = 51600 mg/L Oncorhynchus	
			mykiss (96 h)	

			•
		LC50 = 51400 mg/L Pimephales	
		promelas (96 h)	
Silica amorphous	EC50: =440mg/L (72h,	LC50: =5000mg/L (96h, Brachydanio	EC50: =7600mg/L (48h,
7631-86-9	Pseudokirchneriella subcapitata)	rerio)	Ceriodaphnia dubia)
Carbamic acid, butyl-,		LC50: 0.049 - 0.079mg/L (96h,	
3-iodo-2-propynyl ester		Oncorhynchus mykiss) LC50: 0.05 -	
55406-53-6		0.089mg/L (96h, Oncorhynchus	
		mykiss) LC50: 0.14 - 0.32mg/L (96h,	
		Lepomis macrochirus) LC50: 0.18 -	
		0.23mg/L (96h, Pimephales	
		promelas)	
5-Chloro-2-methyl-3(2H)-isothiazolo	EC50: 0.11 - 0.16mg/L (72h,	LC50: =1.6mg/L (96h, Oncorhynchus	EC50: =4.71mg/L (48h, Daphnia
ne mixture with	Pseudokirchneriella subcapitata)	mykiss)	magna)
2-methyl-3(2H)-isothiazolone (3:1)	EC50: 0.03 - 0.13mg/L (96h,		EC50: 0.12 - 0.3mg/L (48h, Daphnia
55965-84-9	Pseudokirchneriella subcapitata)		magna)
			EC50: 0.71 - 0.99mg/L (48h,
			Daphnia magna)

# 12.2. Persistence and degradability

Persistence / Degradability

No information available.

**Revision Date:** 02/03/2023

## 12.3. Bioaccumulative potential

**Bioaccumulation** 

No information available.

Chemical name	Partition coefficient
1,2-Benzisothiazolin-3-one	1.3
2634-33-5	
5-Chloro-2-methyl-3(2H)-isothiazolone mixture with	-0.71 - 0.75
2-methyl-3(2H)-isothiazolone (3:1)	
55965-84-9	

## 12.4. Mobility in soil

Mobility in soil

No information available.

**Mobility in Environmental Media** 

No information available.

## 12.5. Results of PBT and vPvB assessment

### PBT and vPvB assessment

No information available.

he substance is not PBT / vPvB PBT assessment does not apply he substance is not PBT / vPvB PBT assessment does not apply he substance is not PBT / vPvB PBT assessment
does not apply he substance is not PBT / vPvB PBT assessment
does not apply
he substance is not PBT / vPvB PBT assessment does not apply
he substance is not PBT / vPvB PBT assessment does not apply
The substance is not PBT / vPvB
The substance is not PBT / vPvB
he 

(3:1) 55965-84-9	The substance is not PBT / vPvB

## 12.6. Other adverse effects

Other adverse effects No information available

# Section 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

Waste from Residues/Unused Products Dispose of in accordance with the European Directives on

waste and hazardous waste.

Contaminated Packaging Empty containers should be taken for local recycling,

recovery or waste disposal.

EWC waste disposal No No information available

Other Information Waste codes should be assigned by the user based on the

application for which the product was used.

**Revision Date:** 02/03/2023

# **Section 14: TRANSPORT INFORMATION**

IMDG Not regulated

RID Not regulated

ADR Not regulated

ADN Not regulated

<u>IATA</u> Not regulated

# Section 15: REGULATORY INFORMATION

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### Occupational Illnesses (R-463-3, France)

Chemical name	French RG number
Propylene glycol 57-55-6	RG 84
Silica amorphous 7631-86-9	RG 25
1,2-Benzisothiazolin-3-one 2634-33-5	RG 65

### **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

**Revision Date:** 02/03/2023

### **International Inventories**

AllC

No - Not all of the components are listed.

PSL: Canada

Yes - All components are listed or exempt.

EINECS: European Union Inventory of Existing

No - Not all of the components are listed.

Substances

ENCS
IECSC
No - Not all of the components are listed.
No - Not all of the components are listed.
No - Not all of the components are listed.
No - Not all of the components are listed.
No - Not all of the components are listed.
TSCA: United States

Yes - All components are listed or exempt.

# Legend

AICS - Australian Inventory of Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

**IECSC** - China Inventory of Existing Chemical Substances

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

## 15.2. Chemical safety assessment

## **Chemical Safety Report**

No information available

# Section 16: OTHER INFORMATION

## Full text of H-Statements referred to under section 3

H301 - Toxic if swallowed

H302 - Harmful if swallowed

H310 - Fatal in contact with skin

H311 - Toxic in contact with skin

H314 - Causes severe skin burns and eye damage

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H330 - Fatal if inhaled

H331 - Toxic if inhaled

H372 - Causes damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

Classification procedure: Expert judgment and weight of evidence determination

**Key literature references and sources for data**Data from internal and external sources

Prepared By Product Stewardship Department

Benjamin Moore & Co. 101 Paragon Drive Montvale, NJ 07645

800-225-5554

**Revision Date:** 02/03/2023

**Issuing Date** 02/03/2023

**Revision Date:** 02/03/2023

Revision Summary Initial Release

## Disclaimer

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

**End of Safety Data Sheet**