

SAFETY DATA SHEET

Issuing Date 29-Jul-2015 Revision Date: 29-Jul-2015 Revision Number: 1

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name SUPER SPEC PREP COAT HI-BUILD LATEX INTERIOR PRIMER

- WHITE

Product Code 27000

Product List 27000 A5;27000 A5A;27000 A5S;27000 A5S1

Product Class WATER THINNED PAINT

Color White Recommended use Primers

Restrictions on useNo information available

Manufacturer Only Representative (OR)

Benjamin Moore & Co. ITS Testing Services (UK) Ltd. 101 Paragon Drive Bainbridge House Montvale, NJ 07645 86-90 London Road

Phone: 855-724-6802 Manchester www.benjaminmoore.com United Kingdom

M1 2PW

e-mail: ies01.reach@intertek.com

Emergency Telephone Number(s)

CHEMTREC:

+1-703-527-3887 (INTERNATIONAL) 1-800-424-9300 (NORTH AMERICA)

Section 2: HAZARDS IDENTIFICATION

2.1.

REGULATION (EC) No 1272/2008

Skin sensitization Category 1 - (H317)

2.2.

Product Identifier

Contains 2-Methyl-4-isothiazolin-3-one



Revision Date: 29-Jul-2015

Hazard statements

H317 - May cause an allergic skin reaction

Precautionary Statements - EU (§28, 1272/2008)

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

2.3.

General Hazards No information available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable

3.2 Mixtures

Chemical Name	EINECS/ELINCS No.	CAS-No	Weight % (max)	EU - GHS Substance Classification	REACH No.
Limestone	215-279-6	1317-65-3	30		Not available
Kaolin	310-194-1	1332-58-7	10		Not available
Silica, mica	-	12001-26-2	10		Not available
Titanium dioxide	236-675-5	13463-67-7	10		Not available
2-Methyl-4-isothiazolin-3-one	220-239-6	2682-20-4	0.005	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Skin Corr. 1B (H314) Skin Sens. 1 (H317) Eye Dam. 1 (H318) STOT SE 3 (H335) Aquatic Acute 1 (H400)	Not available

Full text of H- and EUH-phrases: see section 16

Section 4: FIRST AID MEASURES

4.1.

Description of first aid measures

General Advice No hazards which require special first aid measures.

Eye Contact Rinse thoroughly with plenty of water for at least 15

minutes and consult a physician.

Skin Contact Wash off immediately with soap and plenty of water

removing all contaminated clothes and shoes.

Inhalation Move to fresh air. If symptoms persist, call a physician.

Ingestion Clean mouth with water and afterwards drink plenty of

water. Consult a physician if necessary.

4.2.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms/Effects

May cause allergic skin reaction

<u>4.3.</u>

Indication of any immediate medical attention and special treatment needed

Notes To Physician Treat symptomatically.

Section 5: FIRE FIGHTING MEASURES

5.1.

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Revision Date: 29-Jul-2015

Unsuitable Extinguishing Media No information available.

5.2.

Specific Hazards Arising From The Chemical Closed containers may rupture if exposed to fire or

extreme heat.

Sensitivity To Static Discharge No.

Sensitivity To Mechanical Impact No.

5.3.

Protective Equipment And Precautions For

Firefighters

Wear self-contained breathing apparatus and protective

suit.

Section 6: ACCIDENTAL RELEASE MEASURES

<u>6.1.</u>

Personal Precautions Avoid contact with skin, eyes and clothing. Ensure

adequate ventilation.

Other Information Observe all relevant local and international regulations.

6.2.

Environmental Precautions Prevent further leakage or spillage if safe to do so.

6.3.

Methods For Containment Absorb with inert material and place in suitable container

for disposal.

Methods For Clean-Up Clean contaminated surface thoroughly.

6.4.

Other information See Section 12 for additional information.

Section 7: HANDLING AND STORAGE

7.1.

Handling Avoid contact with skin, eyes and clothing. Avoid breathing

vapors, spray mists or sanding dust. In case of insufficient

Revision Date: 29-Jul-2015

ventilation, wear suitable respiratory equipment.

Hygiene Measures Wash thoroughly after handling.

<u>7.2.</u>

Storage Keep container tightly closed. Keep out of the reach of

children.

7.3.

Specific Uses Architectural coating. Apply as directed. Refer to product

label / literature for specific instructions.

Risk Management Methods (RMM) Not Applicable.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1.

Exposure limits

Chemical Name	EU	United Kingdom	Belgium	Bulgaria	Cyprus	Greece
Limestone 1317-65-3		TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 12 mg/m ³ STEL: 30 mg/m ³	TWA: 10 mg/m ³	TWA: 1.0 f/cm3 TWA: 10.0 mg/m ³		TWA: 10 mg/m ³ TWA: 5 mg/m ³
Kaolin 1332-58-7		TWA: 2 mg/m ³ STEL: 6 mg/m ³	TWA: 2 mg/m ³	TWA: 3.0 mg/m ³ TWA: 6.0 mg/m ³		
Silica, mica 12001-26-2		TWA: 0.8 mg/m ³ TWA: 10 mg/m ³ STEL: 2.4 mg/m ³ STEL: 30 mg/m ³	TWA: 3 mg/m ³	TWA: 3.0 mg/m ³ TWA: 6.0 mg/m ³		
Titanium dioxide 13463-67-7		TWA: 10 mg/m³ TWA: 4 mg/m³ STEL: 30 mg/m³ STEL: 12 mg/m³	TWA: 10 mg/m ³	TWA: 10.0 mg/m ³		TWA: 10 mg/m ³ TWA: 5 mg/m ³

Component	Ireland	Latvia	Lithuania	Poland	Romania	Spain
Limestone 1317-65-3 (27.5824)	TWA: 10 mg/m ³ TWA: 4 mg/m ³					
Kaolin 1332-58-7 (7.8943)	TWA: 2 mg/m ³			NDS: 10.0 mg/m ³	TWA: 2 mg/m ³	VLA-ED: 2 mg/m ³
Silica, mica 12001-26-2 (6.3764)	TWA: 10 mg/m ³ TWA: 0.8 mg/m ³				TWA: 3 mg/m ³	VLA-ED: 3 mg/m ³
Titanium dioxide 13463-67-7 (6.07286)	TWA: 10 mg/m ³ TWA: 4 mg/m ³	TWA: 10 mg/m ³	TWA: 5 mg/m ³	TWA: 10.0 mg/m ³ STEL: 30 mg/m ³	TWA: 10 mg/m ³ STEL: 15 mg/m ³	TWA: 10 mg/m ³

8.2.

Occupational exposure controls

Engineering Measures Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Respiratory Protection In case of insufficient ventilation wear suitable respiratory

equipment.

Eye Protection Safety glasses with side-shields.

Skin Protection Lightweight protective clothing.

Hand protection Impervious gloves.

Hygiene Measures Avoid contact with skin, eyes and clothing. Remove and

wash contaminated clothing before re-use. Wash

Revision Date: 29-Jul-2015

thoroughly after handling.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1.

Appearance liquid

Odor little or no odor

Odor Threshold No information available

Remarks/ Method **Property** Values None known 1450 - 1498 Density (g/L) **Relative Density** 1.45 - 1.50 None known На No information available None known Viscosity (cps) No information available None known Solubility No information available None known **Water Solubility** No information available None known **Evaporation Rate** No information available None known **Vapor Pressure** No information available None known **Vapor Density** No information available None known Wt. % Solids 55 - 65 None known Vol. % Solids 35 - 45None known Wt. % Volatiles 35 - 45None known 55 - 65 Vol. % Volatiles None known VOC Regulatory Limit (g/L) < 100 None known **Boiling Point (°C)** 100 None known Freezing Point (°C) None known **Melting Point (°C)** No information available None known Flash Point (°C) Not applicable None known No information available Flammability (solid, gas) None known **Upper Explosion Limit** No information available None known **Lower Explosion Limit** No information available None known **Autoignition Temperature (°C)** No information available None known **Decomposition Temperature (°C)** No information available None known

27000 - SUPER SPEC PREP COAT HI-BUILD LATEX

INTERIOR PRIMER - WHITE

Revision Date: 29-Jul-2015

Partition Coefficient (n-octanol/water)No information availableNone knownExplosive propertiesNo information availableNone knownOxidizing PropertiesNo information availableNone known

Section 10: STABILITY AND REACTIVITY

<u>10.1.</u>

Reactivity Not Applicable.

10.2.

Chemical Stability Stable under normal conditions.

<u>10.3.</u>

Possibility Of Hazardous Reactions None under normal conditions of use.

<u>10.4.</u>

Conditions To Avoid Prevent from freezing.

<u>10.5.</u>

Incompatible MaterialsNo materials to be especially mentioned.

<u>10.6.</u>

Hazardous Decomposition Products

None under normal use.

Section 11: TOXICOLOGICAL INFORMATION

11.1.

Product Information

Inhalation There is no data available for this product.

Eye contactThere is no data available for this product.

Skin contact Repeated or prolonged skin contact may cause allergic

reactions with susceptible persons.

Ingestion There is no data available for this product.

Acute Toxicity

Component

Chemical Name	LD50 Oral:	LD50 Dermal:	LC50 Inhalation:
Titanium dioxide	> 10000 mg/kg (Rat)		
13463-67-7			

Skin corrosion/irritation No information available.

Eye damage/irritationNo information available.

Sensitization: May cause sensitization by skin contact.

Mutagenic Effects No information available.

Carcinogenic effects

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	EU Annex I Carcinogen Information	IARC
Titanium dioxide 13463-67-7		2B - Possible Human Carcinogen
Silica, crystalline 14808-60-7		1 - Human Carcinogen

- Crystalline Silica has been determined to be carcinogenic to humans by IARC (1) when in respirable form. Risk of cancer depends on duration and level of inhalation exposure to spray mist or dust from sanding the dried paint.
- Although IARC has classified titanium dioxide as possibly carcinogenic to humans (2B), their summary concludes: "No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as paint."

IARC - International Agency for Research on Cancer

Reproductive Effects No information available.

Developmental EffectsNo information available.

STOT - single exposureNo information available.

STOT - repeated exposure Causes damage to organs through prolonged or repeated

exposure if inhaled. Contains: Crystalline Silica which has been determined to be carcinogenic to humans by IARC (1) when in respirable form. Risk of cancer depends on duration and level of inhalation exposure to spray mist or

Revision Date: 29-Jul-2015

dust from sanding the dried paint.

Neurological Effects

No information available.

Target Organ Effects Skin.

Symptoms No information available.

Aspiration Hazard No information available.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

The environmental impact of this product has not been fully investigated

<u>12.2.</u>

Persistence / Degradability

No information available.

<u>12.3.</u>

Bioaccumulation / Accumulation No information available.

12.4.

Mobility in soil No information available.

Mobility in Environmental Media No information available.

<u>12.5.</u>

PBT and vPvB assessment No information available.

<u>12.6.</u>

Other adverse effects No information available

Section 13: DISPOSAL CONSIDERATIONS

13.1.

Waste from Residues/Unused Products

Dispose of in accordance with the European Directives on

waste and hazardous waste.

Contaminated Packaging Empty containers should be taken for local recycling,

recovery or waste disposal.

EWC waste disposal No No information available

Other Information Waste codes should be assigned by the user based on the

application for which the product was used.

Revision Date: 29-Jul-2015

Section 14: TRANSPORT INFORMATION

IMDG / IMO Not regulated

RID Not regulated

ADR Not regulated

ADN Not regulated

<u>IATA</u> Not regulated

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Revision Date: 29-Jul-2015

Occupational Illnesses (R-463-3, France)

Chemical Name	French RG number
Silica, mica 12001-26-2	RG 25

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

International Inventories

AICS: Australia

No - Not all of the components are listed.

Yes - All components are listed or exempt.

One or more component is listed on NDSL.

EINECS: European Union

ENCS: Japan

No - Not all of the components are listed.

No - Not all of the components are listed.

No - Not all of the components are listed.

KECL: South Korea

PICCS: Philippines

No - Not all of the components are listed.

No - Not all of the components are listed.

Yes - All components are listed or exempt.

Legend

AICS - Australian Inventory of Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - China Inventory of Existing Chemical Substances

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

15.2.

Chemical Safety Report

No information available

Section 16: OTHER INFORMATION

Full text of H-Statements referred to under section 3

H301 - Toxic if swallowed

H311 - Toxic in contact with skin

H318 - Causes serious eye damage

H317 - May cause an allergic skin reaction

H314 - Causes severe skin burns and eye damage

H335 - May cause respiratory irritation

H400 - Very toxic to aquatic life

Classification procedure: Expert judgment and weight of evidence determination

Key literature references and sources for data

Data from internal and external sources

Prepared By Product Stewardship Department

Benjamin Moore & Co. 101 Paragon Drive Montvale, NJ 07645 Revision Date: 29-Jul-2015

855-724-6802

Issuing Date 29-Jul-2015

Revision Date: 29-Jul-2015

Revision Summary Change to Format

Disclaimer

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

End of Safety Data Sheet