

SAFETY DATA SHEET

Issuing Date 28-Aug-2015

Revision Date: 28-Aug-2015

Revision Number: 1

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name ARBORCOAT SOLID DECK & SIDING STAIN WHITE
Product Code 64001
Product List 64001 A5
Product Class LATEX STAIN
Color White
Recommended use Stain
Restrictions on use No information available

Manufacturer
 Benjamin Moore & Co.
 101 Paragon Drive
 Montvale, NJ 07645
 Phone: 855-724-6802
 www.benjaminmoore.com

Only Representative (OR)
 ITS Testing Services (UK) Ltd.
 Bainbridge House
 86-90 London Road
 Manchester
 United Kingdom
 M1 2PW
 e-mail: ies01.reach@intertek.com

Emergency Telephone Number(s)
 CHEMTREC:
 +1-703-527-3887 (INTERNATIONAL)
 1-800-424-9300 (NORTH AMERICA)

Section 2: HAZARDS IDENTIFICATION

2.1.

REGULATION (EC) No 1272/2008

Skin sensitization	Category 1 - (H317)
Chronic aquatic toxicity	Category 3 - (H412)

2.2.

Product Identifier
 Contains 2-N-octyl-4-Isothiazolin-3-One



Signal word
 Warning

Hazard statements

H317 - May cause an allergic skin reaction H412 - Harmful to aquatic life with long lasting effects

Precautionary Statements - EU (§28, 1272/2008)

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

P273 - Avoid release to the environment

2.3.**General Hazards**

No information available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.1. Substances**

Not applicable

3.2 Mixtures

Chemical Name	EINECS/ELINCS No.	CAS-No	Weight % (max)	EU - GHS Substance Classification	REACH No.
Titanium dioxide	236-675-5	13463-67-7	25		Not available
Diatomaceous earth	-	61790-53-2	5		Not available
Silica, amorphous	231-545-4	7631-86-9	5		Not available
Zinc oxide	215-222-5	1314-13-2	5	Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	Not available
Urea, N-(3,4-dichlorophenyl)-N,N-di methyl-	206-354-4	330-54-1	0.3	Acute Tox. 4 (H302) STOT RE 2 (H373) Carc. 2 (H351) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	Not available
2-N-octyl-4-Isothiazolin-3-One	247-761-7	26530-20-1	0.1	Acute Tox. 4 (H302) Acute Tox. 3 (H311) Skin Corr. 1B (H314) Acute Tox. 3 (H331) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	Not available

Full text of H- and EUH-phrases: see section 16

Section 4: FIRST AID MEASURES**4.1.****Description of first aid measures****General Advice**

No hazards which require special first aid measures.

Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
Skin Contact	Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes.
Inhalation	Move to fresh air. If symptoms persist, call a physician.
Ingestion	Clean mouth with water and afterwards drink plenty of water. Consult a physician if necessary.

4.2.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms/Effects	May cause allergic skin reaction
--	----------------------------------

4.3.

Indication of any immediate medical attention and special treatment needed

Notes To Physician	Treat symptomatically.
---------------------------	------------------------

Section 5: FIRE FIGHTING MEASURES

5.1.

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable Extinguishing Media	No information available.

5.2.

Specific Hazards Arising From The Chemical	Closed containers may rupture if exposed to fire or extreme heat.
Sensitivity To Static Discharge	No.
Sensitivity To Mechanical Impact	No.

5.3.

Protective Equipment And Precautions For Firefighters	Wear self-contained breathing apparatus and protective suit.
--	--

Section 6: ACCIDENTAL RELEASE MEASURES

6.1.

Personal Precautions	Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.
Other Information	Observe all relevant local and international regulations.

6.2.

Environmental Precautions

Prevent further leakage or spillage if safe to do so.

6.3.

Methods For Containment

Absorb with inert material and place in suitable container for disposal.

Methods For Clean-Up

Clean contaminated surface thoroughly.

6.4.

Other information

See Section 12 for additional information.

Section 7: HANDLING AND STORAGE

7.1.

Handling

Avoid contact with skin, eyes and clothing. Avoid breathing vapors, spray mists or sanding dust. In case of insufficient ventilation, wear suitable respiratory equipment.

Hygiene Measures

Wash thoroughly after handling.

7.2.

Storage

Keep container tightly closed. Keep out of the reach of children.

7.3.

Specific Uses

Architectural coating. Apply as directed. Refer to product label / literature for specific instructions.

Risk Management Methods (RMM)

Not Applicable.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1.

Exposure limits

Chemical Name	EU	United Kingdom	Belgium	Bulgaria	Cyprus	Greece
Titanium dioxide 13463-67-7		TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 30 mg/m ³ STEL: 12 mg/m ³	TWA: 10 mg/m ³	TWA: 10.0 mg/m ³		TWA: 10 mg/m ³ TWA: 5 mg/m ³
Diatomaceous earth 61790-53-2		TWA: 1.2 mg/m ³ STEL: 3.6 mg/m ³	TWA: 3 mg/m ³ TWA: 10 mg/m ³	TWA: 1.0 mg/m ³		
Silica, amorphous 7631-86-9		TWA: 2.4 mg/m ³ TWA: 6 mg/m ³ STEL: 18 mg/m ³ STEL: 7.2 mg/m ³				

Zinc oxide 1314-13-2			STEL: 10 mg/m ³ TWA: 10 mg/m ³ TWA: 5 mg/m ³	TWA: 5.0 mg/m ³ STEL: 10.0 mg/m ³		TWA: 5 mg/m ³ STEL: 10 mg/m ³
-------------------------	--	--	---	--	--	--

Component	Ireland	Latvia	Lithuania	Poland	Romania	Spain
Titanium dioxide 13463-67-7 (21.4863)	TWA: 10 mg/m ³ TWA: 4 mg/m ³	TWA: 10 mg/m ³	TWA: 5 mg/m ³	TWA: 10.0 mg/m ³ STEL: 30 mg/m ³	TWA: 10 mg/m ³ STEL: 15 mg/m ³	TWA: 10 mg/m ³
Diatomaceous earth 61790-53-2 (2.51795)				NDS: 10 mg/m ³ NDS: 2.0 mg/m ³		VLA-ED: 10 mg/m ³ VLA-ED: 3 mg/m ³
Silica, amorphous 7631-86-9 (1.07897)	TWA: 6 mg/m ³ TWA: 2.4 mg/m ³	TWA: 1 mg/m ³				
Zinc oxide 1314-13-2 (1.00215)	TWA: 2 mg/m ³ STEL: 10 mg/m ³	TWA: 0.5 mg/m ³	TWA: 5 mg/m ³	TWA: 5 mg/m ³ STEL: 10 mg/m ³	TWA: 5 mg/m ³ STEL: 10 mg/m ³	TWA: 2 mg/m ³ STEL: 10 mg/m ³

8.2.

Occupational exposure controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Respiratory Protection

In case of insufficient ventilation wear suitable respiratory equipment.

Eye Protection

Safety glasses with side-shields.

Skin Protection

Lightweight protective clothing.

Hand protection

Impervious gloves.

Hygiene Measures

Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Wash thoroughly after handling.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1.

Appearance

liquid

Odor

little or no odor

Odor Threshold

No information available

Property

Values

Remarks/ Method

Density (g/L)

1414 - 1450

None known

Relative Density

1.41 - 1.45

None known

pH

No information available

None known

Viscosity (cps)

No information available

None known

Solubility

No information available

None known

Water Solubility

No information available

None known

Evaporation Rate

No information available

None known

Vapor Pressure

No information available

None known

Vapor Density

No information available

None known

Wt. % Solids

50 - 60

None known

Vol. % Solids

35 - 45

None known

Wt. % Volatiles

40 - 50

None known

Vol. % Volatiles

55 - 65

None known

VOC Regulatory Limit (g/L)	< 100	None known
Boiling Point (°C)	100	None known
Freezing Point (°C)	0	None known
Melting Point (°C)	No information available	None known
Flash Point (°C)	Not applicable	None known
Flammability (solid, gas)	No information available	None known
Upper Explosion Limit	No information available	None known
Lower Explosion Limit	No information available	None known
Autoignition Temperature (°C)	No information available	None known
Decomposition Temperature (°C)	No information available	None known
Partition Coefficient (n-octanol/water)	No information available	None known
Explosive properties	No information available	None known
Oxidizing Properties	No information available	None known

Section 10: STABILITY AND REACTIVITY

10.1.

Reactivity Not Applicable.

10.2.

Chemical Stability Stable under normal conditions.

10.3.

Possibility Of Hazardous Reactions None under normal conditions of use.

10.4.

Conditions To Avoid Prevent from freezing.

10.5.

Incompatible Materials No materials to be especially mentioned.

10.6.

Hazardous Decomposition Products None under normal use.

Section 11: TOXICOLOGICAL INFORMATION

11.1.

Product Information

Inhalation	There is no data available for this product.
Eye contact	There is no data available for this product.
Skin contact	Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.
Ingestion	There is no data available for this product.

Acute Toxicity

Component

Chemical Name	LD50 Oral:	LD50 Dermal:	LC50 Inhalation:
Titanium dioxide 13463-67-7	> 10000 mg/kg (Rat)		
Silica, amorphous 7631-86-9	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 2.2 mg/L (Rat) 1 h
Zinc oxide 1314-13-2	> 5000 mg/kg (Rat)		
Urea, N-(3,4-dichlorophenyl)-N,N-dimethyl - 330-54-1	= 1017 mg/kg (Rat)		> 0.265 mg/L (Rat)
2-N-octyl-4-Isothiazolin-3-One 26530-20-1	= 550 mg/kg (Rat)	= 690 mg/kg (Rabbit)	

Skin corrosion/irritation

No information available.

Eye damage/irritation

No information available.

Sensitization:

May cause an allergic skin reaction.

Mutagenic Effects

No information available.

Carcinogenic effects

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	EU Annex I Carcinogen Information	IARC
Titanium dioxide 13463-67-7		2B - Possible Human Carcinogen
Urea, N-(3,4-dichlorophenyl)-N,N-dimethyl- 330-54-1	Carc. 2	

• Although IARC has classified titanium dioxide as possibly carcinogenic to humans (2B), their summary concludes: "No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as paint."

IARC - International Agency for Research on Cancer

Reproductive Effects

No information available.

Developmental Effects

No information available.

STOT - single exposure

No information available.

STOT - repeated exposure

No information available.

Neurological Effects

No information available.

Target Organ Effects

No information available.

Symptoms

No information available.

Aspiration Hazard

No information available.

Section 12: ECOLOGICAL INFORMATION**12.1. Toxicity**

Harmful to aquatic life with long lasting effects

Chemical Name	Freshwater Algae Data	Freshwater Fish Species Data	Water Flea Data
Silica, amorphous 7631-86-9	EC50 = 440 mg/L (72 h)	LC50 = 5000 mg/L Brachydanio rerio (96 h)	EC50 = 7600 mg/L (48 h)
Urea, N-(3,4-dichlorophenyl)-N,N-dimethyl - 330-54-1	EC50 = 0.036 mg/L (72 h) EC50 < 0.1 mg/L (72 h)	LC50 13.4 - 15 mg/L Pimephales promelas (96 h) LC50 2.3 - 3.3 mg/L Lepomis macrochirus (96 h) LC50 = 4 mg/L Lepomis macrochirus (96 h) LC50 1.5 - 2.54 mg/L Oncorhynchus mykiss (96 h) LC50 = 14.7 mg/L Oncorhynchus mykiss (96 h) LC50 = 2.9 mg/L Cyprinus carpio (96 h)	EC50 = 1.4 mg/L (48 h) EC50 6.3 - 13 mg/L (48 h)

12.2.**Persistence / Degradability**

No information available.

12.3.**Bioaccumulation / Accumulation**

No information available.

Chemical Name	log Pow =
Urea, N-(3,4-dichlorophenyl)-N,N-dimethyl- 330-54-1	2.82

12.4.**Mobility in soil**

No information available.

Mobility in Environmental Media

No information available.

12.5.**PBT and vPvB assessment**

No information available.

12.6.**Other adverse effects**

No information available

Chemical Name	EU - Endocrine Disrupters Candidate List	EU - Endocrine Disruptors - Evaluated Substances	Japan - Endocrine Disruptor Information
Urea, N-(3,4-dichlorophenyl)-N,N-dimethyl-	Group II Chemical		

Section 13: DISPOSAL CONSIDERATIONS**13.1.**

Waste from Residues/Unused Products	Dispose of in accordance with the European Directives on waste and hazardous waste.
Contaminated Packaging	Empty containers should be taken for local recycling, recovery or waste disposal.
EWC waste disposal No	No information available
Other Information	Waste codes should be assigned by the user based on the application for which the product was used.

Section 14: TRANSPORT INFORMATION

<u>IMDG / IMO</u>	Not regulated
<u>RID</u>	Not regulated
<u>ADR</u>	Not regulated
<u>ADN</u>	Not regulated
<u>IATA</u>	Not regulated

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Occupational Illnesses (R-463-3, France)

Chemical Name	French RG number
Diatomaceous earth 61790-53-2	RG 25
Silica, amorphous 7631-86-9	RG 25

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

International Inventories

AICS: Australia	No - Not all of the components are listed.
DSL: Canada	Yes - All components are listed or exempt. One or more component is listed on NDSL.
EINECS: European Union	No - Not all of the components are listed.
ENCS : Japan	No - Not all of the components are listed.
IECS : China	No - Not all of the components are listed.
KECL: South Korea	No - Not all of the components are listed.
PICCS: Philippines	No - Not all of the components are listed.
TSCA: United States	Yes - All components are listed or exempt.

Legend

AICS - Australian Inventory of Chemical Substances
DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List
IECSC - China Inventory of Existing Chemical Substances
EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

15.2.

Chemical Safety Report

No information available

Section 16: OTHER INFORMATION

Full text of H-Statements referred to under section 3

H400 - Very toxic to aquatic life
H410 - Very toxic to aquatic life with long lasting effects
H302 - Harmful if swallowed
H373 - May cause damage to organs through prolonged or repeated exposure
H351 - Suspected of causing cancer
H311 - Toxic in contact with skin
H314 - Causes severe skin burns and eye damage
H331 - Toxic if inhaled
H317 - May cause an allergic skin reaction

Classification procedure:	Expert judgment and weight of evidence determination
Key literature references and sources for data	Data from internal and external sources
Prepared By	Product Stewardship Department Benjamin Moore & Co. 101 Paragon Drive Montvale, NJ 07645 855-724-6802
Issuing Date	28-Aug-2015
Revision Date:	28-Aug-2015
Revision Summary	Change to Format

Disclaimer

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

End of Safety Data Sheet