

SAFETY DATA SHEET

Issuing Date 25-Feb-2016 Revision Date: 25-Feb-2016 Revision Number: 1

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name ARBORCOAT SEMI-SOLID DECK & SIDING STAIN TINT BASE

Product Code 63906
Alternate Product Code 63906
Product List 63906 A4

Product Class WATER THINNED PAINT

Color All Recommended use Paint

Restrictions on useNo information available

ManufacturerOnly Representative (OR)Benjamin Moore & Co.ITS Testing Services (UK) Ltd.

101 Paragon Drive Bainbridge House
Montvale, NJ 07645 86-90 London Road
Phone: 855-724-6802 Manchester
www.benjaminmoore.com United Kingdom

M1 2PW

e-mail: ies01.reach@intertek.com

Emergency Telephone Number(s)

CHEMTREC:

+1-703-527-3887 (INTERNATIONAL) 1-800-424-9300 (NORTH AMERICA)

Section 2: HAZARDS IDENTIFICATION

2.1.

REGULATION (EC) No 1272/2008

<u> </u>	
Skin sensitization	Category 1 - (H317)
Chronic aquatic toxicity	Category 2 - (H411)

2.2.

Product Identifier

Contains 2-N-octyl-4-Isothiazolin-3-One





Signal word Warning

Revision Date: 25-Feb-2016

Hazard statements

H317 - May cause an allergic skin reaction H411 - Toxic to aquatic life with long lasting effects

Precautionary Statements - EU (§28, 1272/2008)

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

P273 - Avoid release to the environment

2.3.

General Hazards

No information available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable

3.2 Mixtures

Chemical Name	EINECS/ELINCS No.	CAS-No	Weight % (max)	EU - GHS Substance Classification	REACH No.
Silica, amorphous	231-545-4	7631-86-9	5		Not available
Zinc oxide	215-222-5	1314-13-2	5	Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	Not available
Propylene glycol	200-338-0	57-55-6	5		Not available
Urea, N-(3,4-dichlorophenyl)-N,N-di methyl-	206-354-4	330-54-1	0.3	Acute Tox. 4 (H302) STOT RE 2 (H373) Carc. 2 (H351) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	Not available
2-N-octyl-4-Isothiazolin-3-One	247-761-7	26530-20-1	0.1	Acute Tox. 4 (H302) Acute Tox. 3 (H311) Skin Corr. 1B (H314) Acute Tox. 3 (H331) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	Not available
Carbamic acid, butyl-, 3-iodo-2-propynyl ester	259-627-5	55406-53-6	0.1	Acute Tox. 4 (H302) STOT RE 1 (H372) Acute Tox. 3 (H331) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	Not available

Full text of H- and EUH-phrases: see section 16

Section 4: FIRST AID MEASURES

4.1.

Description of first aid measures

Eye Contact Immediately flush with plenty of water. After initial flushing,

remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If

Revision Date: 25-Feb-2016

symptoms persist, call a physician.

Skin Contact Wash off immediately with soap and plenty of water

removing all contaminated clothes and shoes. If skin

irritation persists, call a physician.

Ingestion Clean mouth with water and afterwards drink plenty of

water. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person.

Consult a physician.

Inhalation Move to fresh air. If symptoms persist, call a physician.

If not breathing, give artificial respiration. Call a physician

immediately.

Protection Of First-Aiders

Use personal protective equipment.

<u>4.2.</u>

Most important symptoms and effects, both acute and delayed

Most Important Symptoms/Effects

May cause allergic skin reaction

4.3.

Indication of any immediate medical attention and special treatment needed

Notes To Physician Treat symptomatically.

Section 5: FIRE FIGHTING MEASURES

5.1.

Suitable Extinguishing Media Foam, dry powder or water. Use extinguishing measures

that are appropriate to local circumstances and the

surrounding environment.

Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and

spread fire.

5.2.

Specific Hazards Arising From The Chemical

Combustible material. Closed containers may rupture if exposed to fire or extreme heat. Keep product and empty container away from heat and sources of ignition. Thermal

decomposition can lead to release of irritating gases and

Revision Date: 25-Feb-2016

vapors.

Sensitivity To Mechanical Impact No.

Sensitivity To Static Discharge Yes.

5.3.

Protective Equipment And Precautions For

Firefighters

Wear self-contained breathing apparatus and protective

suit

Section 6: ACCIDENTAL RELEASE MEASURES

<u>6.1.</u>

Personal Precautions

Use personal protective equipment. Remove all sources of

ignition.

Other Information Observe all relevant local and international regulations.

<u>6.2.</u>

Environmental Precautions Prevent further leakage or spillage if safe to do so. Do not allow

material to contaminate ground water system. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. Local authorities should be advised if significant

spillages cannot be contained.

6.3.

Methods For Containment Absorb with inert material and place in suitable container for

disposal.

Methods For Clean-Up

Dam up. Soak up with inert absorbent material. Pick up and

transfer to properly labeled containers. Clean contaminated

surface thoroughly.

<u>6.4.</u>

Other information See Section 12 for additional information.

Section 7: HANDLING AND STORAGE

<u>7.1.</u>

HandlingUse only in area provided with appropriate exhaust ventilation.

Do not breathe vapors or spray mist. Wear personal protective equipment. Take precautionary measures against static discharges. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Keep away from open flames, hot surfaces and sources of

ignition.

Hygiene Measures Avoid contact with skin, eyes and clothing. Remove and wash

contaminated clothing before re-use. Wash thoroughly after

handling.

7.2.

Storage Keep containers tightly closed in a dry, cool and well-ventilated

place. Keep away from heat. Keep away from open flames, hot surfaces and sources of ignition. Keep in properly labeled

Revision Date: 25-Feb-2016

containers. Keep out of the reach of children.

7.3.

Specific Uses Architectural coating. Apply as directed. Refer to product label /

literature for specific instructions.

Risk Management Methods (RMM)

The information required is contained in this Material Safety Data

Sheet.

Other Guidelines No information available.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

<u>8.1.</u>

Exposure limits

Chemical Name	EU	United Kingdom	Belgium	Bulgaria	Cyprus	Greece
Silica, amorphous		TWA: 2.4 mg/m ³				
7631-86-9		TWA: 6 mg/m ³				
		STEL: 18 mg/m ³				
		STEL: 7.2 mg/m ³				
Zinc oxide			STEL: 10 mg/m ³	TWA: 5.0 mg/m ³		TWA: 5 mg/m ³
1314-13-2			TWA: 10 mg/m ³	STEL: 10.0 mg/m ³		STEL: 10 mg/m ³
			TWA: 5 mg/m ³	_		
Propylene glycol		TWA: 10 mg/m ³				
57-55-6		TWA: 150 ppm				
		TWA: 474 mg/m ³				
		STEL: 1422 mg/m ³				
		STEL: 30 mg/m ³				
		STEL: 450 ppm				

Chemical Name	Ireland	Latvia	Lithuania	Poland	Romania	Spain
Silica, amorphous	TWA: 6 mg/m ³	TWA: 1 mg/m ³				
7631-86-9	TWA: 2.4 mg/m ³					
Zinc oxide	TWA: 2 mg/m ³	TWA: 0.5 mg/m ³	TWA: 5 mg/m ³	TWA: 5 mg/m ³	TWA: 5 mg/m ³	TWA: 2 mg/m ³
1314-13-2	STEL: 10 mg/m ³	_		STEL: 10 mg/m ³	STEL: 10 mg/m ³	STEL: 10 mg/m ³
Propylene glycol	TWA: 150 ppm	TWA: 7 mg/m ³	IPRV: 7 mg/m ³			
57-55-6	TWA: 470 mg/m ³	_				
	TWA: 10 mg/m ³					

8.2.

Occupational exposure controls

Engineering Measures Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Respiratory ProtectionUse only with adequate ventilation. In operations where

exposure limits are exceeded, use an approved respirator that has been selected by a technically qualified person for the specific work conditions. When spraying the product or applying in confined areas, wear an approved respirator

specified for paint spray or organic vapors.

Eye Protection Safety glasses with side-shields.

Skin ProtectionLong sleeved clothing.

Hand protection Impervious gloves.

Hygiene Measures Avoid contact with skin, eyes and clothing. Remove and

wash contaminated clothing before re-use. Wash

thoroughly after handling. When using do not eat, drink or

Revision Date: 25-Feb-2016

smoke.

Environmental exposure controls Local authorities should be advised if significant spillages

cannot be contained.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1.

Appearance liquid

Odor little or no odor

Odor Threshold No information available

Values Remarks/ Method Property Density (g/L) 1186 - 1222 None known **Relative Density** 1.18 - 1.23None known pН No information available None known Viscosity (cps) No information available None known Solubility No information available None known **Water Solubility** No information available None known **Evaporation Rate** No information available None known **Vapor Pressure** No information available None known None known **Vapor Density** No information available Wt. % Solids 40 - 50None known 30 - 40 Vol. % Solids None known 50 - 60 Wt. % Volatiles None known Vol. % Volatiles 60 - 70None known VOC Regulatory Limit (g/L) < 100 None known **Boiling Point (°C)** 100 None known Freezing Point (°C) None known Melting Point (°C) No information available None known Flash Point (°C) 260 **PMCC** Flammability (solid, gas) No information available None known None known **Upper Explosion Limit** No information available **Lower Explosion Limit** No information available None known **Autoignition Temperature (°C)** No information available None known No information available **Decomposition Temperature (°C)** None known Partition Coefficient (n-octanol/water) No information available None known **Explosive properties** No information available None known **Oxidizing Properties** No information available None known

Section 10: STABILITY AND REACTIVITY

<u>10.1.</u>

Reactivity Not Applicable

<u>10.2.</u>

Chemical Stability Stable under normal conditions. Hazardous polymerisation does

not occur.

<u>10.3.</u>

Possibility Of Hazardous Reactions None under normal conditions of use.

10.4.

Conditions To Avoid Keep away from open flames, hot surfaces, static electricity and

sources of ignition.

Revision Date: 25-Feb-2016

<u>10.5.</u>

Incompatible Materials Incompatible with strong acids and bases and strong oxidizing

agents.

10.6.

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating gases and

vapors.

Section 11: TOXICOLOGICAL INFORMATION

<u>11.1.</u>

Acute Toxicity

Product Information

Inhalation There is no data available for this product.

Eye contact There is no data available for this product.

Skin contact Repeated or prolonged skin contact may cause allergic reactions

with susceptible persons.

Ingestion There is no data available for this product.

Component

Chemical Name	LD50 Oral:	LD50 Dermal:	LC50 Inhalation:
Silica, amorphous	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 2.2 mg/L (Rat) 1 h
Zinc oxide	> 5000 mg/kg (Rat)		
Propylene glycol	= 20000 mg/kg (Rat)	= 20800 mg/kg (Rabbit)	
Urea, N-(3,4-dichlorophenyl)-N,N-dimethyl -	= 1017 mg/kg(Rat)		> 0.265 mg/L (Rat)
2-N-octyl-4-Isothiazolin-3-One	= 550 mg/kg (Rat)	= 690 mg/kg (Rabbit)	
Carbamic acid, butyl-, 3-iodo-2-propynyl ester	= 1100 mg/kg (Rat)		

Skin corrosion/irritationNo information available.

Eye damage/irritation No information available.

Revision Date: 25-Feb-2016

Sensitization: May cause an allergic skin reaction.

Mutagenic Effects No information available.

Carcinogenic effects

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	EU Annex I Carcinogen Information	IARC
Urea, N-(3,4-dichlorophenyl)-N,N-dimethyl-	Carc. 2	
330-54-1		

IARC - International Agency for Research on Cancer

Reproductive Effects No information available.

Developmental EffectsNo information available.

STOT - single exposureNo information available.

STOT - repeated exposureNo information available.

Neurological EffectsNo information available.

Target Organ Effects No information available.

Aspiration Hazard No information available.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity Toxic to aquatic life with long lasting effects

Chemical Name	Freshwater Algae Data	Freshwater Fish Species Data	Water Flea Data
Silica, amorphous	EC50 = 440 mg/L (72 h)	LC50 = 5000 mg/L Brachydanio rerio (96 h)	EC50 = 7600 mg/L (48 h)
Propylene glycol		LC50 = 51600 mg/L Oncorhynchus mykiss (96 h) LC50 41 - 47 mL/L Oncorhynchus mykiss (96 h) LC50 = 51400 mg/L Pimephales promelas (96 h) LC50 = 710 mg/L Pimephales promelas (96 h)	
Urea, N-(3,4-dichlorophenyl)-N,N-dimethyl -	EC50 = 0.036 mg/L (72 h) EC50 < 0.1 mg/L (72 h)	1 ,	EC50 = 1.4 mg/L (48 h) EC50 6.3 - 13 mg/L (48 h)
Carbamic acid, butyl-, 3-iodo-2-propynyl ester		LC50 0.14 - 0.32 mg/L Lepomis macrochirus (96 h) LC50 0.049 - 0.079 mg/L Oncorhynchus mykiss (96 h) LC50 0.05 - 0.089 mg/L Oncorhynchus mykiss (96 h) LC50 0.18 - 0.23 mg/L Pimephales promelas (96 h)	

12.2.

Persistence / Degradability

No information available.

Revision Date: 25-Feb-2016

12.3.

Bioaccumulation / Accumulation

No information available.

Chemical Name	log Pow =
Urea, N-(3,4-dichlorophenyl)-N,N-dimethyl-	2.82

12.4.

Mobility in soil No information available.

Mobility in Environmental Media No information available.

12.5.

PBT and vPvB assessment No information available.

12.6.

Other adverse effects

No information available

Chemical Name	EU - Endocrine Disrupters	EU - Endocrine Disruptors -	Japan - Endocrine Disruptor
	Candidate List	Evaluated Substances	Information
Urea, N-(3,4-dichlorophenyl)-N,N-dimethyl	Group II Chemical		

Section 13: DISPOSAL CONSIDERATIONS

13.1.

Waste from Residues/Unused Products

Dispose of in accordance with the European Directives on

waste and hazardous waste.

Contaminated Packaging Empty containers pose a potential fire and explosion

hazard. Do not cut, puncture of weld containers.

EWC waste disposal No No information available

Other Information Waste codes should be assigned by the user based on the

application for which the product was used.

Section 14: TRANSPORT INFORMATION

IMDG / IMO Not regulated

RID Not regulated

ADR Not regulated

ADN Not regulated

Revision Date: 25-Feb-2016

IATA Not regulated

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Occupational Illnesses (R-463-3, France)

Chemical Name	French RG number
Silica, amorphous 7631-86-9	RG 25
Propylene glycol 57-55-6	RG 84

European Union

International Inventories

AICS: Australia

DSL: Canada

Yes - All components are listed or exempt.

No - Not all of the components are listed or exempt.

No - Not all of the components are listed.

ENCS: Japan

No - Not all of the components are listed.

IECS: China

No - Not all of the components are listed.

No - Not all of the components are listed.

No - Not all of the components are listed.

No - Not all of the components are listed.

No - Not all of the components are listed.

Yes - All components are listed or exempt.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

15.2.

Chemical Safety Report

No information available

Section 16: OTHER INFORMATION

Full text of H-Statements referred to under section 3

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H302 - Harmful if swallowed

H373 - May cause damage to organs through prolonged or repeated exposure

H351 - Suspected of causing cancer

H311 - Toxic in contact with skin

H314 - Causes severe skin burns and eye damage

H331 - Toxic if inhaled

Revision Date: 25-Feb-2016

H317 - May cause an allergic skin reaction

H372 - Causes damage to organs through prolonged or repeated exposure

H318 - Causes serious eye damage

Classification procedure: Expert judgment and weight of evidence determination

Key literature references and

sources for data

Data from internal and external sources

Prepared By Product Stewardship Department

Benjamin Moore & Co. 101 Paragon Drive Montvale, NJ 07645

855-724-6802

Issuing Date 25-Feb-2016

Revision Date: 25-Feb-2016

Revision Summary

Disclaimer

Change to Format

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

End of Safety Data Sheet