

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Issuing Date 18/04/2023

Revision Date: 18/04/2023

Revision Number: 1

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name

Product Code

Alternate Product Code Product Class Colour Recommended use

Manufacturer

Benjamin Moore & Co. 101 Paragon Drive Montvale, NJ 07645 Phone: 1-866-708-9180 www.benjaminmoore.com

SCUFF-X INTERIOR MATTE FINISH BASE 2 N4842X Water thinned paint All Paint

Only Representative (OR) ITS Testing Services (UK) Ltd. Bainbridge House 86-90 London Road Manchester United Kingdom M1 2PW e-mail: ies01.reach@intertek.com

Supplier

Benjamin Moore UK Ltd. 804 Oxford Avenue Slough SL1 4LN Ph: +44 (0) 1753 575756 www.benjaminmoorepaint.co.uk

Emergency Telephone

CHEMTREC: +1-703-741-5970 CHEMTREC: (United Kingdom Local Number): +44-870-8200418 CHEMTREC: (London Local Number) +(44)-203-8073798

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

| Regulation (EC) No 1272/2008 | |
|------------------------------|----------------------|
| Skin sensitisation | Category 1A - (H317) |
| Chronic aquatic toxicity | Category 3 - (H412) |

2.2. Label elements

Product Identifier

Contains 5-Chloro-2-methyl-3(2H)-isothiazolone mixture with 2-methyl-3(2H)-isothiazolone (3:1), 1,2-Benzisothiazolin-3-one, 2-Methyl-4-isothiazolin-3-one



Warning

Hazard statements

H317 - May cause an allergic skin reaction H412 - Harmful to aquatic life with long lasting effects

EUH208 - Contains Carbamic acid, 1H-benzimidazol-2-yl-, methyl ester, Carbamic acid, butyl-, 3-iodo-2-propynyl ester, Pentanedial May produce an allergic reaction

EUH211 - Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray

P280 - Wear protective gloves

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap

P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other hazards

Other hazards Harmful to aquatic life

General Hazards

No information available

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

| Chemical name | EINECS/ELINCS No. | CAS No. | Weight-% | Classification according to Regulation (EC) No. 1272/2008 [CLP] | REACH registration number | UK REACH Registration Number (DUIN) |
|--|------------------------|------------|-----------------|--|------------------------------|---|
| Titanium dioxide | 236-675-5 257-372-4 | 13463-67-7 | >=10 - <15 | Not available | 01-2119489379-17 -0168 | UK-01-733619750 6-0-0011 |
| 1,2-Benzisothiazolin-3-one | 220-120-9 | 2634-33-5 | >=0.05 - <0.1 | Acute Tox 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) | | |
| Carbamic acid, 1H-benzimidazol-2-yl-, methyl ester | 234-232-0 | 10605-21-7 | >=0.01 - < 0.05 | Skin Sens. 1 (H317) Muta. 1B (H340) Repr. 1B (H360FD) | | |

N4842X - SCUFF-X INTERIOR MATTE FINISH BASE 2

| | | | | Aquatic Acute 1 | |
|-----------------------------|-----------|------------|------------------|---|--|
| | | | | (H400) | |
| | | | | Aquatic Chronic 1 | |
| | | | | (H410) | |
| Pentanedial | 203-856-5 | 111-30-8 | >=0.01 - < 0.05 | Acute Tox. 3 | |
| | | | | (H301) | |
| | | | | Acute Tox. 2 | |
| | | | | (H330) | |
| | | | | Skin Corr. 1B | |
| | | | | (H314) | |
| | | | | Resp. Sens. 1 | |
| | | | | (H334) | |
| | | | | Skin Sens. 1A | |
| | | | | (H317) | |
| | | | | STOT SE 3 (H335) | |
| | | | | Aquatic Acute 1 | |
| | | | | (H400) | |
| | | | | Aquatic Chronic 2 | |
| | | | | | |
| | | | | (H411) | |
| | | | | (EUH071) | |
| Carbamic acid, butyl-, | 259-627-5 | 55406-53-6 | >=0.01 - < 0.05 | Acute Tox. 4 | |
| 3-iodo-2-propynyl ester | | | | (H302) | |
| | | | | Acute Tox. 3 | |
| | | | | (H331) | |
| | | | | Eye Dam. 1 (H318) | |
| | | | | Skin Sens. 1 | |
| | | | | (H317) | |
| | | | | STOT RE 1 (H372) | |
| | | | | Aquatic Acute 1 | |
| | | | | (H400) | |
| | | | | Aquatic Chronic 1 | |
| | | | | (H410) | |
| 2-Methyl-4-isothiazolin-3-o | 220-239-6 | 2682-20-4 | >=0.001 - <0.005 | Skin Corr. 1B | |
| ne | | | | (H314) | |
| | | | | Eye Dam 1 (H318) | |
| | | | | Skin Sens. 1A | |
| | | | | (H317) | |
| | | | | Acute Tox. 3 | |
| | | | | (H301) | |
| | | | | Acute Tox. 3 | |
| | | | | | |
| | | | | (H311) | |
| | | | | Acute Tox. 2 | |
| | | | | (H330) | |
| | | | | Aquatic Acute 1 | |
| | | | | (H400) | |
| | | | | Aquatic chronic 1 | |
| | | | | (H410) | |
| 5-Chloro-2-methyl-3(2H)-is | 247-500-7 | 55965-84-9 | >=0.001 - <0.005 | Acute Tox. 3 | |
| othiazolone mixture with | 220-239-6 | | | (H301) | |
| 2-methyl-3(2H)-isothiazolo | | | | Acute Tox. 2 | |
| ne (3:1) | | | | (H310) | |
| | | | | Acute Tox. 3 | |
| | | | | (H330) | |
| | | | | Skin Corr. 1C | |
| | | | | (H314) | |
| 1 | | | | Eye Dam 1 (H318) | |
| | | | | | |
| | | | | Skin Sens. 1 | |
| | | | | Skin Sens. 1 | |
| | | | | Skin Sens. 1 (H317) | |
| | | | | Skin Sens. 1 (H317) Aquatic Acute 1 | |
| | | | | Skin Sens. 1 (H317) Aquatic Acute 1 (H400) | |
| | | | | Skin Sens. 1 (H317) Aquatic Acute 1 | |

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

| Description of first aid measures | |
|-----------------------------------|---|
| General Advice | No hazards which require special first aid measures. |
| Eye Contact | Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. |
| Skin Contact | Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. |
| Inhalation | Move to fresh air. If symptoms persist, call a physician. |
| Ingestion | Clean mouth with water and afterwards drink plenty of water. Consult a physician if necessary. |

4.2. Most important symptoms and effects, both acute and delayed

| Most Important Symptoms/Effects | May cause allergic skin reaction. |
|---------------------------------|-----------------------------------|
|---------------------------------|-----------------------------------|

4.3. Indication of any immediate medical attention and special treatment needed

Notes To Physician

Treat symptomatically.

Section 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

| Suitable Extinguishing Media | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. | | | | |
|--|---|--|--|--|--|
| Unsuitable Extinguishing Media | No information available. | | | | |
| 5.2. Special hazards arising from the substance or mixture | | | | | |
| Specific Hazards Arising From The Chemical | Closed containers may rupture if exposed to fire or extreme heat. | | | | |
| Sensitivity to static discharge | No | | | | |
| Sensitivity to mechanical impact | No | | | | |
| 5.3. Advice for firefighters | | | | | |

Protective equipment and precautions for firefighters Wear self-contained breathing apparatus and protective suit.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions

Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.

| Other Information | Observe all relevant local and international regulations. |
|---|--|
| 6.2. Environmental precautions | |
| Environmental precautions | Prevent spreading of vapours through sewers, ventilation systems and confined areas. |
| 6.3. Methods and material for containment and cleani | ng up |
| Methods for Containment | Absorb with inert material and place in suitable container for disposal. |
| Methods for Cleaning Up | Clean contaminated surface thoroughly. |
| 6.4. Reference to other sections | |
| Other information | See Section 12 for additional information. |
| Section 7: HANDLING AND STORAGE | |
| 7.1. Precautions for safe handling | |
| Handling | Avoid contact with skin, eyes and clothing. Avoid breathing vapors, spray mists or sanding dust. In case of insufficient ventilation, wear suitable respiratory equipment. |
| Hygiene Measures | Wash thoroughly after handling. |
| 7.2. Conditions for safe storage, including any incom | patibilities |
| Storage | Keep container tightly closed. Keep out of the reach of children. |
| 7.3. Specific end use(s) | |
| Specific Uses | Architectural coating. Apply as directed. Refer to product label / literature for specific instructions. |
| Risk Management Methods (RMM) | Not Applicable. |
| SECTION 8: Exposure controls/persor | nal protection |
| 8.1. Control parameters | |

| Chemical name | European Union | Belgium | | Bulga | iria | C | /prus | | France | Ireland |
|------------------|--------------------------|-------------|------|-------------------------|-------------------|---------------------|-----------|-------|--------------------------|----------------------------|
| Titanium dioxide | - | TWA: 10 mg | g/m³ | TWA: 10.0 |) mg/m³ | | - | TW | A: 10 mg/m ³ | TWA: 10 mg/m ³ |
| 13463-67-7 | | | | TWA: 1.0 | mg/m ³ | | | | | TWA: 4 mg/m ³ |
| | | | | | | | | | | STEL: 30 mg/m ³ |
| | | | | | | | | | | STEL: 12 mg/m ³ |
| Chemical name | Germany TRGS | Greece | | Hung | ary | lce | eland | lta | Iy MDLPS | Latvia |
| Titanium dioxide | - | TWA: 10 mg | g/m³ | - | | 6 mg/ | ′m³ TWA | | - | TWA: 10 mg/m ³ |
| 13463-67-7 | | TWA: 5 mg | /m³ | | | - | | | | _ |
| Chemical name | Lithuania | Netherlands | F | Poland | Rom | ania | Spain | | Sweden | United Kingdom |
| Titanium dioxide | TWA: 5 mg/m ³ | - | STEL | .: 30 mg/m ³ | TWA: 10 | 0 mg/m ³ | TWA: 10 m | ng/m³ | TLV: 5 mg/m ³ | TWA: 10 mg/m ³ |
| 13463-67-7 | _ | | TWA | : 10 mg/m ³ | STEL: 1 | 5 mg/m ³ | | - | - | TWA: 4 mg/m ³ |
| | | | | | | | | | | STEL: 30 mg/m ³ |

| | | | | | | | STEL: 12 mg/m ³ |
|-------------------|---------------|----------|-----|--|------------------|-----------------|----------------------------|
| 8.2. Exposure cor | <u>trols</u> | | | | | | |
| Occupational exp | osure control | S | | | | | |
| Engineering Meas | sures | | Er | nsure adequate | e ventilation, e | specially in co | onfined areas. |
| Personal Protecti | ve Equipment | <u>t</u> | | | | | |
| Respiratory Prote | ction | | | case of insuffi Juipment. | cient ventilatic | n wear suital | ole respiratory |
| Eye Protection | | | Sa | afety glasses w | vith side-shield | ls. | |
| Skin Protection | | | Lię | ghtweight prote | ective clothing | | |
| Hand protection | | | Im | pervious glove | es. | | |
| Hygiene Measure | S | | Wa | void contact wi ash contamina proughly after | ted clothing be | | |

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

| Appearance | liquid | | | |
|--------------------------------|--------------------------|----------------|--|--|
| Odour | little or no odor | | | |
| Odour Threshold | No information available | | | |
| Property_ | <u>Values</u> | Remarks Method | | |
| Density (g/L) | 1108 - 1120 | None known | | |
| Relative Density | 1.10 - 1.12 | | | |
| рН | No information available | | | |
| Viscosity (cps) | No information available | None known | | |
| Solubility(ies) | No information available | None known | | |
| Water solubility | No information available | None known | | |
| Evaporation Rate | No information available | None known | | |
| Vapour pressure @20 °C (kPa) | No information available | None known | | |
| Relative vapour density | No information available | None known | | |
| Wt. % Solids | 40 - 50 | None known | | |
| Vol. % Solids | 35 - 45 | None known | | |
| Wt. % Volatiles | 50 - 60 | None known | | |
| Vol. % Volatiles | 55 - 65 | None known | | |
| Boiling Point (°C) | 100 | None known | | |
| Freezing Point (°C) | 0 | None known | | |
| Melting Point (°C) | No information available | None known | | |
| Pour Point | No information available | None known | | |
| Flash Point (°C) | Not applicable | None known | | |
| Flammability (solid, gas) | No information available | None known | | |
| Upper flammability limit: | No information available | None known | | |
| Lower flammability limit | No information available | None known | | |
| Autoignition Temperature (°C) | No information available | None known | | |
| Decomposition Temperature (°C) | No information available | None known | | |
| | | | | |

Partition coefficient Explosive properties Oxidising Properties No information available No information available No information available None known None known None known

Section 10: STABILITY AND REACTIVITY

| <u>10.1. Reactivity</u> Reactivity | Not Applicable. |
|--|--|
| 10.2. Chemical stability | |
| Chemical Stability | Stable under normal conditions. |
| 10.3. Possibility of hazardous reactions | |
| Possibility of hazardous reactions | None under normal conditions of use. |
| 10.4. Conditions to avoid | |
| Conditions to avoid | Prevent from freezing. |
| 10.5. Incompatible materials | |
| Incompatible Materials | No materials to be especially mentioned. |
| 10.6. Hazardous decomposition products | |
| Hazardous Decomposition Products | None under normal conditions of use. |

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Product Information

| Inhalation | There is no data available for this product. |
|----------------|---|
| Eye contact | There is no data available for this product. |
| Skin contact | Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. |
| Ingestion | There is no data available for this product. |
| Acute Toxicity | |

Component Information

Caution - This mixture contains a substance not yet fully tested

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|----------------------------|---------------------|--------------------|-----------------|
| Titanium dioxide | > 10000 mg/kg (Rat) | | |
| 13463-67-7 | | | |
| 1,2-Benzisothiazolin-3-one | = 1020 mg/kg (Rat) | > 2000 mg/kg (Rat) | |

N4842X - SCUFF-X INTERIOR MATTE FINISH BASE 2

| 2634-33-5 | | | |
|--|---|--|--|
| Carbamic acid, 1H-benzimidazol-2-yl-, methyl ester 10605-21-7 | > 5050 mg/kg (Rat) | > 10000 mg/kg (Rabbit) | |
| Pentanedial 111-30-8 | = 252 mg/kg (Rat) | = 1800 mg/kg (Rabbit)= 560 µL/kg (Rabbit) | = 40.1 ppm (Rat) 4 h = 23.5 ppm (Rat) 4 h |
| Carbamic acid, butyl-, 3-iodo-2-propynyl ester 55406-53-6 | = 1470 mg/kg (Rat) | > 2000 mg/kg (Rat) | = 0.67 mg/L (Rat) 4 h = 0.63 mg/L (Rat) 4 h = 0.99 mg/L (Rat) 4 h |
| 2-Methyl-4-isothiazolin-3-one 2682-20-4 | | = 200 mg/kg (Rabbit) | |
| 5-Chloro-2-methyl-3(2H)-isothiazolo ne mixture with 2-methyl-3(2H)-isothiazolone (3:1) 55965-84-9 | = 53 mg/kg (Rat) = 481 mg/kg (Rat) 232 - 249 mg/kg (Rat) = 120 mg/kg (Rat) | = 87.12 mg/kg (Rabbit) = 200 mg/kg (Rabbit) | = 1.23 mg/L (Rat)4 h = 0.11 mg/L (Rat)4 h |

Skin corrosion/irritation

No information available.

Eye damage/irritation

No information available.

May cause an allergic skin reaction.

Sensitisation

No information available.

Carcinogenic effects

Mutagenic Effects

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical name | European Union | IARC |
|------------------|----------------|--------------------------------|
| Titanium dioxide | | 2B - Possible Human Carcinogen |
| 13463-67-7 | | |

• Although IARC has classified titanium dioxide as possibly carcinogenic to humans (2B), their summary concludes: "No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as paint."

Legend

IARC - International Agency for Research on Cancer

| Reproductive Effects | No information available. |
|--------------------------|---------------------------|
| Developmental Effects | No information available. |
| STOT - single exposure | No information available. |
| STOT - repeated exposure | No information available. |
| Neurological Effects | No information available. |
| Target organ effects | No information available. |
| Symptoms | No information available. |
| Aspiration Hazard | No information available. |

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

The environmental impact of this product has not been fully investigated

| Chemical name | Algae/aguatic plants | Fish | Crustacea |
|-------------------------------------|----------------------------------|-------------------------------------|------------------------------------|
| Pentanedial | EC50: =0.61mg/L (72h, | LC50: 2.6 - 4.8mg/L (96h, | EC50: 0.56 - 1.0mg/L (48h, Daphnia |
| 111-30-8 | Desmodesmus subspicatus) EC50: | Oncorhynchus mykiss) LC50: 7.8 - | magna) EC50: =14mg/L (48h, |
| | =0.84mg/L (96h, Desmodesmus | 13mg/L (96h, Oncorhynchus mykiss) | Daphnia magna) |
| | subspicatus) | LC50: 7.8 - 22mg/L (96h, Lepomis | |
| | | macrochirus) LC50: =5.4mg/L (96h, | |
| | | Pimephales promelas) | |
| Carbamic acid, butyl-, | | LC50: 0.049 - 0.079mg/L (96h, | |
| 3-iodo-2-propynyl ester | | Oncorhynchus mykiss) LC50: 0.05 - | |
| 55406-53-6 | | 0.089mg/L (96h, Oncorhynchus | |
| | | mykiss) LC50: 0.14 - 0.32mg/L (96h, | |
| | | Lepomis macrochirus) LC50: 0.18 - | |
| | | 0.23mg/L (96h, Pimephales | |
| | | promelas) | |
| 5-Chloro-2-methyl-3(2H)-isothiazolo | | LC50: =1.6mg/L (96h, Oncorhynchus | , i i |
| ne mixture with | Pseudokirchneriella subcapitata) | mykiss) | magna) |
| 2-methyl-3(2H)-isothiazolone (3:1) | EC50: 0.03 - 0.13mg/L (96h, | | EC50: 0.12 - 0.3mg/L (48h, Daphnia |
| 55965-84-9 | Pseudokirchneriella subcapitata) | | magna) |
| | | | EC50: 0.71 - 0.99mg/L (48h, |
| | | | Daphnia magna) |

12.2. Persistence and degradability

Persistence / Degradability

No information available.

12.3. Bioaccumulative potential

Bioaccumulation

There is no data for this product.

| Chemical name | Partition coefficient |
|--|-----------------------|
| 1,2-Benzisothiazolin-3-one | 1.3 |
| 2634-33-5 | |
| Pentanedial | 0.22 |
| 111-30-8 | |
| 5-Chloro-2-methyl-3(2H)-isothiazolone mixture with | -0.71 - 0.75 |
| 2-methyl-3(2H)-isothiazolone (3:1) | |
| 55965-84-9 | |

12.4. Mobility in soil

Mobility in soil

Mobility in Environmental Media

No information available.

No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

No information available.

| Chemical name | PBT and vPvB assessment |
|--|--|
| Titanium dioxide 13463-67-7 | The substance is not PBT / vPvB PBT assessment does not apply |
| 1,2-Benzisothiazolin-3-one 2634-33-5 | The substance is not PBT / vPvB |
| Pentanedial 111-30-8 | The substance is not PBT / vPvB |
| Carbamic acid, butyl-, 3-iodo-2-propynyl ester 55406-53-6 | The substance is not PBT / vPvB PBT assessment does not apply |

N4842X - SCUFF-X INTERIOR MATTE FINISH BASE 2

| 2-Methyl-4-isothiazolin-3-one 2682-20-4 | The substance is not PBT / vPvB |
|--|---------------------------------|
| 5-Chloro-2-methyl-3(2H)-isothiazolone mixture with 2-methyl-3(2H)-isothiazolone (3:1) 55965-84-9 | The substance is not PBT / vPvB |

12.6. Other adverse effects

Other adverse effects

No information available

| Chemical name | EU - Endocrine Disrupters | EU - Endocrine Disruptors - | Endocrine disrupting |
|--|---------------------------|-----------------------------|----------------------|
| | Candidate List | Evaluated Substances | potential |
| Carbamic acid, 1H-benzimidazol-2-yl-, methyl ester | Group II Chemical | | |

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused Products

Contaminated Packaging

EWC waste disposal No

Other Information

Empty containers should be taken for local recycling,

Dispose of in accordance with the European Directives on

recovery or waste disposal.

waste and hazardous waste.

No information available

Waste codes should be assigned by the user based on the application for which the product was used.

Section 14: TRANSPORT INFORMATION

| IMDG | Not regulated |
|------------|---------------|
| <u>RID</u> | Not regulated |
| ADR | Not regulated |
| ADN | Not regulated |
| ΙΑΤΑ | Not regulated |

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Occupational Illnesses (R-463-3, France)

| Chemical name | French RG number |
|--|---|
| 1,2-Benzisothiazolin-3-one | RG 65 |
| 2634-33-5 | |
| Carbamic acid, 1H-benzimidazol-2-yl-, methyl ester | RG 5,RG 14,RG 15,RG 15bis,RG 20bis RG 2,RG 9,RG |

| 10605-21-7 | 14,RG 20,RG 34,RG 65 |
|-------------------------|----------------------|
| Pentanedial 111-30-8 | RG 65,RG 66 |

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

International Inventories

| AIIC | No - Not all of the components are listed. |
|--|--|
| DSL: Canada | Yes - All components are listed or exempt. |
| EINECS: European Union Inventory of Existing | No - Not all of the components are listed. |
| Substances ENCS IECSC | No - Not all of the components are listed. No - Not all of the components are listed. |
| KECL | No - Not all of the components are listed. |
| PICCS | No - Not all of the components are listed. |
| TSCA: United States | Yes - All components are listed or exempt. |

Legend

AICS - Australian Inventory of Chemical Substances DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List IECSC - China Inventory of Existing Chemical Substances EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

15.2. Chemical safety assessment

Chemical Safety Report

No information available

Section 16: OTHER INFORMATION

Full text of H-Statements referred to under section 3

EUH071 - Corrosive to the respiratory tract

- H301 Toxic if swallowed
- H302 Harmful if swallowed
- H310 Fatal in contact with skin
- H311 Toxic in contact with skin
- H314 Causes severe skin burns and eye damage
- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H330 Fatal if inhaled
- H331 Toxic if inhaled
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled
- H335 May cause respiratory irritation
- H340 May cause genetic defects

H360FD - May damage fertility. May damage the unborn child

- H372 Causes damage to organs through prolonged or repeated exposure
- H400 Very toxic to aquatic life
- H410 Very toxic to aquatic life with long lasting effects

H411 - Toxic to aquatic life with long lasting effects

| Expert judgment and weight of evidence determination |
|---|
| Data from internal and external sources |
| Product Stewardship Department Benjamin Moore & Co. 101 Paragon Drive Montvale, NJ 07645 800-225-5554 |
| 18/04/2023 |
| 18/04/2023 |
| Initial Release |
| |

Disclaimer

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

End of Safety Data Sheet