

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Issuing Date 01/05/2023

Revision Date: 01/05/2023

Revision Number: 1

PRODUCT AND COMPANY IDENTIFICATION SECTION 1.

Product Name

Product Code Alternate Product Code **Product Class** Colour Recommended use

Manufacturer

Benjamin Moore & Co. 101 Paragon Drive Montvale, NJ 07645 Phone: 1-866-708-9180 www.benjaminmoore.com

SCUFF-X INTERIOR EGGSHELL FINISH - BASE 1 N4851X N4851X Water thinned paint All Paint

Only Representative (OR) ITS Testing Services (UK) Ltd. **Bainbridge House** 86-90 London Road Manchester United Kingdom M1 2PW e-mail: ies01.reach@intertek.com

Supplier Benjamin Moore UK Ltd.

804 Oxford Avenue Slough SL1 4LN Ph: +44 (0) 1753 575756 www.benjaminmoorepaint.co.uk

Emergency Telephone

CHEMTREC: +1-703-741-5970 CHEMTREC: (United Kingdom Local Number): +44-870-8200418 CHEMTREC: (London Local Number) +(44)-203-8073798

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008	
Skin sensitisation	Category 1A - (H317)
Chronic aquatic toxicity	Category 3 - (H412)

2.2. Label elements

Product Identifier Contains 2-Methyl-4-isothiazolin-3-one



Signal word

Warning

Hazard statements

H317 - May cause an allergic skin reaction H412 - Harmful to aquatic life with long lasting effects

EUH208 - Contains 1,2-Benzisothiazolin-3-one, Carbamic acid, 1H-benzimidazol-2-yl-, methyl ester, 2-Propenoic acid, 2-methyl-, methyl ester, Carbamic acid, butyl-, 3-iodo-2-propynyl ester, 5-Chloro-2-methyl-3(2H)-isothiazolone mixture with 2-methyl-3(2H)-isothiazolone (3:1) May produce an allergic reaction EUH211 - Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray

P280 - Wear protective gloves

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap

P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other hazards

Other hazards Harmful to aquatic life

General Hazards No information available

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EINECS/ELINCS No.	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number	UK REACH Registration Number (DUIN)
Titanium dioxide	236-675-5 257-372-4	13463-67-7	>=20 - <25	Not available	01-2119489379-17 -0168	UK-01-733619750 6-0-0011
1,2-Benzisothiazolin-3-one	220-120-9	2634-33-5	>=0.01 - < 0.05	Acute Tox 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400)		
Carbamic acid, 1H-benzimidazol-2-yl-, methyl ester	234-232-0	10605-21-7	>=0.01 - < 0.05	Skin Sens. 1 (H317) Muta. 1B (H340) Repr. 1B (H360FD) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)		
2-Propenoic acid,	201-297-1	80-62-6	>=0.01 - < 0.05	Skin Irrit. 2 (H315)		

N4851X - SCUFF-X INTERIOR EGGSHELL FINISH -BASE 1

-

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

Description of first aid measures

General Advice

Eye Contact

Skin Contact

No hazards which require special first aid measures.

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.

N4851X - SCUFF-X INTERIOR EGGSHELL FINISH - BASE 1	Revision Date: 01/05/2023		
Inhalation	Move to fresh air. If symptoms persist, call a physician.		
Ingestion	Clean mouth with water and afterwards drink plenty of water. Consult a physician if necessary.		
4.2. Most important symptoms and effects, both acute	and delayed		
Most Important Symptoms/Effects	May cause allergic skin reaction.		
4.3. Indication of any immediate medical attention and needed	special treatment		
Notes To Physician	Treat symptomatically.		
Section 5: FIREFIGHTING MEASURES			
5.1. Extinguishing media			
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.		
Unsuitable Extinguishing Media	No information available.		
5.2. Special hazards arising from the substance or mix	kture		
Specific Hazards Arising From The Chemical	Closed containers may rupture if exposed to fire or extreme heat.		
Sensitivity to static discharge	No		
Sensitivity to mechanical impact	No		
5.3. Advice for firefighters			
Protective equipment and precautions for firefighters	Wear self-contained breathing apparatus and protective suit.		
Section 6: ACCIDENTAL RELEASE ME	ASURES		
6.1. Personal precautions, protective equipment and e	mergency procedures		
Personal Precautions	Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.		
Other Information	Observe all relevant local and international regulations.		
6.2. Environmental precautions			
Environmental precautions	Prevent spreading of vapours through sewers, ventilation systems and confined areas.		

6.3. Methods and material for containment and cleaning up

Methods for Containment	Absorb with inert material and place in suitable container
	for disposal.
Methods for Cleaning Up	Clean contaminated surface thoroughly.
6.4. Reference to other sections	
Other information	See Section 12 for additional information.
Section 7: HANDLING AND STORAG	E
7.1. Precautions for safe handling	
Handling	Avoid contact with skin, eyes and clothing. Avoid breathing vapors, spray mists or sanding dust. In case of insufficient ventilation, wear suitable respiratory equipment.
Hygiene Measures	Wash thoroughly after handling.
7.2. Conditions for safe storage, including any inco	mpatibilities
Storage	Keep container tightly closed. Keep out of the reach of children.
7.3. Specific end use(s)	
Specific Uses	Architectural coating. Apply as directed. Refer to product label / literature for specific instructions.
Risk Management Methods (RMM)	Not Applicable.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Chemical name	European Unior	Belgium	1	Bulga	iria	C	/prus		France	Ireland
Titanium dioxide	-	TWA: 10 mg	g∕m³	TWA: 10.0) mg/m³		-	TW	A: 10 mg/m ³	TWA: 10 mg/m ³
13463-67-7				TWA: 1.0	mg/m ³				-	TWA: 4 mg/m ³
					-					STEL: 30 mg/m ³
										STEL: 12 mg/m ³
Chemical name	Germany TRGS	Greece		Hung	ary	lce	eland	lta	Iy MDLPS	Latvia
Titanium dioxide	-	TWA: 10 mg	g∕m³	-		6 mg/	/m³ TWA		-	TWA: 10 mg/m ³
13463-67-7		TWA: 5 mg	/m³			-				_
Chemical name	Lithuania	Netherlands	F	Poland	Rom	ania	Spain		Sweden	United Kingdom
Titanium dioxide	TWA: 5 mg/m ³	-	STEL	.: 30 mg/m ³	TWA: 10	0 mg/m ³	TWA: 10 m	ng/m³	TLV: 5 mg/m	³ TWA: 10 mg/m ³
13463-67-7	_		TWA	: 10 mg/m ³	STEL: 1	5 mg/m ³		-	-	TWA: 4 mg/m ³
										STEL: 30 mg/m ³
										STEL: 12 mg/m ³

8.2. Exposure controls

Occupational exposure controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Respiratory Protection

Eye Protection

Skin Protection

Hand protection

Hygiene Measures

In case of insufficient ventilation wear suitable respiratory equipment.

Safety glasses with side-shields.

Lightweight protective clothing.

Impervious gloves.

Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Wash thoroughly after handling.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance Odour Odour Threshold <u>Property</u> Density (g/L) Relative Density

pН Viscosity (cps) Solubility(ies) Water solubility **Evaporation Rate** Vapour pressure @20 °C (kPa) **Relative vapour density** Wt. % Solids Vol. % Solids Wt. % Volatiles Vol. % Volatiles **Boiling Point (°C)** Freezing Point (°C) Melting Point (°C) Pour Point Flash Point (°C) Flammability (solid, gas) Upper flammability limit: Lower flammability limit Autoignition Temperature (°C) **Decomposition Temperature (°C)** Partition coefficient **Explosive properties Oxidising Properties**

liquid little or no odor No information available

Values

1258 - 1306 1.25 - 1.31

No information available
No information available
50 - 60
35 - 45
40 - 50
55 - 65
100
0
0
No information available
•
No information available
No information available No information available
No information available No information available Not applicable
No information available No information available Not applicable No information available
No information available No information available Not applicable No information available No information available
No information available No information available Not applicable No information available No information available No information available
No information available No information available Not applicable No information available No information available No information available No information available
No information available No information available Not applicable No information available No information available No information available No information available No information available

Remarks Method

None known

None known None known None known None known None known None known None known None known None known None known None known None known None known None known None known None known None known None known None known None known None known None known None known

Section 10: STABILITY AND REACTIVITY

<u>10.1. Reactivity</u> Reactivity	Not Applicable.
10.2. Chemical stability	
Chemical Stability	Stable under normal conditions.
10.3. Possibility of hazardous reactions	
Possibility of hazardous reactions	None under normal conditions of use.
10.4. Conditions to avoid	
Conditions to avoid	Prevent from freezing.
10.5. Incompatible materials	
Incompatible Materials	No materials to be especially mentioned.
10.6. Hazardous decomposition products	
Hazardous Decomposition Products	None under normal conditions of use.
Section 11: TOXICOLOGICAL INFORM	ΙΛΤΙΟΝ

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Product Information

Inhalation	There is no data available for this product.
Eye contact	There is no data available for this product.
Skin contact	Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.
Ingestion	There is no data available for this product.
Acute Toxicity	

Component Information

Caution - This mixture contains a substance not yet fully tested

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Titanium dioxide 13463-67-7	> 10000 mg/kg (Rat)		
1,2-Benzisothiazolin-3-one 2634-33-5	= 1020 mg/kg(Rat)	> 2000 mg/kg (Rat)	
Carbamic acid, 1H-benzimidazol-2-yl-, methyl ester 10605-21-7	> 5050 mg/kg (Rat)	> 10000 mg/kg (Rabbit)	
2-Propenoic acid, 2-methyl-, methyl ester 80-62-6	8420 - 10000 mg/kg (Rat)	5000 - 7500 mg/kg (Rabbit)	= 29.8 mg/L (Rat)4 h
Carbamic acid, butyl-,	= 1470 mg/kg (Rat)	> 2000 mg/kg (Rat)	= 0.67 mg/L (Rat) 4 h = 0.63 mg/L

N4851X - SCUFF-X INTERIOR EGGSHELL FINISH -BASE 1

3-iodo-2-propynyl ester 55406-53-6			(Rat)4 h = 0.99 mg/L (Rat)4 h
2-Methyl-4-isothiazolin-3-one 2682-20-4		= 200 mg/kg (Rabbit)	
5-Chloro-2-methyl-3(2H)-isothiazolo ne mixture with 2-methyl-3(2H)-isothiazolone (3:1) 55965-84-9	= 481 mg/kg (Rat)	= 87.12 mg/kg (Rabbit) = 200 mg/kg (Rabbit)	= 1.23 mg/L (Rat)4 h = 0.11 mg/L (Rat)4 h

Skin corrosion/irritation

No information available.

Eye damage/irritation	No information available.
Sensitisation	May cause an allergic skin reaction.
Mutagenic Effects	No information available.

Carcinogenic effects

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union	IARC
Titanium dioxide		2B - Possible Human Carcinogen
13463-67-7		

• Although IARC has classified titanium dioxide as possibly carcinogenic to humans (2B), their summary concludes: "No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as paint."

Legend

IARC - International Agency for Research on Cancer

Reproductive Effects	No information available.
Developmental Effects	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Neurological Effects	No information available.
Target organ effects	No information available.
Symptoms	No information available.
Aspiration Hazard	No information available.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

The environmental impact of this product has not been fully investigated

Chemical name	Algae/aquatic plants	Fish	Crustacea

N4851X - SCUFF-X INTERIOR EGGSHELL FINISH -BASE 1

2-Propenoic acid, 2-methyl-, methyl	EC50: =170mg/L (96h,	LC50: 243 - 275mg/L (96h,	EC50: =69mg/L (48h, Daphnia
ester	Pseudokirchneriella subcapitata)	Pimephales promelas)	magna)
80-62-6		LC50: 125.5 - 190.7mg/L (96h,	
		Pimephales promelas)	
		LC50: 170 - 206mg/L (96h, Lepomis	
		macrochirus)	
		LC50: 153.9 - 341.8mg/L (96h,	
		Lepomis macrochirus)	
		LC50: >79mg/L (96h, Oncorhynchus	
		mykiss)	
		LC50: 326.4 - 426.9mg/L (96h,	
		Poecilia reticulata)	
Carbamic acid, butyl-,		LC50: 0.049 - 0.079mg/L (96h,	
3-iodo-2-propynyl ester		Oncorhynchus mykiss) LC50: 0.05 -	
55406-53-6		0.089mg/L (96h, Oncorhynchus	
		mykiss) LC50: 0.14 - 0.32mg/L (96h,	
		Lepomis macrochirus) LC50: 0.18 -	
		0.23mg/L (96h, Pimephales	
		promelas)	
5-Chloro-2-methyl-3(2H)-isothiazolo	S ()	LC50: =1.6mg/L (96h, Oncorhynchus	EC50: =4.71mg/L (48h, Daphnia
ne mixture with	Pseudokirchneriella subcapitata)	mykiss)	magna)
2-methyl-3(2H)-isothiazolone (3:1)	EC50: 0.03 - 0.13mg/L (96h,		EC50: 0.12 - 0.3mg/L (48h, Daphnia
55965-84-9	Pseudokirchneriella subcapitata)		magna)
			EC50: 0.71 - 0.99mg/L (48h,
			Daphnia magna)

12.2. Persistence and degradability

Persistence / Degradability

No information available.

12.3. Bioaccumulative potential

Bioaccumulation

There is no data for this product.

Chemical name	Partition coefficient
1,2-Benzisothiazolin-3-one 2634-33-5	1.3
2-Propenoic acid, 2-methyl-, methyl ester 80-62-6	0.7
5-Chloro-2-methyl-3(2H)-isothiazolone mixture with 2-methyl-3(2H)-isothiazolone (3:1) 55965-84-9	-0.71 - 0.75

12.4. Mobility in soil

Mobility in soil

No information available.

Mobility in Environmental Media

No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

No information available.

Chemical name	PBT and vPvB assessment
Titanium dioxide 13463-67-7	The substance is not PBT / vPvB PBT assessment does not apply
1,2-Benzisothiazolin-3-one 2634-33-5	The substance is not PBT / vPvB
2-Propenoic acid, 2-methyl-, methyl ester 80-62-6	The substance is not PBT / vPvB PBT assessment does not apply
Carbamic acid, butyl-, 3-iodo-2-propynyl ester	

55406-53-6	The substance is not PBT / vPvB PBT assessment does not apply
2-Methyl-4-isothiazolin-3-one 2682-20-4	The substance is not PBT / vPvB
5-Chloro-2-methyl-3(2H)-isothiazolone mixture with 2-methyl-3(2H)-isothiazolone (3:1) 55965-84-9	The substance is not PBT / vPvB

12.6. Other adverse effects

Other adverse effects

No information available

Chemical name	EU - Endocrine Disrupters	EU - Endocrine Disruptors -	Endocrine disrupting
	Candidate List	Evaluated Substances	potential
Carbamic acid, 1H-benzimidazol-2-yl-, methyl ester	Group II Chemical		

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused ProductsDispose of in accordance with the European Directives on
waste and hazardous waste.Contaminated PackagingEmpty containers should be taken for local recycling,
recovery or waste disposal.EWC waste disposal NoNo information availableOther InformationWaste codes should be assigned by the user based on the
application for which the product was used.

Section 14: TRANSPORT INFORMATION

IMDG_	Not regulated
<u>RID</u>	Not regulated
ADR	Not regulated
ADN	Not regulated
IATA	Not regulated

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number
1,2-Benzisothiazolin-3-one 2634-33-5	RG 65
Carbamic acid, 1H-benzimidazol-2-yl-, methyl ester 10605-21-7	RG 5,RG 14,RG 15,RG 15bis,RG 20bis RG 2,RG 9,RG 14,RG 20,RG 34,RG 65
2-Propenoic acid, 2-methyl-, methyl ester 80-62-6	RG 65,RG 82

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

International Inventories

AIIC	No - Not all of the components are listed.
DSL: Canada	Yes - All components are listed or exempt.
EINECS: European Union Inventory of Existing	No - Not all of the components are listed.
Substances ENCS IECSC	No - Not all of the components are listed. No - Not all of the components are listed.
KECL	No - Not all of the components are listed.
PICCS	No - Not all of the components are listed.
TSCA: United States	Yes - All components are listed or exempt.

Legend

 AICS - Australian Inventory of Chemical Substances

 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

 IECSC - China Inventory of Existing Chemical Substances

 EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

 ENCS - Japan Existing and New Chemical Substances

 KECL - Korean Existing and Evaluated Chemical Substances

 PICCS - Philippines Inventory of Chemicals and Chemical Substances

 TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

15.2. Chemical safety assessment

Chemical Safety Report

No information available

Section 16: OTHER INFORMATION

Full text of H-Statements referred to under section 3

H225 - Highly flammable liquid and vapour

- H301 Toxic if swallowed
- H302 Harmful if swallowed
- H310 Fatal in contact with skin
- H311 Toxic in contact with skin
- H314 Causes severe skin burns and eye damage
- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H319 Causes serious eye irritation
- H330 Fatal if inhaled
- H331 Toxic if inhaled

 H335 - May cause respiratory irritation H340 - May cause genetic defects H360FD - May damage fertility. May damage the unborn child H372 - Causes damage to organs through prolonged or repeated exposure H400 - Very toxic to aquatic life H410 - Very toxic to aquatic life with long lasting effects 		
Classification procedure:	Expert judgment and weight of evidence determination	
Key literature references and sources for data	Data from internal and external sources	
Prepared By	Product Stewardship Department Benjamin Moore & Co. 101 Paragon Drive Montvale, NJ 07645 800-225-5554	
Issuing Date	01/05/2023	
Revision Date:	01/05/2023	
Revision Summary	Initial Release	

Disclaimer

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

End of Safety Data Sheet