

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Issuing Date No information **Revision Date:** 16/01/2024 Revision Number: 1

available

PRODUCT AND COMPANY IDENTIFICATION SECTION 1.

Product Name ULTRA SPEC SCUFF-X INTERIOR SATIN FINISH - SUPER

> WHITE U48602

Product Code Alternate Product Code U48602 Colour ΑII Recommended use Paint

Manufacturer Only Representative (OR) Supplier

Benjamin Moore & Co. ITS Testing Services (UK) Ltd. Benjamin Moore UK Ltd. 101 Paragon Drive Bainbridge House 804 Oxford Avenue 86-90 London Road Montvale, NJ 07645 Slough SL1 4LN Phone: 1-866-708-9180 Manchester Ph: +44 (0) 1753 575756

www.benjaminmoore.com United Kingdom www.benjaminmoorepaint.co.uk M1 2PW

e-mail: ies01.reach@intertek.com

Emergency Telephone CHEMTREC: +1-703-741-5970

CHEMTREC: (United Kingdom Local Number): +44-870-8200418

CHEMTREC: (London Local Number) +(44)-203-8073798

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin sensitisation Category 1 - (H317)

2.2. Label elements

Product Identifier

Contains 3(2H)-Isothiazolone, 2-methyl-; 1,2-Benzisothiazol-3(2H)-one



Hazard statements

H317 - May cause an allergic skin reaction

EUH208 - Contains 3-lodo-2-propynyl butylcarbamate; Methyl methacrylate; 5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone May produce an allergic reaction

Revision Date: 16/01/2024

EUH211 - Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist

Precautionary Statements - EU (§28, 1272/2008)
P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray

P280 - Wear protective gloves

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap

P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other hazards

Other hazards Causes mild skin irritation

No information available **General Hazards**

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EINECS/ELINCS No.	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number	UK REACH Registration Number (DUIN)
Titanium dioxide	236-675-5	13463-67-7	>=25 - <30	Not available	01-2119489379-17	UK-01-733619750
	257-372-4				-0168	6-0-0011
1,2-Benzisothiazol-3(2H)-o ne	220-120-9	2634-33-5	>=0.05 - <0.1	Acute Tox 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400)		
Methyl methacrylate	201-297-1	80-62-6	>=0.01 - < 0.05	Skin Irrit. 2 (H315)		

				Eye Irrit. 2 (H319)	
				Skin Sens. 1	
				(H317)	
				STOT SE 3 (H335)	
				Flam. Liq. 2 (H225)	
3(2H)-Isothiazolone,	220-239-6	2682-20-4	>=0.001 - <0.005	Skin Corr. 1B	
2-methyl-				(H314)	
'				Eye Dam 1 (H318)	
				Skin Sens. 1A	
				(H317)	
				Acute Tox. 3	
				(H301)	
				Acute Tox. 3	
				(H311)	
				Acute Tox. 2	
				(H330)	
				Aquatic Acute 1	
				(H400)	
				Aquatic chronic 1	
5 011 0 (1 1 0 (01))	0.47.500.7	55005.04.0	0.004 0.005	(H410)	
5-Chloro-2-methyl-3(2H)-is	247-500-7	55965-84-9	>=0.001 - <0.005	Acute Tox. 3	
othiazolone, mixture with	220-239-6			(H301)	
2-methyl-3(2H)-isothiazolo				Acute Tox. 2	
ne				(H310)	
				Acute Tox. 3	
				(H330)	
				Skin Corr. 1C	
				(H314)	
				Eye Dam 1 (H318)	
				Skin Sens. 1	
				(H317)	
				Aquatic Acute 1	
				(H400)	
				Aquatic Chronic 1	
1			1	· (H410)	

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

Description of first aid measures

General AdviceNo hazards which require special first aid measures.

Eye ContactRinse thoroughly with plenty of water for at least 15

minutes and consult a physician.

Skin ContactWash off immediately with soap and plenty of water while

removing all contaminated clothes and shoes.

Revision Date: 16/01/2024

Inhalation Move to fresh air. If symptoms persist, call a physician.

Ingestion Clean mouth with water and afterwards drink plenty of

water. Consult a physician if necessary.

4.2. Most important symptoms and effects, both acute and delayed

Most Important Symptoms/Effects None known.

U48602 - ULTRA SPEC SCUFF-X INTERIOR SATIN FINISH - SUPER WHITE

4.3. Indication of any immediate medical attention and special treatment needed

Notes To Physician Treat symptomatically.

Section 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Revision Date: 16/01/2024

Unsuitable Extinguishing Media No information available.

5.2. Special hazards arising from the substance or mixture

Specific Hazards Arising From The Chemical Closed containers may rupture if exposed to fire or

extreme heat.

Sensitivity to static discharge No

Sensitivity to mechanical impact No

5.3. Advice for firefighters

Protective equipment and precautions for firefighters Wear self-contained breathing apparatus and protective

suit

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with skin, eyes and clothing. Ensure

adequate ventilation.

Other Information Observe all relevant local and international regulations.

6.2. Environmental precautions

Environmental precautions Prevent spreading of vapours through sewers, ventilation

systems and confined areas.

6.3. Methods and material for containment and cleaning up

Methods for Containment Absorb with inert material and place in suitable container

for disposal.

Methods for Cleaning Up Clean contaminated surface thoroughly.

6.4. Reference to other sections

Other information See Section 12 for additional information.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling Avoid contact with skin, eyes and clothing. Avoid breathing

vapors, spray mists or sanding dust. In case of insufficient

Revision Date: 16/01/2024

ventilation, wear suitable respiratory equipment.

Hygiene Measures Wash thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage Keep container tightly closed. Keep out of the reach of

children.

7.3. Specific end use(s)

Specific Uses Architectural coating. Apply as directed. Refer to product

label / literature for specific instructions.

Risk Management Methods (RMM) Not Applicable.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Chemical name	European Union	Belgium	1	Bulga	ria	Cy	/prus		France	Ireland
Titanium dioxide	-	TWA: 10 mg	g/m³	TWA: 10.0) mg/m³		-	TW	A: 10 mg/m ³	TWA: 10 mg/m ³
13463-67-7				TWA: 1.0	mg/m³				_	TWA: 4 mg/m ³
										STEL: 30 mg/m ³
										STEL: 12 mg/m ³
Chemical name	Germany TRGS	Greece		Hung	ary	Ice	eland	lta	ly MDLPS	Latvia
Titanium dioxide	-	TWA: 10 mg	g/m³	-		6 mg/	m³ TWA		-	TWA: 10 mg/m ³
13463-67-7		TWA: 5 mg	/m³							
Chemical name	Lithuania	Netherlands	F	Poland	Rom	ania	Spain		Sweden	United Kingdom
Titanium dioxide	TWA: 5 mg/m ³	-	STEL	_: 30 mg/m ³	TWA: 10	0 mg/m ³	TWA: 10 m	ng/m³	TLV: 5 mg/m ³	TWA: 10 mg/m ³
13463-67-7			TWA	: 10 mg/m ³	STEL: 1	5 mg/m ³		-		TWA: 4 mg/m ³
						·				STEL: 30 mg/m ³
					l					STEL: 12 mg/m ³

8.2. Exposure controls

Occupational exposure controls

Engineering Measures Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Respiratory Protection In case of insufficient ventilation wear suitable respiratory

equipment.

Eye Protection Safety glasses with side-shields.

Skin Protection Lightweight protective clothing.

Hand protection Impervious gloves.

Hygiene Measures Avoid contact with skin, eyes and clothing. Remove and

wash contaminated clothing before re-use. Wash

Revision Date: 16/01/2024

thoroughly after handling.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance liquid

Odour little or no odor

Odour Threshold No information available

Values_ **Property** Remarks Method Density (g/L) 1258 - 1306 None known **Relative Density** 1.26 - 1.31Hq No information available None known Viscosity (cps) No information available None known Solubility(ies) No information available None known Water solubility No information available None known **Evaporation Rate** No information available None known Vapour pressure @20 °C (kPa) No information available None known Relative vapour density No information available None known Wt. % Solids 50 - 60 None known 35 - 45 Vol. % Solids None known Wt. % Volatiles 40 - 50 None known Vol. % Volatiles 55 - 65 None known **Boiling Point (°C)** 100 None known Freezing Point (°C) None known No information available Melting Point (°C) None known **Pour Point** No information available None known Flash Point (°C) Not applicable None known Flammability (solid, gas) No information available None known Upper flammability limit: No information available None known Lower flammability limit No information available None known **Autoignition Temperature (°C)** No information available None known **Decomposition Temperature (°C)** No information available None known Partition coefficient No information available None known **Explosive properties** No information available None known **Oxidising Properties** No information available None known

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity Not Applicable.

U48602 - ULTRA SPEC SCUFF-X INTERIOR SATIN FINISH - SUPER WHITE

10.2. Chemical stability

Chemical Stability Stable under normal conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal conditions of use.

Revision Date: 16/01/2024

10.4. Conditions to avoid

Conditions to avoid Prevent from freezing.

10.5. Incompatible materials

Incompatible Materials No materials to be especially mentioned.

10.6. Hazardous decomposition products

Hazardous Decomposition Products

None under normal conditions of use.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Product Information

Inhalation There is no data available for this product.

Eye contactThere is no data available for this product.

Skin contact May cause sensitization of susceptible persons.

Ingestion There is no data available for this product.

Acute Toxicity

Component Information Caution - This mixture contains a substance not yet fully tested

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Titanium dioxide 13463-67-7	> 10000 mg/kg (Rat)		
1,2-Benzisothiazol-3(2H)-one 2634-33-5	= 1020 mg/kg (Rat)	> 2000 mg/kg (Rat)	
Methyl methacrylate 80-62-6	8420 - 10000 mg/kg (Rat)	5000 - 7500 mg/kg (Rabbit)	= 29.8 mg/L (Rat)4 h
3(2H)-Isothiazolone, 2-methyl- 2682-20-4		= 200 mg/kg (Rabbit)	
5-Chloro-2-methyl-3(2H)-isothiazolo ne, mixture with 2-methyl-3(2H)-isothiazolone 55965-84-9	= 53 mg/kg (Rat) = 481 mg/kg (Rat) 232 - 249 mg/kg (Rat) = 120 mg/kg (Rat)	= 87.12 mg/kg (Rabbit) = 200 mg/kg (Rabbit)	= 1.23 mg/L (Rat)4 h = 0.11 mg/L (Rat)4 h

Skin corrosion/irritation No information available.

Eye damage/irritationNo information available.

Sensitisation May cause sensitization of susceptible persons.

Mutagenic Effects No information available.

Carcinogenic effects

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union	IARC
Titanium dioxide		2B - Possible Human Carcinogen
13463-67-7		

Revision Date: 16/01/2024

Legend

IARC - International Agency for Research on Cancer

Reproductive Effects No information available. **Developmental Effects** No information available. No information available. STOT - single exposure No information available. STOT - repeated exposure **Neurological Effects** No information available. **Target organ effects** No information available. No information available. **Symptoms** No information available. **Aspiration Hazard**

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

The environmental impact of this product has not been fully investigated

Chemical name	Algae/aquatic plants	Fish	Crustacea
Methyl methacrylate	EC50: =170mg/L (96h,	LC50: 243 - 275mg/L (96h,	EC50: =69mg/L (48h, Daphnia
80-62-6	Pseudokirchneriella subcapitata)	Pimephales promelas)	magna)
		LC50: 125.5 - 190.7mg/L (96h,	
		Pimephales promelas)	
		LC50: 170 - 206mg/L (96h, Lepomis	
		macrochirus)	
		LC50: 153.9 - 341.8mg/L (96h,	

[•] Although IARC has classified titanium dioxide as possibly carcinogenic to humans (2B), their summary concludes: "No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as paint."

		Lepomis macrochirus) LC50: >79mg/L (96h, Oncorhynchus mykiss) LC50: 326.4 - 426.9mg/L (96h, Poecilia reticulata)	
5-Chloro-2-methyl-3(2H)-isothiazolo ne, mixture with 2-methyl-3(2H)-isothiazolone 55965-84-9	EC50: 0.11 - 0.16mg/L (72h, Pseudokirchneriella subcapitata) EC50: 0.03 - 0.13mg/L (96h, Pseudokirchneriella subcapitata)	LC50: =1.6mg/L (96h, Oncorhynchus mykiss)	EC50: =4.71mg/L (48h, Daphnia magna) EC50: 0.12 - 0.3mg/L (48h, Daphnia magna) EC50: 0.71 - 0.99mg/L (48h, Daphnia magna)

12.2. Persistence and degradability

Persistence / Degradability

No information available.

12.3. Bioaccumulative potential

Bioaccumulation

There is no data for this product.

Revision Date: 16/01/2024

Chemical name	Partition coefficient
1,2-Benzisothiazol-3(2H)-one	1.3
2634-33-5	
Methyl methacrylate	0.7
80-62-6	
5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with	0.75
2-methyl-3(2H)-isothiazolone	
55965-84-9	

12.4. Mobility in soil

Mobility in soil No information available.

Mobility in Environmental Media No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

No information available.

Chemical name	PBT and vPvB assessment
Titanium dioxide 13463-67-7	The substance is not PBT / vPvB PBT assessment does not apply
1,2-Benzisothiazol-3(2H)-one 2634-33-5	The substance is not PBT / vPvB
Methyl methacrylate 80-62-6	The substance is not PBT / vPvB PBT assessment does not apply
3(2H)-Isothiazolone, 2-methyl- 2682-20-4	The substance is not PBT / vPvB
5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone 55965-84-9	The substance is not PBT / vPvB

12.6. Other adverse effects

Other adverse effects No information available

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused Products Dispose of in accordance with the European Directives on

waste and hazardous waste.

Contaminated Packaging Empty containers should be taken for local recycling,

recovery or waste disposal.

EWC waste disposal No No information available

Other Information Waste codes should be assigned by the user based on the

application for which the product was used.

Revision Date: 16/01/2024

Section 14: TRANSPORT INFORMATION

IMDG Not regulated

RID Not regulated

ADR Not regulated

ADN Not regulated

IATA Not regulated

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number
1,2-Benzisothiazol-3(2H)-one	RG 65
2634-33-5	
Methyl methacrylate	RG 65,RG 82
80-62-6	

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

International Inventories

AIIC

DSL: Canada

No - Not all of the components are listed.

Yes - All components are listed or exempt.

No - Not all of the components are listed.

Substances

ENCS
IECSC
No - Not all of the components are listed.
No - Not all of the components are listed.
No - Not all of the components are listed.
No - Not all of the components are listed.
No - Not all of the components are listed.
TSCA: United States

Yes - All components are listed or exempt.

Legend

AICS - Australian Inventory of Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - China Inventory of Existing Chemical Substances

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

15.2. Chemical safety assessment

Chemical Safety Report

No information available

Revision Date: 16/01/2024

Section 16: OTHER INFORMATION

Full text of H-Statements referred to under section 3

H227 - Combustible liquid

H301 - Toxic if swallowed

H302 - Harmful if swallowed

H310 - Fatal in contact with skin

H311 - Toxic in contact with skin

H314 - Causes severe skin burns and eye damage

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H319 - Causes serious eye irritation

H330 - Fatal if inhaled

H335 - May cause respiratory irritation

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

Classification procedure: Expert judgment and weight of evidence determination

Key literature references and sources for dataData from internal and external sources

Prepared By Product Stewardship Department

Benjamin Moore & Co. 101 Paragon Drive Montvale, NJ 07645

800-225-5554

Revision Date: 16/01/2024

Revision Summary Change to Format

Disclaimer

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

Revision Date: 16/01/2024

End of Safety Data Sheet