



Benjamin Moore®

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Issuing Date 08/05/2023

Revision Date: 08/05/2023

Revision Number: 1

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name SCUFF-X INTERIOR SEMI-GLOSS FINISH - BASE 2
Product Code N4872X
Alternate Product Code N4872X
Product Class Water thinned paint
Colour All
Recommended use Paint

Manufacturer
Benjamin Moore & Co.
101 Paragon Drive
Montvale, NJ 07645
Phone: 1-866-708-9180
www.benjaminmoore.com

Only Representative (OR)
ITS Testing Services (UK) Ltd.
Bainbridge House
86-90 London Road
Manchester
United Kingdom
M1 2PW
e-mail: ies01.reach@intertek.com

Supplier
Benjamin Moore UK Ltd.
804 Oxford Avenue
Slough SL1 4LN
Ph: +44 (0) 1753 575756
www.benjaminmoorepaint.co.uk

Emergency Telephone CHEMTREC: +1-703-741-5970
CHEMTREC: (United Kingdom Local Number): +44-870-8200418
CHEMTREC: (London Local Number) +(44)-203-8073798

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin sensitisation	Category 1A - (H317)
Chronic aquatic toxicity	Category 3 - (H412)

2.2. Label elements

Product Identifier

Contains 5-Chloro-2-methyl-3(2H)-isothiazolone mixture with 2-methyl-3(2H)-isothiazolone (3:1),
1,2-Benzisothiazolin-3-one



Signal word
Warning

Hazard statements

H317 - May cause an allergic skin reaction
H412 - Harmful to aquatic life with long lasting effects

EUH208 - Contains Carbamic acid, 1H-benzimidazol-2-yl-, methyl ester, Carbamic acid, butyl-, 3-iodo-2-propynyl ester, 2-Methyl-4-isothiazolin-3-one, Pentanedial May produce an allergic reaction
EUH211 - Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand
P102 - Keep out of reach of children
P261 - Avoid breathing dust/fume/gas/mist/vapours/spray
P280 - Wear protective gloves
P302 + P352 - IF ON SKIN: Wash with plenty of water and soap
P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other hazards

Other hazards Harmful to aquatic life

General Hazards No information available

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EINECS/ELINCS No.	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number	UK REACH Registration Number (DUIN)
Titanium dioxide	236-675-5 257-372-4	13463-67-7	>=10 - <15	Not available	01-2119489379-17-0168	UK-01-733619750 6-0-0011
Kaolin	310-194-1	1332-58-7	>=5 - <10	Not available		
Silica amorphous	231-545-4	7631-86-9	>=1 - <5	Not available	01-2119379499-16-0281	UK-01-250993046 1-7-0005
1,2-Benzisothiazolin-3-one	220-120-9	2634-33-5	>=0.05 - <0.1	Acute Tox 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400)		

Carbamic acid, 1H-benzimidazol-2-yl-, methyl ester	234-232-0	10605-21-7	>=0.01 - < 0.05	Skin Sens. 1 (H317) Muta. 1B (H340) Repr. 1B (H360FD) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)		
Carbamic acid, butyl-, 3-iodo-2-propynyl ester	259-627-5	55406-53-6	>=0.01 - < 0.05	Acute Tox. 4 (H302) Acute Tox. 3 (H331) Eye Dam. 1 (H318) Skin Sens. 1 (H317) STOT RE 1 (H372) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)		
Pentanedial	203-856-5	111-30-8	>=0.01 - < 0.05	Acute Tox. 3 (H301) Acute Tox. 2 (H330) Skin Corr. 1B (H314) Resp. Sens. 1 (H334) Skin Sens. 1A (H317) STOT SE 3 (H335) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411) (EUH071)		
5-Chloro-2-methyl-3(2H)-isothiazolone mixture with 2-methyl-3(2H)-isothiazolone (3:1)	247-500-7 220-239-6	55965-84-9	>=0.001 - <0.005	Acute Tox. 3 (H301) Acute Tox. 2 (H310) Acute Tox. 3 (H330) Skin Corr. 1C (H314) Eye Dam 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)		
2-Methyl-4-isothiazolin-3-one	220-239-6	2682-20-4	>=0.001 - <0.005	Skin Corr. 1B (H314) Eye Dam 1 (H318) Skin Sens. 1A (H317) Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 2 (H330) Aquatic Acute 1 (H400) Aquatic chronic 1		

				(H410)		
--	--	--	--	--------	--	--

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

Description of first aid measures

General Advice	No hazards which require special first aid measures.
Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Inhalation	Move to fresh air. If symptoms persist, call a physician.
Ingestion	Clean mouth with water and afterwards drink plenty of water. Consult a physician if necessary.

4.2. Most important symptoms and effects, both acute and delayed

Most Important Symptoms/Effects	May cause allergic skin reaction.
--	-----------------------------------

4.3. Indication of any immediate medical attention and special treatment needed

Notes To Physician	Treat symptomatically.
---------------------------	------------------------

Section 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable Extinguishing Media	No information available.

5.2. Special hazards arising from the substance or mixture

Specific Hazards Arising From The Chemical	Closed containers may rupture if exposed to fire or extreme heat.
Sensitivity to static discharge	No
Sensitivity to mechanical impact	No

5.3. Advice for firefighters

Protective equipment and precautions for firefighters	Wear self-contained breathing apparatus and protective suit.
--	--

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions	Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.
Other Information	Observe all relevant local and international regulations.

6.2. Environmental precautions

Environmental precautions	Prevent spreading of vapours through sewers, ventilation systems and confined areas.
----------------------------------	--

6.3. Methods and material for containment and cleaning up

Methods for Containment	Absorb with inert material and place in suitable container for disposal.
Methods for Cleaning Up	Clean contaminated surface thoroughly.

6.4. Reference to other sections

Other information	See Section 12 for additional information.
--------------------------	--

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling	Avoid contact with skin, eyes and clothing. Avoid breathing vapors, spray mists or sanding dust. In case of insufficient ventilation, wear suitable respiratory equipment.
Hygiene Measures	Wash thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage	Keep container tightly closed. Keep out of the reach of children.
----------------	---

7.3. Specific end use(s)

Specific Uses	Architectural coating. Apply as directed. Refer to product label / literature for specific instructions.
Risk Management Methods (RMM)	Not Applicable.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Chemical name	European Union	Belgium	Bulgaria	Cyprus	France	Ireland
Titanium dioxide 13463-67-7	-	TWA: 10 mg/m ³	TWA: 10.0 mg/m ³ TWA: 1.0 mg/m ³	-	TWA: 10 mg/m ³	TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 30 mg/m ³

						STEL: 12 mg/m ³	
Kaolin 1332-58-7	-	TWA: 2 mg/m ³	TWA: 3.0 mg/m ³ TWA: 6.0 mg/m ³	-	TWA: 10 mg/m ³	TWA: 2 mg/m ³	
Silica amorphous 7631-86-9	TWA: 0.1 mg/m ³	-	TWA: 0.1 mg/m ³ TWA: 1.0 mg/m ³	-	-	TWA: 6 mg/m ³ TWA: 2.4 mg/m ³ STEL: 18 mg/m ³ STEL: 7.2 mg/m ³	
Chemical name	Germany TRGS	Greece	Hungary	Iceland	Italy MDLPS	Latvia	
Titanium dioxide 13463-67-7	-	TWA: 10 mg/m ³ TWA: 5 mg/m ³	-	6 mg/m ³ TWA	-	TWA: 10 mg/m ³	
Kaolin 1332-58-7	-	-	-	2.0 mg/m ³ TWA	-	-	
Silica amorphous 7631-86-9	TWA: 4 mg/m ³	-	-	-	-	TWA: 1 mg/m ³	
Chemical name	Lithuania	Netherlands	Poland	Romania	Spain	Sweden	United Kingdom
Titanium dioxide 13463-67-7	TWA: 5 mg/m ³	-	STEL: 30 mg/m ³ TWA: 10 mg/m ³	TWA: 10 mg/m ³ STEL: 15 mg/m ³	TWA: 10 mg/m ³	TLV: 5 mg/m ³	TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 30 mg/m ³ STEL: 12 mg/m ³
Kaolin 1332-58-7	-	-	TWA: 10.0 mg/m ³	-	TWA: 2 mg/m ³	-	TWA: 2 mg/m ³ STEL: 6 mg/m ³
Silica amorphous 7631-86-9	-	TWA: 0.075 mg/m ³	-	-	-	-	TWA: 6 mg/m ³ TWA: 2.4 mg/m ³ TWA: 1.2 mg/m ³ TWA: 0.1 mg/m ³ STEL: 18 mg/m ³ STEL: 7.2 mg/m ³ STEL: 3.6 mg/m ³ STEL: 0.3 mg/m ³

8.2. Exposure controls

Occupational exposure controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Respiratory Protection

In case of insufficient ventilation wear suitable respiratory equipment.

Eye Protection

Safety glasses with side-shields.

Skin Protection

Lightweight protective clothing.

Hand protection

Impervious gloves.

Hygiene Measures

Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Wash thoroughly after handling.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance

liquid

Odour

little or no odor

Odour Threshold

No information available

<u>Property</u>	<u>Values</u>	<u>Remarks</u>	<u>Method</u>
Density (g/L)	1162 - 1210	None known	
Relative Density	1.16 - 1.21	None known	
pH	No information available	None known	
Viscosity (cps)	No information available	None known	
Solubility(ies)	No information available	None known	
Water solubility	No information available	None known	
Evaporation Rate	No information available	None known	
Vapour pressure @20 °C (kPa)	No information available	None known	
Relative vapour density	No information available	None known	
Wt. % Solids	40 - 50	None known	
Vol. % Solids	30 - 40	None known	
Wt. % Volatiles	50 - 60	None known	
Vol. % Volatiles	60 - 70	None known	
Boiling Point (°C)	100	None known	
Freezing Point (°C)	0	None known	
Melting Point (°C)	No information available	None known	
Pour Point	No information available	None known	
Flash Point (°C)	Not applicable	None known	
Flammability (solid, gas)	No information available	None known	
Upper flammability limit:	No information available	None known	
Lower flammability limit	No information available	None known	
Autoignition Temperature (°C)	No information available	None known	
Decomposition Temperature (°C)	No information available	None known	
Partition coefficient	No information available	None known	
Explosive properties	No information available	None known	
Oxidising Properties	No information available	None known	

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity Not Applicable.

10.2. Chemical stability

Chemical Stability Stable under normal conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal conditions of use.

10.4. Conditions to avoid

Conditions to avoid Prevent from freezing.

10.5. Incompatible materials

Incompatible Materials No materials to be especially mentioned.

10.6. Hazardous decomposition products

Hazardous Decomposition Products None under normal conditions of use.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Product Information

Inhalation	There is no data available for this product.
Eye contact	There is no data available for this product.
Skin contact	Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.
Ingestion	There is no data available for this product.

Acute Toxicity

Component Information

Caution - This mixture contains a substance not yet fully tested

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Titanium dioxide 13463-67-7	> 10000 mg/kg (Rat)		
Kaolin 1332-58-7	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rat)	
Silica amorphous 7631-86-9	= 7900 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	
1,2-Benzisothiazolin-3-one 2634-33-5	= 1020 mg/kg (Rat)	> 2000 mg/kg (Rat)	
Carbamic acid, 1H-benzimidazol-2-yl-, methyl ester 10605-21-7	> 5050 mg/kg (Rat)	> 10000 mg/kg (Rabbit)	
Carbamic acid, butyl-, 3-iodo-2-propynyl ester 55406-53-6	= 1470 mg/kg (Rat)	> 2000 mg/kg (Rat)	= 0.67 mg/L (Rat) 4 h = 0.63 mg/L (Rat) 4 h = 0.99 mg/L (Rat) 4 h
Pentanedial 111-30-8	= 252 mg/kg (Rat)	= 1800 mg/kg (Rabbit) = 560 µL/kg (Rabbit)	= 40.1 ppm (Rat) 4 h = 23.5 ppm (Rat) 4 h
5-Chloro-2-methyl-3(2H)-isothiazolo ne mixture with 2-methyl-3(2H)-isothiazolone (3:1) 55965-84-9	= 53 mg/kg (Rat) = 481 mg/kg (Rat) 232 - 249 mg/kg (Rat) = 120 mg/kg (Rat)	= 87.12 mg/kg (Rabbit) = 200 mg/kg (Rabbit)	= 1.23 mg/L (Rat) 4 h = 0.11 mg/L (Rat) 4 h
2-Methyl-4-isothiazolin-3-one 2682-20-4		= 200 mg/kg (Rabbit)	

Skin corrosion/irritation	No information available.
Eye damage/irritation	No information available.
Sensitisation	May cause an allergic skin reaction.
Mutagenic Effects	No information available.

Carcinogenic effects

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union	IARC
Titanium dioxide 13463-67-7		2B - Possible Human Carcinogen

• Although IARC has classified titanium dioxide as possibly carcinogenic to humans (2B), their summary concludes: "No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as paint."

Legend

IARC - International Agency for Research on Cancer

Reproductive Effects	No information available.
Developmental Effects	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Neurological Effects	No information available.
Target organ effects	No information available.
Symptoms	No information available.
Aspiration Hazard	No information available.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

The environmental impact of this product has not been fully investigated

Chemical name	Algae/aquatic plants	Fish	Crustacea
Silica amorphous 7631-86-9	EC50: =440mg/L (72h, Pseudokirchneriella subcapitata)	LC50: =5000mg/L (96h, Brachydanio rerio)	EC50: =7600mg/L (48h, Ceriodaphnia dubia)
Carbamic acid, butyl-, 3-iodo-2-propynyl ester 55406-53-6		LC50: 0.049 - 0.079mg/L (96h, Oncorhynchus mykiss) LC50: 0.05 - 0.089mg/L (96h, Oncorhynchus mykiss) LC50: 0.14 - 0.32mg/L (96h, Lepomis macrochirus) LC50: 0.18 - 0.23mg/L (96h, Pimephales promelas)	
Pentanedial 111-30-8	EC50: =0.61mg/L (72h, Desmodesmus subspicatus) EC50: =0.84mg/L (96h, Desmodesmus subspicatus)	LC50: 2.6 - 4.8mg/L (96h, Oncorhynchus mykiss) LC50: 7.8 - 13mg/L (96h, Oncorhynchus mykiss) LC50: 7.8 - 22mg/L (96h, Lepomis macrochirus) LC50: =5.4mg/L (96h, Pimephales promelas)	EC50: 0.56 - 1.0mg/L (48h, Daphnia magna) EC50: =14mg/L (48h, Daphnia magna)
5-Chloro-2-methyl-3(2H)-isothiazolo ne mixture with 2-methyl-3(2H)-isothiazolone (3:1) 55965-84-9	EC50: 0.11 - 0.16mg/L (72h, Pseudokirchneriella subcapitata) EC50: 0.03 - 0.13mg/L (96h, Pseudokirchneriella subcapitata)	LC50: =1.6mg/L (96h, Oncorhynchus mykiss)	EC50: =4.71mg/L (48h, Daphnia magna) EC50: 0.12 - 0.3mg/L (48h, Daphnia magna) EC50: 0.71 - 0.99mg/L (48h, Daphnia magna)

12.2. Persistence and degradability

Persistence / Degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation No information available.

Chemical name	Partition coefficient
1,2-Benzisothiazolin-3-one 2634-33-5	1.3
Pentanedial 111-30-8	0.22
5-Chloro-2-methyl-3(2H)-isothiazolone mixture with 2-methyl-3(2H)-isothiazolone (3:1) 55965-84-9	0.75

12.4. Mobility in soil

Mobility in soil No information available.

Mobility in Environmental Media No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

Chemical name	PBT and vPvB assessment
Titanium dioxide 13463-67-7	The substance is not PBT / vPvB PBT assessment does not apply
Silica amorphous 7631-86-9	The substance is not PBT / vPvB PBT assessment does not apply
1,2-Benzisothiazolin-3-one 2634-33-5	The substance is not PBT / vPvB
Carbamic acid, butyl-, 3-iodo-2-propynyl ester 55406-53-6	The substance is not PBT / vPvB PBT assessment does not apply
Pentanedial 111-30-8	The substance is not PBT / vPvB
5-Chloro-2-methyl-3(2H)-isothiazolone mixture with 2-methyl-3(2H)-isothiazolone (3:1) 55965-84-9	The substance is not PBT / vPvB
2-Methyl-4-isothiazolin-3-one 2682-20-4	The substance is not PBT / vPvB

12.6. Other adverse effects

Other adverse effects No information available

Chemical name	EU - Endocrine Disruptors Candidate List	EU - Endocrine Disruptors - Evaluated Substances	Endocrine disrupting potential
Carbamic acid, 1H-benzimidazol-2-yl-, methyl ester	Group II Chemical		

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused Products	Dispose of in accordance with the European Directives on waste and hazardous waste.
Contaminated Packaging	Empty containers should be taken for local recycling, recovery or waste disposal.
EWC waste disposal No	No information available
Other Information	Waste codes should be assigned by the user based on the application for which the product was used.

Section 14: TRANSPORT INFORMATION

IMDG	Not regulated
RID	Not regulated
ADR	Not regulated
ADN	Not regulated
IATA	Not regulated

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number
Silica amorphous 7631-86-9	RG 25
1,2-Benzisothiazolin-3-one 2634-33-5	RG 65
Carbamic acid, 1H-benzimidazol-2-yl-, methyl ester 10605-21-7	RG 5, RG 14, RG 15, RG 15bis, RG 20bis, RG 2, RG 9, RG 14, RG 20, RG 34, RG 65
Pentanedial 111-30-8	RG 65, RG 66

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

International Inventories

AIIC	No - Not all of the components are listed.
DSL: Canada	Yes - All components are listed or exempt.
EINECS: European Union Inventory of Existing Substances	No - Not all of the components are listed.
ENCS	No - Not all of the components are listed.
IECSC	No - Not all of the components are listed.
KECL	No - Not all of the components are listed.

PICCS
TSCA: United States

No - Not all of the components are listed.
Yes - All components are listed or exempt.

Legend

AICS - Australian Inventory of Chemical Substances
DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List
IECSC - China Inventory of Existing Chemical Substances
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

15.2. Chemical safety assessment

Chemical Safety Report

No information available

Section 16: OTHER INFORMATION

Full text of H-Statements referred to under section 3

EUH071 - Corrosive to the respiratory tract
H301 - Toxic if swallowed
H302 - Harmful if swallowed
H310 - Fatal in contact with skin
H311 - Toxic in contact with skin
H314 - Causes severe skin burns and eye damage
H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H318 - Causes serious eye damage
H330 - Fatal if inhaled
H331 - Toxic if inhaled
H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled
H335 - May cause respiratory irritation
H340 - May cause genetic defects
H360FD - May damage fertility. May damage the unborn child
H372 - Causes damage to organs through prolonged or repeated exposure
H400 - Very toxic to aquatic life
H410 - Very toxic to aquatic life with long lasting effects
H411 - Toxic to aquatic life with long lasting effects

Classification procedure:

Expert judgment and weight of evidence determination

Key literature references and sources for data

Data from internal and external sources

Prepared By

Product Stewardship Department
Benjamin Moore & Co.
101 Paragon Drive
Montvale, NJ 07645
800-225-5554

Issuing Date

08/05/2023

Revision Date:

08/05/2023

Revision Summary

Initial Release

Disclaimer

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

End of Safety Data Sheet